

2011 ANNUAL REPORT

Feature Article on

Net Zero Energy Buildings – A Consistent Definition Framework

111

zero

IEA Solar Heating & Cooling Programme

.....

2011 Annual Report

Edited by Pamela Murphy SHC Secretariat IEA Solar Heating and Cooling Programme

www.iea-shc.org

July 2012

IEA & SHC Programme

INTERNATIONAL ENERGY AGENCY

The International Energy Agency (IEA) is an autonomous agency established in 1974. The IEA carries out a comprehensive programme of energy co-operation among 28 advanced economies, each of which is obliged to hold oil stocks equivalent to 90 days of its net imports. The aims of the IEA are to:

- Secure member countries' access to reliable and ample supplies of all forms of energy; in particular, through maintaining effective emergency response capabilities in case of oil supply disruptions.
- Promote sustainable energy policies that spur economic growth and environmental protection in a global context – particularly in terms of reducing greenhouse-gas emissions that contribute to climate change.
- Improve transparency of international markets through collection and analysis of energy data.
- Support global collaboration on energy technology to secure future energy supplies and mitigate their environmental impact, including through improved energy efficiency and development and deployment of low-carbon technologies.
- Find solutions to global energy challenges through engagement and dialogue with non-member countries, industry, international organisations and other stakeholders.

To attain these goals, increased co-operation between industries, businesses and government energy technology research is indispensable. The public and private sectors must work together, share burdens and resources, while at the same time multiplying results and outcomes.

The multilateral technology initiatives (Implementing Agreements) supported by the IEA are a flexible and effective framework for IEA member and non-member countries, businesses, industries, international organizations and non-government organizations to research breakthrough technologies, to fill existing research gaps, to build pilot plants, to carry out deployment or demonstration programmes – in short to encourage technology-related activities

SHC MEMBER COUNTRIES 2011

Australia Austria Belgium Canada Denmark European Commission Finland France Germany Italv Mexico New Zealand Netherlands Norway Portugal Singapore South Africa Spain Sweden Switzerland **United States**

that support energy security, economic growth and environmental protection.

More than 6,000 specialists carry out a vast body of research through these various initiatives. To date, more than 1,000 projects have been completed. There are currently 41 Implementing Agreements (IA) working in the areas of:

- Cross-Cutting Activities (information exchange, modelling, technology transfer)
- End-Use (buildings, electricity, industry, transport)
- Fossil Fuels (greenhouse-gas mitigation, supply, transformation)
- Fusion Power (international experiments)
- Renewable Energies and Hydrogen (technologies and deployment)

The IAs are at the core of a network of senior experts consisting of the Committee on Energy Research and Technology (CERT), four working parties and three expert groups. A key role of the CERT is to provide leadership by guiding the IAs to shape work programmes that address current energy issues productively, by regularly reviewing their accomplishments, and suggesting reinforced efforts where needed. For further information on the IEA, the CERT and the IAs, please consult www.iea.org.

SOLAR HEATING AND COOLING PROGRAMME

The Implementing Agreement for a Programme to Develop and Test Solar Heating and Cooling Systems (referred to as the Solar Heating and Cooling Programme or SHC Programme) was established in 1977 as one of the first Implementing Agreements in the IEA. The SHC Programme's work is unique in that it is accomplished through the international collaborative effort of experts from Member countries and the European Commission. The benefits of such an approach are numerous, namely, it accelerates the pace of technology development, promotes standardization, enhances national R&D programmes, permits national specialization, and saves time and money.

SHC Mission

To advance international collaborative efforts for solar energy and provide significant added value to national R,D & D, and policy and program initiatives related to the built environment and for agricultural and industrial process heat to reach the goal set in the vision of contributing up to 50% of the low temperature heating and cooling demand by 2030.

This mission assumes a whole building approach to the application of solar technologies and designs. Based on this mission, the Programme will continue to cooperate with other IEA Implementing Agreements as well as the solar industry to expand the solar market. Through international collaborative activities, the Programme will support market expansion by providing access to reliable information on solar system performance, design guidelines and tools, data, etc. and by developing and integrating advanced solar energy technologies and design strategies for the built environment and for agricultural and industrial process heat applications.

To fulfill this mission, the Programme will direct its results to the design community, the solar manufacturers, and the energy supply and service industries that serve the end-users and building owners.

Our Objectives

The SHC Executive Committee has agreed upon the following objectives and associated strategies to fulfill its mission.

SHC Objective 1

To be the primary source of high quality technical information and analysis on solar heating and cooling technologies, designs and applications.

Strategies

- Assure that technical information and analysis developed in this Agreement is available and disseminated to the target audiences in useful formats.
- Working through relevant international standards organizations, support the development and harmonization of standards necessary for the widespread use of solar designs and technologies in the building, agricultural and industrial sectors.

SHC Objective 2

To contribute to a significant increase in the performance of solar heating and cooling technologies and designs.

Strategies

- Increase user acceptance of solar designs and technologies.
- Continue to develop **cost-effective** designs and technologies in collaboration with appropriate intermediary industries.
- Identify and prioritize R&D needs for solar heating and cooling that will lead to expanded markets

SHC Objective 3

To enhance cooperation with industry and government on increasing the market share of solar heating and cooling technologies and designs.

Strategies

- Work with appropriate **intermediary industries** and end users to accelerate the market penetration of solar designs and technologies.
- Work with governments to promote and expand favorable policies to increase the market share.
- Work towards or support the greater use of solar designs and technologies in developing countries.
- Work to address issues regarding building design, aesthetics and architectural value.

SHC Objective 4

To increase the awareness and understanding on the potential and value of solar heating and cooling systems by providing information to decision makers and the public.

Strategies

- Communicate the value of solar heating and cooling designs and technologies in publications, conferences, workshops and seminars to the public and relevant stakeholders.
- Provide **analysis** that links solar heating and cooling designs and technologies to energy security concerns, environmental and economic goals.
- Quantify and publicize the environmental, economic and climate change benefits of solar heating and cooling and supporting policy measures solar design and technologies in meeting environmental targets and addressing policies and energy, supply security.
- Review our products in relation to our objectives Annual Reports, Solar Update Newsletters, National Programme Review Reports, "Solar Heating Worldwide: Markets and Contributions to the Energy Supply report."
- **Present** the SHC Solar Award annually/bi-annually. **Maintain** the SHC web site.

The SHC Programme is headed by an Executive Committee composed of one representative from each Member country and Sponsor organizations, while the management of the individual projects (Tasks) is the responsibility of project managers (Operating Agents) who are selected by the Executive Committee. Forty-seven Tasks have been initiated since the beginning of the Programme.

The Programme's work is augmented through collaboration with other IEA Programmes, such as the Energy Conservation in Buildings and Community Systems Programme, the Photovoltaic Power Systems Programme, and the SolarPACES Programme, as well as solar trade associations in Europe, North America, and Australia.

Chairman's Report

Werner Weiss AEE INTEC, Austria



2011 was once again a successful year for the Solar Heating and Cooling Programme even if the market in some regions was challenging for the industry. In this environment it is especially important to increase our efforts in informing policy and decision makers about the possibilities of solar thermal as well as the achievements of our Implementing Agreement.

2011 marked the first year of the SHC Information Center. The main goal of this Center is to increase the awareness of the potential of solar heating and cooling. It will achieve this through focused information on our Task results, general up-to-date information on solar heating and cooling, and information on worldwide trends in the solar heating and cooling industry.

Another new activity that started in 2011 is our annual scientific and policy conference on solar heating and cooling. These conferences will be organized in close cooperation with solar trade organizations. The 1st International Conference on Solar Heating and Cooling



for Buildings and Industry was held on July 9 – 11, 2012 in San Francisco, California. The Executive Committee is happy to organize this conference in cooperation with Intersolar North America and the California Solar Energy Industries Association CALSEIA.

At the SHC 2012 conference, the prestigious *SHC Solar Award* was presented to Dr. Fred Morse. For further information on the conference please visit <u>http://www.shc2012.org</u>.

SOLAR THERMAL OUTLOOK

The SHC Programme publishes the only annual global statistics report, *Solar Heat Worldwide: Markets and Contribution to the Energy Supply*. The 2012 edition reports that in 2010, solar thermal technologies produced **183,173 GWh** – which relates to an oil equivalent of over 27.9 million tons and annual avoidance of 85.5 million tons of CO_2 emissions. New installations grew 13.7 % compared to 2009 again with China as a main market driver and absolute leader in terms of cumulated area installed and followed by Turkey, the United States, Germany and Australia.



Total capacity of newly installed glazed and unglazed water collectors in the 10 leading countries in 2010

Key findings:

- Cumulated capacity in 2010 in operation was 221.1 GW_{th} (315.8 million square meters):
 - 198.3 GWth flat-plate and evacuated tube collectors
 - 21.5 GW_{th} unglazed plastic collectors
 - 1.3 GW_{th} air collectors
- China and Europe accounted for 94.7% of the world's market for all new installations.
- Market penetration of newly installed glazed water collectors (installed capacity per 1,000 inhabitants) leading countries are:
 - Israel: 30.1 kW_{th}; China: 25.8 kW_{th}; Austria: 23.9 kW_{th}; Cyprus: 22.0 kW_{th}; Turkey: 14.9 kW_{th}
- 2011 data estimate total capacity in operation is 270 GW_{th}

One major trend shows that solar thermal systems reached the Megawatt-scale in several applications. The world's biggest solar thermal plant with a capacity of 25 MW_{th} (36,000 m² collector area) was installed in 2011 in Saudi Arabia. Also a huge 3.900 m² solar cooling plant with a cooling capacity of 1.6 MW was installed in Singapore and moreover large-scale district heating systems in Canada and especially in Denmark boomed in 2011. In all of these large-scale systems, experts of the Solar Heating and Cooling Programme played a central and important role and were able to apply the results of the various results of ongoing or completed Tasks.



25 MW solar thermal plant at the Princess Noura bint Abdul Rahman University in Riyadh, Saudi Arabia

SHC ACTIVITIES

Tasks

The SHC Programme continues to push forward on cutting edge topics in solar thermal as well as in the field of solar buildings and architecture, all of which support our strategic focus on market deployment and R&D. In 2011 -

Work started in the area of solar cooling:

Task 48: Quality Assurance and Support Measures for Solar Cooling (Lead Country: France)

The Task builds upon our solar cooling work in Task 25 and Task 38. Experts will collaborate to develop a strong and sustainable market for solar cooling systems. The focus is on systems that include any solar thermal cooling technology (no limitation on power or solar collector field area) that can be used in a heating mode.

Work will begin on SHIP in 2012:

 Task 49: Solar Process Heat for Production and Advanced Applications (Lead Country: Austria)

The Task builds upon our work in Task 33 and collaboration with the IEA SolarPACES Programme. In this new field of solar thermal applications, international collaboration will focus on developing and improving components and systems, developing tools for system optimization and installing and monitoring large-scale demonstration systems.

Work was proposed in two key areas:

Solar Energy and Urban Planning (Task Organizer: Sweden)

This work will focus on helping urban planners and architects achieve urban areas, and eventually entire cities, with architecturally integrated solar systems. It is proposed to collaborate with other IEA Programmes, such as the PVPS and ECBCS Programmes.

• Advanced Lighting Solutions for Retrofitting Buildings (Task Organizer: Germany)

This work will build upon SHC Tasks 21, 31, 46 and 47 as well as work in the ECBCS Programme.

Collaboration With Other IEA Programmes & International Organizations

To support our work, the SHC Programme is collaborating with other IEA Programmes and solar organizations.

Within the IEA

IEA Energy Conservation in Buildings and Community Systems Programme is collaborating in *SHC Task 40: Net Zero Energy Solar Buildings*.¹ In addition, another joint meeting of the Executive Committees will be held in June 2013 in Italy.

IEA Energy Conservation through Energy Storage Programme is collaborating in *SHC Task 42: Compact Thermal Energy Storage.* This is the first fully joint Task with Operating

¹ As outlined in the SHC Policy & Procedures Handbook

Agents from each Programme. The Executive Committees held a joint meeting in November 2011 in conjunction with their respective Executive Committee meetings.



Members of the Solar Heating and Cooling Programme and the Energy Conservation through Energy Storage Programme

IEA Heat Pump Programme is collaborating in SHC Task 44: Systems Using Solar Thermal Energy in Combination with Heat Pumps.

IEA Photovoltaic Power Systems Programme is collaborating in *SHC Task 46: Solar Resource Assessment and Forecasting.*

IEA SolarPACES Programme is collaborating in *SHC Task 46: Solar Resource Assessment and Forecasting.*

Outside the IEA

Solar Industry Associations in Australia, Europe and North America are collaborating with the SHC Programme to increase national and international government agencies and policymakers awareness of solar thermal's potential and to encourage industry to use solar thermal R&D results in new products and services.

To support this collaboration, the 6th SHC/Trade Association meeting was held October 19, 2011 in conjunction with *estec 2011* in Marseille, France. The 7th meeting is planned for July 2012 in conjunction with the SHC 2012 conference in San Francisco, California.

ETP RHC (European Technology Platform on Renewable Heating and Cooling), the SHC Programme, represented by Mr. Lex Bosselaar and Mr. Werner Weiss, continues to serve on the ESTTP Steering Committee and on the Platform's board to support the Platform's objectives.

EXECUTIVE COMMITTEE MEETINGS

2011 Meetings

The Executive Committee held two meetings:

- June 6-8 in Copenhagen, Denmark
- November 9-11 in Bad Aibling, Germany

2012 Meetings

The Executive Committee will hold two meetings:

- July 12-13 in San Francisco, California, USA
- November 27-29 in Belgium

A SUCCESSFUL TEAM

Last but not least I want to thank the vice chairmen Markus Kratz and João A. Farinha Mendes, all members of the Executive Committee, the Operating Agents of the Tasks as well as all experts working in our projects, the secretariat, Pamela Murphy, the webmaster, Randy Martin, and our communication manager, Uwe Trenkner. This excellent team guaranteed that SHC had another successful year.

1/m AA

Werner Weiss

Membership

.....

CONTRACTING PARTIES

Australia	Mexico
Austria	Netherlands
Belgium	Norway
Canada	Portugal
Denmark	Singapore
European Commission	South Africa
Finland	Spain
France	Sweden
Germany	Switzerland
Italy	United States

Participation in the Programme remains strong with 19 Member countries and the European Commission actively involved in the Programme's management and the work of the Tasks.

Communication continued with countries invited to join the Programme–Brazil, Chile, China, India, Japan, Slovenia, South Korea, and Ukraine.

In 2011, the Executive Committee unanimously voted to invite:

- Luxembourg to join the Agreement as a Contracting Party,
- Gulf Organization of Research and Development (GORD) of Qatar as a Sponsor, and
- Economic Community of West African States' Regional Centre for Renewable Energy and Energy Efficiency (ECREEE) as a Sponsor.

REASONS TO JOIN

The SHC Programme is unique in that it provides an international platform for collaborative R&D work in solar thermal. The benefits for a country to participate in this Programme are numerous.

 Accelerates the pace of technology development through the cross fertilization of ideas and exchange of approaches and technologies.

- Promotes standardization of terminology, methodology and codes & standards.
- Enhances national R&D programs thorough collaborative work.
- Permits national specialization in technology research, development, or deployment while maintaining access to information and results from the broader project.
- Saves time and money by sharing the expenses and the work among the international team.

HOW TO PARTICIPATE

Learn More

Visit our website — <u>www.iea-shc.org</u> — to stay up to date on our Tasks, to find publications, to contact Executive Committee members and project managers (Operating Agents).

Become A Member

If your *country is not a SHC Member* of the Programme, but your government agency or organization is interested in joining the Programme, please contact the SHC Secretariat for information (*secretariat@iea-shc.org*).

If you represent an *international industry association or international non-profit organization* it is possible to become a Sponsor Member, please contact the SHC Secretariat for information (*secretariat@iea-shc.org*).

Become An Expert

If your *country is a SHC Member* of then contact the Operating Agent of the Task you are interested in joining <u>and</u> contact the Executive Committee member from your country.

Task Highlights

.....

TASK 36: SOLAR RESOURCE KNOWLEDGE MANAGEMENT



Implementing Agreement.

This Task ended June 2011. Work during the year has focused on finalizing reports and the publication, Handbook on Solar Radiation. This work area will be continued in the new Task 46: Solar Resource Assessment and Forecasting.

This is a collaborative Task with the IEA Photovoltaic Power Systems Implementing Agreement and SolarPACES

TASK 39: POLYMERIC MATERIALS FOR SOLAR THERMAL APPLICATIONS



Comparative energy monitoring of pressure-less drain-back systems with polymeric collectors and conventional collectors were tested at the outdoor facilities of AEE INTEC in Gleis-dorf, Austria.

TASK 40: TOWARDS NET ZERO ENERGY SOLAR BUILDINGS



The major highlight of 2011 was the publishing of Volume 1 of the NetZEB Sourcebook by a well-known German publisher in English as well as a German language edition. Volume 1 deals with the history, theory, and project experiences from all building types, including projects in North American and European countries, taking into account all projects of architectural & conception relevance. In 2011 about 1400 German copies and another 650 English were sold.

This is a collaborative Task with the IEA Energy Conservation in Buildings and Community Systems Implementing Agreement.

TASK 41: SOLAR ENERGY & ARCHITECTURE



An international survey was conducted on architects' barriers, needs and criteria for tools and methods to support architectural design and integration at the early design stage. Results show that adequate tools for solar design, for use by architects in the early design phase, are still lacking. The report is available online, *International Survey about Digital Tools Used By Architects for Solar Design*.

TASK 42: COMPACT THERMAL ENERGY STORAGE



In 2011, important steps were made in the development of measurement procedures used to determine the properties of phase change materials (PCM). The Fraunhofer Institute for Solar Energy is leading the working group on Testing and Characterization and organized the PCM characterization work. Knowledge about the characteristics of storage materials is the basis for a good design of storage systems and for thermal simulations.

This is a collaborative Task with the IEA Energy Conservation through Energy Storage Implementing Agreement.

TASK 43: ADVANCED SOLAR THERMAL TESTING AND CHARACTERIZATION FOR CERTIFICATION OF COLLECTORS AND SYSTEMS



To confirm the consistency of collector efficiency and durability laboratories in Europe and North America are performing tests. Identical collectors from two single-lot purchases of both flat plate and tubular collectors are being tested by all SRCC accredited North American laboratories, and European laboratories are conducting similar identical lot testing. By testing the same or identical collectors according to EN/ISO and SRCC standards, Task Experts are able to provide an important check on the reproducibility of testing.

TASK 44: SOLAR AND HEAT PUMP SYSTEMS



Conducted a survey to obtain an overview of the systems on the market in order to find "basic" combinations. As a broad variety of configurations from simple parallel running to very complicated system designs exist, experts found four basic configurations to represent most of the combinations. The work now is to understand the benefits of each and to quantify them in several climate and load configurations.

This is a collaborative Task with the IEA Heat Pump Implementing Agreement.

TASK 45: LARGE SYSTEMS: LARGE SOLAR HEATING/COOLING SYSTEMS, SEASONAL STORAGE, HEAT PUMPS



Began work on "guidelines for requirements for collector loop installation" and drafted procedures for collector field performance.

TASK 46: SOLAR RESOURCE ASSESSMENT AND FORECASTING



The Task focus in 2011 was to finalize planning for the 2012 work.

This is a collaborative Task with the IEA Photovoltaic Power Systems Implementing Agreement and the SolarPACES Implementing Agreement.

TASK 47: SOLAR RENOVATION OF NON-RESIDENTIAL BUILDINGS



This Task began its work in 2011. One of the first work areas was agreement on a set of criteria for the selection of 47 exemplary renovation projects. The selection criteria are divided by Building Types, Energy, Economics, and Market Potential. A summary of each exemplary building will be posted on the Task website.

TASK 48: QUALITY ASSURANCE AND SUPPORT MEASURES FOR SOLAR COOLING



This Task began in October 2011 and experts spent the last months of the year focused on planning future work. The first reports will be available the end of 2012.





Task descriptions and Work plan Ortober 2011 Throw the being method at: the second sequence (2006), france) With the sequences of the second second second second tests that plants and at the second second second second tests that plants are second second second second tests that plants are second second second second tests are second second second second second second second tests are second second second second second second second tests are second second second second second second second second second tests are second second

Feature Article

Net Zero Energy Buildings: A Consistent Definition Framework

Igor Sartori of SINTEF Building and Infrastruture, Oslo, Norway; Assunta Napolitano of EURAC, Bolzano, Italy, and Karsten Voss of the University of Wuppertal, Germany <u>http://www.sciencedirect.com/science/article/pii/S0378778812000497</u>

Introduction

The topic of Zero Energy Buildings (ZEBs) has received increasing attention in recent years, until becoming part of the energy policy in several countries. In the recast of the EU Directive on Energy Performance of Buildings (EPBD) it is specified that by the end of 2020 all new buildings shall be "nearly zero energy buildings" [1]. For the Building Technologies Program of the US Department Of Energy (DOE), the strategic goal is to achieve "marketable zero energy homes in 2020 and commercial zero energy buildings in 2025" [2]. However, despite the emphasis on the goals the definitions remains in most cases generic and are not yet standardised. A more structured definition, even though limited in scope to new residential buildings, is the one of 'zero carbon homes' in the UK, where there is a political target to build all new homes as zero carbon by 2016. The zero carbon definition has undergone a lengthy process that started in 2006 and was still subject to revisions in 2011 [3]. [4]. Otherwise, the term ZEB is used commercially without a clear understanding and countries are enacting policies and national targets based on the concept without a clear definition in place. Commercial definitions may be partial or biased in their scope, for example including only thermal or only electrical needs in the balance, or allowing for energy inefficient buildings to achieve the status of ZEB thanks to oversized PV systems, but without applying relevant energy saving measures. For these reasons such definitions are not suitable as a basis for regulations and national policies.

Relevant work can be found in literature on existing and proposed definitions [5]–[13] and survey and comparison of existing case studies [14], [15]. Furthermore, an international effort on the subject is ongoing in the International Energy Agency (IEA) joint Solar Heating and Cooling (SHC) Task40 and Energy Conservation in Buildings and Community systems

Feature Article: NZEB www.iea-shc.org (ECBCS) Annex52 titled "Towards Net Zero Energy Solar Buildings" [16]. It emerges from these analyses that little agreement exists on a common definition that is based on scientific analysis. There is a conceptual understanding of a ZEB as an energy efficient building able to generate electricity, or other energy carriers, from renewable sources in order to compensate for its energy demand. Therefore, it is implicit that there is a focus on buildings that are connected to an energy infrastructure and not on autonomous buildings. To this respect the term Net ZEB can be used to refer to buildings that are connected to the energy infrastructure, while the term ZEB is more general and may as well include autonomous buildings. The wording 'Net' underlines the fact that there is a balance between energy taken from and supplied back to the energy grids over a period of time, nominally a year.

As discussed in [15] the Net ZEB approach is one strategy towards climate neutral buildings, in addition to others based on energy efficient buildings combined with almost carbon neutral grid supply. Net ZEBs are designed to overcome the limitation given by a non 100% 'green' grid infrastructure. Exploiting local Renewable Energy Sources (RES) on-site and exporting surplus energy from on-site generation to utility grids is part of the strategy to increase the share of renewable energy within the grids, thereby reducing resource consumption and associated carbon emissions. On the other hand, especially for the power grid, wide diffusion of distributed generation may give rise to some problems such as power stability and quality in today's grid structures, mainly at local distribution grid level. Development of "smart grids" is ongoing to fully benefit from distributed generation with respect to reducing the grids primary energy and carbon emission factors, as well as operation costs. Within a least-cost planning approach, on-site options have to be compared with measures at the grid level, which take advantage of the economy of scale and equalization of local peaks. However, it is clear that the mere satisfaction of an annual balance is not in itself a guarantee that the building is designed in a way that minimizes its (energy use related) environmental impact. In particular, Net ZEBs should be designed - to the extent that is in the control of the designers – to work in synergy with the grids and not to put additional stress on their functioning.

Considering the interaction between buildings and energy grids also leads to consider that every country, or regional area, has different challenges to face with respect to the energy infrastructure, on top of different climate and building traditions. Therefore every country has the need to adapt the Net ZEB definition to its own specific conditions, e.g. defining the primary energy or carbon emission conversion factors for the various energy carriers, establishing requirements on energy efficiency or prioritizing certain supply technologies.

What is missing is a formal, comprehensive and consistent framework that considers all the relevant aspects characterising Net ZEBs and allow each country to define a consistent (and comparable with others) Net ZEB definition in accordance with the country's political targets and specific conditions. The framework described in this paper builds upon concepts found literature and further developed in the context of the joint IEA SHC Task 40/ECBCS Annex 52: Towards Net Zero Energy Solar Buildings [16]. The following Table 1 shows a list of nomenclature used in this paper.

Table 1	Nomenclature			
CHP	Combined Heat and Power	g, G	generation, Generation weighted	
COP	Coefficient Of Performance	g m	net monthly Generation, annual total	
DHW	Domestic Hot Water	G _m	net monthly Generation weighted	
DSM	Demand Side Management	i	energy carrier	
HVAC	Heating, Ventilation and Air	I, L	load, Load weighted	
	Conditioning			
Net ZEB(s)	Net Zero Energy Building(s)	l _m	net monthly Load, annual total	
RES	Renewable Energy Sources	L _m	net monthly Load weighted	
STD	Standard Deviation	m	month	
d, D	delivered, Delivered weighted	max	maximum	
e, E	exported, Exported weighted	min	minimum	
f _{grid}	grid interaction index	t	time interval	
f _{load}	load match index	W	weighting factor	

Terminology and Net ZEB Balance Concept

The sketch shown in Figure 1 gives an overview of relevant terminology addressing the energy use in buildings and the connection between buildings and energy grids.



Figure 1. Sketch of connection between buildings and energy grids showing relevant terminology.

Building system boundary

The boundary at which to compare energy flows flowing in and out the system. It includes:

- Physical boundary: can encompass a single building or a group of buildings; determines whether renewable resources are 'on-site' or 'off-site'.
- Balance boundary: determines which energy uses (e.g. heating, cooling, ventilation, hot water, lighting, appliances) are included in the balance.

Energy grids (or simply 'grids')

The supply system of energy carriers such as electricity, natural gas, thermal networks for

district heating/cooling, biomass and other fuels. A grid may be a two-way grid, delivering energy to a building and occasionally receiving energy back from it. This is normally the case for electricity grid and thermal networks.

Delivered energy

Energy flowing from the grids to buildings, specified per each energy carrier in [kWh/y] or [kWh/m²y]. This is the energy imported by the building. However, it is established praxis in many countries to name this quantity 'delivered energy', see for example [17].

Exported energy

Energy flowing from buildings to the grids, specified per each energy carrier in [kWh/y] or $[kWh/m^2y]$.

Load

Building's energy demand, specified per each energy carrier in [kWh/y] or [kWh/m²y]. The load may not coincide with delivered energy due to self-consumption of energy generated on-site.

Generation

Building's energy generation, specified per each energy carrier in [kWh/y] or [kWh/m²y]. The generation may not coincide with exported energy due to self-consumption of energy generated on-site.

N.B. Design calculations to convert building energy needs, such as for heating, cooling, ventilation, hot water, lighting, appliances, into the demand for certain energy carriers (here 'loads'), accounting for system efficiencies and interactions are not covered in this paper; nor are calculations to determine on-site generation or possible self-consumption patterns. Readers are encouraged to refer to their relevant national methodologies and regulations for guidance.

Weighting system

A weighting system converts the physical units into other metrics, for example accounting for the energy used (or emissions released) to extract, generate, and deliver the energy. Weighting factors may also reflect political preferences rather than purely scientific or engineering considerations.

Weighted demand

The sum of all delivered energy (or load), obtained summing all energy carriers each multiplied by its respective weighting factor.

Weighted supply

The sum of all exported energy (or generation), obtained summing all energy carriers each multiplied by its respective weighting factor.

Net ZEB balance

A condition that is satisfied when weighted supply meets or exceeds weighted demand over a period of time, nominally a year. The net zero energy balance can be determined either from the balance between delivered and exported energy or between load and generation. The former choice is named import/export balance and the latter load/generation balance. A third option is possible, using monthly net values of load and generation and it is named monthly net balance. The Net ZEB balance is calculated as in Eq. 1:

Net ZEB balance: | weighted supply | - | weighted demand $| \ge 0$ Eq. 1

where absolute values are used simply to avoid confusion on whether supply or demand is consider as positive. The Net ZEB balance can be represented graphically as in Figure 2, plotting the weighted demand on the x-axis and the weighted supply on the y-axis.



Figure 2. Graph representing the net ZEB balance concept.

The reference building may represent the performance of a new building built according to the minimum requirements of the national building code or the performance of an existing building prior to renovation work. Starting from such reference case, the pathway to a Net ZEB is given by the balance of two actions:

- 1) reduce energy demand (x-axis) by means of energy efficiency measures;
- 2) generate electricity as well as thermal energy carriers by means of energy supply options to get enough credits (y-axis) to achieve the balance.

In most circumstances major energy efficiency measures are needed as on-site energy generation options are limited, e.g. by suitable surface areas for solar systems, especially in high-rise buildings.

Framework for Net ZEB Definitions

The balance of **Eq. 1** represents the core concept of a Net ZEB definition. In order to use such formula in practice several aspects have to be evaluated and some explicit choice made, e.g. the metrics adopted for weighting and comparing the different energy carriers. Additionally, other features than the mere balance over a period of time may be desirable in characterizing Net ZEBs. These aspects are described and analysed in a series of five criteria and sub-criteria, and for each criterion different options are available. Evaluation of the criteria and selection of the related options becomes a methodology for elaborating Net ZEB definitions in a systematic, comprehensive and consistent way. The Net ZEB definition framework is organized in the following criteria and sub-criteria in the paper):

- 1. Building system boundary
 - 1.1 Physical boundary

- 1.2 Balance boundary
- 1.3 Boundary conditions
- 2. Weighting system
 - 2.1 Metrics
 - 2.2 Symmetry
 - 2.3 Time dependent accounting
- 3. Net ZEB balance
 - 3.1 Balancing period
 - 3.2 Type of balance
 - 3.3 Energy efficiency
 - 3.4 Energy supply
- 4. Temporal energy match characteristics
 - 4.1 Load matching
 - 4.2 Grid interaction
- 5. Measurement and verification

1. Building System Boundary

Defining the building system boundary is necessary to identify what energy flows cross the boundary. The building system boundary can be seen as a combination of a physical and a balance boundary. Only energy flows that cross the system boundary, i.e. both physical and balance boundaries, are considered for the Net ZEB balance. This means, for example, that if a definition excludes plug-loads from the balance boundary, the electricity used for plug-loads is not to be counted. With design data this is not a problem. With monitoring data though, it represents a complication because the power meter normally does not discern between the different power uses. A Net ZEB definition that does not include all operational energy services poses a challenge on building performance verification because it requires a more sophisticated measurement system, see criterion 5-Measurement and verification.

1.1 Physical boundary

The physical boundary may be on a single building or on a cluster of buildings. In this paper the focus is mainly on single buildings, but the same framework would apply equally well to clusters of building. It is important to note though that a cluster of buildings implies a synergy between several buildings which are not necessarily Net ZEB as singles but as a whole.

The physical boundary is useful to identify so called 'on-site' generation systems; so that if a system is within the boundary it is considered on-site, otherwise it is 'off-site'. As analysed later in criterion 3.4-Net ZEB balance-Energy supply, off-site supply options may or may not be accepted for calculating the balance, or may be given different priorities. As an example, one may think of a PV system installed on the parking lot, detached from the main building. If the boundary is taken on the building's physical footprint such system would then be regarded as off-site. If the boundary instead is set on the building's property or if the power meter is taken as the physical boundary, then the PV system would be on-site.

Furthermore, the physical boundary can be used to address the property issue of RES installations. On one hand RES installations or investments not on the building site may be accountable in the balance if financed by the building owner/constructor, as in the UK zero carbon home definition, see [18], [19] and further discussion on allowable solutions in criterion 3.4-Net ZEB balance-Energy supply. On the other hand, a RES installation on the building site may not be considered accountable for the building balance if it is

property of a third party, e.g. if the roof space has been rented to an investor (utility company, ESCO, etc.) who owns the PV system and runs it independently.

It has to be specified which two-way grids are available at the physical boundary. A twoway grid is a grid that can deliver energy to and also receive energy back from the building(s). Without a two-way grid it is not possible to define a Net ZEB. The power grid is normally available as two-way grid. Other two-way grids may be local thermal networks, such as district heating/cooling networks. Specific conditions are normally required by the grid operators in order to accept exported energy, such as on frequency and voltage tolerances (power grid) or temperature levels (thermal network).

1.2 Balance boundary

The balance boundary defines which energy uses are considered for the Net ZEB balance. Operational energy uses typically include heating, cooling, ventilation, domestic hot water, fixed lighting and plug-loads. National and commercial standards on energy performance may consider different combinations of them. Other energy uses may be included in the balance, even though they are typically not considered in building energy performance codes and standards. This may include treatment of rain water or charging of electric vehicles. Electric vehicles are not a building related energy use but charging their batteries may be used as a way to optimise the interaction with the grid (see criterion 4.2-Temporal energy match characteristics-Grid interaction).

Other energy uses that do not occur in the operational phase, but in the life cycle of a building may be considered, such as embodied energy/emissions in materials and technical installations. More energy efficient and energy producing buildings are likely to deploy more materials (e.g. insulation) and technical installations (e.g. PV system) including materials whose manufacturing is energy intensive. Consequently, the importance of embodied energy/emissions increases and including it into the balance broadens the scope of Net ZEBs as environmental friendly and sustainable buildings. Embodied energy/emissions should be annualized for proper accounting in addition to operational energy use; this implies making assumption on the life time of the building and its components. Likewise, also energy used for erection and demolition of the building could be considered, even though their relative importance is generally low and it may be justifiable to neglect it [18].

1.3 Boundary conditions

A consistent Net ZEB definition should allow a meaningful comparison between similar buildings in similar climates, as well as between the expected performance of a building from its design data and the measured performance revealed by monitoring data, see criterion 5-Measurement and verification. It is important to understand if any deviation from expected values is attributable to technical operating or design mistakes, or if it is simply due to different conditions of use. For this purpose it is necessary to explicitly specify a set of boundary conditions: functionality, space effectiveness, climate and comfort.

The functionality describes what type of uses the building is designed for, such as residential, office, school or hospital. In case of multi-functional buildings it is necessary to specify how the floor area is distributed between the different functions. The space effectiveness can be expressed in terms of people/m² or, consequently, of energy use per person. Variations from expected functionality and/or space effectiveness are important and should be taken into consideration before comparing the expected

performance with the monitored one. For example, higher/lower people density causes different energy demand.

The reference climate and the comfort standards used in design also need to be specified. Variations from expected outdoor climate and/or indoor comfort conditions are important and should be taken into consideration before comparing the expected performance with the monitored one. For example, hotter/colder years or different temperature settings cause different energy demand.

2. Weighting System

The weighting system converts the physical units of different energy carriers into a uniform metrics, hence allowing the evaluation of the entire energy chain, including the properties of natural energy sources, conversion processes, transmission and distribution grids. Choosing a common balance metrics also allows taking into account the so-called fuel switching effect, e.g. when export of PV electricity during summer compensates for imported biomass or fossil fuels in winter.

2.1 Metrics

In [5] four types of metrics are considered: site energy, source energy, energy cost, and carbon emissions related to energy use. Advantages and disadvantages of each choice are discussed and it is shown how the choice would affect the required PV installed capacity. Other possible metrics are the non-renewable part of primary energy, exergy [6], environmental credits and politically/strategically decided factors. The choice of the metrics, especially with political factors, will affect the relative value of energy carriers, hence favouring the choice of certain carriers over others and influencing the required (electricity) generation capacity. For an analysis of the details and the implications for design of each choice reference is made to the mentioned literature [5]–[13].

Quantification of proper conversion factors is not an easy task, especially for electricity and thermal networks as it depends on several considerations, e.g. the mix of energy sources within certain geographical boundaries (international, national, regional or local), average or marginal production, present or expected future values and so on. A sample of conversion factors for primary energy and carbon equivalent emissions as applied in current building design practise is shown in Appendix A – Conversion factors. There are no correct conversion factors in absolute terms. Rather, different conversion factors are possible, depending on the scope and the assumptions of the analysis. This leads to the fact that 'politically corrected' weighting factors may be adopted in order to find a compromise agreement.

Furthermore, 'political factors' (or 'strategic factors') may be used in order to include considerations not directly connected with the conversion of primary sources into energy carriers. Political factors can be used to promote or discourage the adoption of certain technologies and energy carriers. For example biomass and biofuels, in case of carbon emissions as the metrics, would have a very low conversion factor making it an attractive solution. However, availability of biomass is not infinite and it needs to be used also for other non-energy purposes such as food production. Hence, even in regions of abundant local availability it may be desirable to 'politically' increase the conversion factor in order to reduce the attractiveness of biomass and favour other solutions, e.g. solar systems.

2.2 Symmetry

Each two-way energy carrier (e.g., electricity) can be weighted symmetrically, using the same weighting factors for both delivered and exported quantities, or asymmetrically,

using different factors.

The rationale behind symmetric weighting is that the energy exported to the grids will avoid an equivalent generation somewhere else in the grid. Hence the exported energy has a substitution value, which is equal to the average weighting factor for that grid. This is a valid approach as long as the energy generated on-site does not have any negative effect on the balance or if that effect is accounted for somewhere else. First example: with on-site cogeneration the negative effect is the increase of purchased fuel because of the reduced thermal efficiency. The delivered energy entering the physical boundary is increased, therefore accounting for the negative effect and the exported electricity can be fully credited for its substitution value. Second example: with on-site PV generation the negative effect is the increase in embodied energy. If the balance boundary does include embodied energy of the PV system, then the total demand to be balanced off is increased, accounting for the negative effect and the exported electricity can be fully credited for its substitution value.

Asymmetric weighting may be used to account for the negative effect of on-site generation if that is not accounted for somewhere else in the balance. For example, in the above case with PV system, if embodied energy is not part of the boundary balance then each kWh of exported electricity should not be fully credited because it did cost something – in energetic terms – to produce it. Rather than omitting this aspect, it is possible to associate a negative value to the kWh generated (in terms of the adopted metrics, such as primary energy or emissions) and credit the exported kWh net of it, i.e. the substitution value minus the negative effect value. This way it is possible to give different weighting factors to different generation technologies generating the same carrier, e.g. PV and cogeneration in the same building, hence valuing their different properties, possibly in combination with political factors as discussed in criterion 2.1-Weighting system-Metrics. The drawback is that each system should then be equipped with a separate meter, at least in theory. Similarly, also delivered energy may have different weighting factors for the same carrier, as for example in the case of a portion of purchased electricity being covered by green certificates.

However, the main rationale behind asymmetric weighting is that energy demand and supply do not have the same value, hence delivered and exported energy should be weighted differently in order to reflect this principle. Two situations are possible:

a) Delivered energy is weighted higher:

This takes into account the cost and losses on the grids side associated with transportation and storage of exported energy (and in case of electricity also possible earthing of feed-in power) as in the German tariff system since 2009, see [21]. This option may serve the purpose of reducing exchange with the grids – hence promoting self-consumption of on-site generation – in a scenario of wide diffusion of energy consuming and producing buildings;

 b) Exported energy is weighted higher: This option may serve the purpose of promoting technology diffusion in a scenario of early technology adoption, e.g. the early PV feed-in tariffs adopted in Germany, Italy, Spain and other countries, where feed-in electricity is paid two to three times higher than what delivered electricity is charged for (here the asymmetric metrics is the energy cost).

2.3 *Time dependent accounting*

Due to the complexity of the energy infrastructure, it is often feasible to estimate the weighting factors only as average values for a period of time. This is a static accounting,

and it typically applies to primary energy and carbon emission factors. For an overview of static (and symmetric) conversion factors used in several countries see Appendix A – Conversion factors.

Weighting factors will vary over time and space. Electricity, for example, may be evaluated for large regions while district heating/cooling or biomass may be evaluated at local scale, according to the actual availability of resources in the area. In any case the evaluation of weighting factors should be updated at regular intervals to reflect the development of the grids. To this respect it is possible to consider different scenarios on the possible evolution of weighting factors, as for example in [22] where the European electricity grid is analysed towards 2050. In the evaluation of electricity and district heating/cooling weighting factors it is also important to distinguish between average and marginal production and specify which choice is made.

It is also possible to evaluate weighting factors on hourly basis, therefore leading to a dynamic accounting. As an intermediate option a quasi-static accounting would have seasonal/monthly average values and/or daily bands for base/peak load. For energy prices it is already quite common to have seasonal or hourly fluctuating prices, while for other metrics such as primary energy and carbon emissions this is not the standard praxis today but it may become more common in future. Examples of this are given by the hourly energy emission factors for electricity generation in the US [23] and the power demand tracking in real time of the power grid in Spain [24].

Dynamic and quasi-static accounting would help, at least in theory, the design of buildings that optimise their interaction with the grids. The Time-Dependent Valuation of saving [25] is such an example. However, including dynamic accounting in the Net ZEB balance would considerably increase the complexity of calculations and the assumptions on future time dependent patterns. It is rather preferable, in the authors' opinion, to calculate the Net ZEB balance with static or quasi-static values and then use, in addition, dynamic values to address the temporal energy match characteristics, see criterion 4-Temporal energy match characteristics.

3. Net ZEB Balance

The balance of **Eq. 1** may be calculated in different ways, depending for example on the quantities that are of interest or available and the period over which to calculate the balance. Furthermore, policy makers must decide whether or not to enforce minimum energy efficiency requirements and/or a hierarchy of renewable energy supply options.

3.1 Balancing period

A proper time span for calculating the balance is assumed, often implicitly, to be a year. An yearly balance is suitable to cover all the operation settings with respect to the meteorological conditions, succession of the seasons in particular. Selection of shorter time spans, such as seasonal or monthly balance, could be highly demanding from the design point of view, in terms of energy efficiency measures and supply systems, in order to reach the target in critical time, such as winter time. On the other hand, a much wider time span, on the order of decades, could be selected to assess the balance along the entire building's life cycle including embodied energy. Nevertheless, as noted in criterion 1.2-Building system boundary-Balance boundary, embodied energy can be annualized and counted in addition to operational energy uses. It is therefore held that the balance is calculated on a yearly basis.

3.2 Type of balance

The core principle for Net ZEBs is the balance between weighted demand and weighted supply, generically described in **Eq. 1**. Delivered and exported energy quantities can be used to calculate the balance when monitoring a building. Alternatively, estimates of delivered and exported energy may be available in design phase, depending on the ability to estimate self-consumption of energy carriers generated on-site. In these cases an import/export balance is calculated as in **Eq. 2**ⁱ:

$$\sum_{i} e_{i} \cdot w_{e,i} - \sum_{i} d_{i} \cdot w_{d,i} = E - D \ge 0$$
 Eq. 2

where e and d stands for exported and delivered, respectively; w stands for weighting factor and i for energy carrier. E and D stands for weighted exported and delivered energy, respectively; see also Table 1 on nomenclature.

However, most building codes do not require design calculations to estimate selfconsumption, consequently lacking the estimations of delivered and exported amounts [10]. Such approaches perform like generation and load systems did not interact, basically because missing normative data on end users temporal consumption patterns (e.g. for lighting, electrical appliances, cooking, hot water use). Thereby, in most common cases only generation and load values are available and a load/generation balance is calculated as in **Eq. 3**:

$$\sum_{i} g_{i} \cdot w_{e,i} - \sum_{i} l_{i} \cdot w_{d,i} = G - L \ge 0$$
 Eq. 3

where g and I stands for generation and load, respectively; w stands for weighting factor and i for energy carrier. G and L stands for weighted generation and load, respectively; see also Table 1 on nomenclature. It is worth noting that overlooking the interactions between generation systems and loads as in the generation balance is equivalent to assume that, per each carrier, the load is entirely satisfied by delivered energy while the generation is entirely fed into the grid.

Alternatively, a balance may be calculated based on monthly net values. For each energy carrier, generation and load occurring in the same month are assumed to balance each other off; only the monthly residuals are summed up to form the annual totals. This can be seen either as a load/generation balance performed on monthly values or, equivalently, as a special case of import/export balance where a "virtual monthly self-consumption" pattern is assumed. Such procedure has been proposed in the framework of the German building energy code, see [12] and [14], where it is thought with focus on electricity; the same procedure though may be applied also to thermal carriers. This approach may be regarded as monthly net balance, calculated as in Equation, substituting Equation 4 and Equation 5:

$$g_{m,i} = \sum_{m} \max[0, g_i(m) - l_i(m)]$$
 Eq. 4

$$l_{m,i} = \sum_{m} max[0, l_i(m) - g_i(m)]$$
 Eq. 5

ⁱ For simplicity, the weighting factors are the same in **Eq. 2**, **Eq. 3** and Eq. 6, and are implicitly assumed as static yearly values, see 2.3-Weighting system-Time dependent accounting.

$$\sum_{i} g_{m,i} \cdot w_{s,i} - \sum_{i} l_{m,i} \cdot w_{d,i} = G_m - L_m \ge 0$$
 Eq. 6

where g and I stands for generation and load, respectively, and m stands for the month; w stands for weighting factor and i for energy carrier. G_m and L_m stands for the total weighted monthly net generation and load, respectively; see also Table 1 on nomenclature.

The three balances are coherent with each otherⁱⁱ but differ by the amount of on-site energy generation which is self-consumed, or 'virtually' assumed as self-consumed, as shown in Figure 3. Graphically, the load/generation balance gives the points for weighted demand and supply most far away from the origin; while with import/export balance and monthly net balance the points get closer to the origin as a consequence of the selfconsumption and virtual monthly self-consumption, respectively. The import/export balance is expected to be always in between the two other, due to the fact that there usually is some amount of self-consumption but hardly more than the virtual monthly self-consumption, which can be regarded as an upper limit as long as seasonal energy storage is not considered.



Figure 3. Graphical representation of the three types of balance: import/export balance between weighted exported and delivered energy, load/ generation balance between weighted generation and load, and monthly net balance between weighted monthly net values of generation and load.

It is worth noting that self-consumption of energy generated on-site can be seen as either an efficiency measure or as a supply measure depending on the type of balance adopted. In case of load/generation balance self-consumption is seen as part of the

ⁱⁱ Applied to the same case would give the same net balance: the three points lying on a 45° line (not necessarily passing through the origin if the net balance is not zero).

overall generation and is visualized in the graph as moving the weighted supply point up along the y-axis. However, in case of import/export balance self-consumption is seen as a reduction of the load, visualized in the balance graph by moving the weighted demand point closer to the origin, along the x-axisⁱⁱⁱ. This is consistent with the implicit viewpoint of the two balances. In the load/generation balance the building is seen independently, so that energy generated, whether self-consumed or not, does not affect the efficiency of the building as such. In the import/export balance the building is seen in connection with the grids, so that self-consumption does reduce the amount of energy exchanged, in this sense improving the efficiency of the system building-grids.

Each type of balance has pros and cons. The import/export balance gives the most complete information, showing the interaction with the grids but it is the most difficult to obtain in design phase because it requires estimates of self-consumption patterns and detailed simulation (preferably with hourly or sub-hourly resolution). The load/generation balance is the most suit to be seamlessly integrated in existing building codes that are only oriented at calculating the loads. In facts, it is only necessary to add one step: calculation of the generation. The drawback is that it completely overlooks the interaction with the grids. The monthly net balance has the advantage of being simple to implement while not completely overlooking the interaction with the grids. On one hand it only needs monthly values of generation and load and does not require either detailed simulations or self-consumption estimates. On the other hand while the virtual monthly self-consumption is a coarse approximation, it still provides some information on the seasonal interaction with the grids. The higher the monthly net generation (or load), the higher the seasonal unbalance of energy exchanged with the grids.

3.3 Energy efficiency

A Net ZEB definition may set mandatory minimum requirements on energy efficiency. Such requirements may be either prescriptive or performance requirements, or a combination of the two. Prescriptive requirements apply to properties of envelope components (e.g. U-values of walls and windows, air-tightness in pressurization test) and of HVAC systems (e.g. specific fan power, COP of heat pumps), while performance requirements apply to energy needs (e.g. for heating, cooling, lighting) or total (weighted) primary energy demand. See [26] for an overview of prescriptive and performance based energy efficiency requirements adopted in existing national or commercial certification systems.

Mandatory requirements on energy efficiency may be determined on the basis of costoptimality considerations as in the plans of the EPBD [1]; such methodology is still under development for the time being, see [27], [28] and [29]. Alternatively, mandatory efficiency targets could simply require a demand reduction (e.g. 50%) compared to a reference building of the same category (e.g. detached house, office, school).

In absence of explicit requirements on energy efficiency it is left to the designers to find the cost-optimal balance between energy efficiency measures and supply options, eventually considering embodied energy too, if in the balance boundary. However, the analysis of a large number of already existing Net ZEBs underlines the priority of energy efficiency as the path to success [15].

ⁱⁱⁱ Also valid for monthly net generation balance and virtual monthly self-consumption.

Restrictions on the use of some energy carriers, such as oil, can be a direct requirement of a Net ZEB definition or a consequence of the assigned weighting factor, e.g. assigning a 'politically' or 'strategically' high value to oil would reduce its attractiveness.

3.4 Energy supply

A Net ZEB definition may set mandatory requirements on energy supply. A straightforward requirement is proposed in [30] by setting a threshold for the minimum share of renewable energy that has to be used for covering the building's energy demand. Alternatively, energy supply options may be categorised in different ways and a Net ZEB definition may set a mandatory hierarchy of renewable energy supply options. This prioritization is meant to add an additional dimension to the energy balance itself. Typically, distinction is made at least between 'on-site' and 'off-site'; see [5], [10], [18] and [19]. For using a hierarchy of options a clear and unambiguous definition of what is on-site and off-site (and any further distinction) has to be stated in criterion 1-Building system boundary-Physical boundary.

In [5] the renewable energy supply options are prioritized on the basis of three principles: 1) Emissions-free and reduced transportation, transmission, and conversion losses; 2) Availability over the lifetime of the building; 3) Highly scalable, widely available, and have high replication potential for future Net ZEBs. These principles lead to a hierarchy of supply options where resources within the building footprint or on-site (e.g. PV and CHP) are given priority over off-site supply options, (e.g. import of biofuel for cogeneration or purchase of green electricity). Reasons for supporting such a hierarchy are extensively discussed in the report. In [10] a similar categorisation of supply options is given according to their distance from the building, even though no hierarchy of preferences is expressed. However, it is worth mentioning that the meaning of off-site varies depending on whether the focus is on the origin of the fuel [5] or on the location of the actual generation system [10].

Another example of classification and hierarchy is given by the "Zero Carbon Home" policy under development in the UK (only for new residential buildings), see [18] and [19]. In the Zero Carbon Home approach offsetting carbon emissions is achieved in two steps, named: "carbon compliance" and "allowable solutions". Carbon compliance is a mix of mandatory energy efficiency measures and a selection of on-site options (e.g. PV and connection to thermal grids) to be implemented as first priority. Allowable solutions is a set of further supply options, including extended on-site options, near-site and off-site options; where the meaning of such words is again different than in [5] and [10].

One of the more contentious topics is likely be how to account for 'soft' renewable generation options ('soft' as opposed to 'hard' = physical generation of energy carriers). For example, the allowable solutions in the Zero Carbon Home definition in the UK include investment (through a national investment fund) in low- and zero-carbon energy projects off-site. These include investments in the local energy infrastructure and financing energy efficient renovation of buildings in the area.

Another area that requires further thought by policy makers, if renewable energy supply is to be prioritized, is defining 'supply-side' renewable generation separately from 'demand-side' generation. As defined in [5], supply-side renewable energy can be commoditized, exported, and sold like electricity or hot water for district systems, while demand-side renewable are only available in connection with reducing building energy demand on-site. Examples of demand-side generation include CHP systems, ground source heat pumps, and passive solar systems. Restrictions on the use of some supply option, such crediting of electricity from gas fired CHP, can be a direct requirement of a Net ZEB definition or a consequence of the assigned weighting factor. For example, assigning a 'politically' or 'strategically' low value to electricity generated by gas fired CHP would reduce the attractiveness of such a choice^{iv}. However, it should be considered that in areas with poor performance of the grid (high share of fossil fuels and high carbon emission in the generation mix) it may be reasonable to allow solutions that make a very efficient use of natural gas, such as gas fired CHP, especially if the gas grid is already in place.

4. Temporal Energy Match Characteristics

Beside an annual energy or emission balance Net ZEBs are characterized by their different ability to match the load and to work beneficially with respect to the needs of the local grid infrastructure. Suitable indicators can be used to express characteristics of a Net ZEB such as the temporal match between a building's load and its energy generation, load matching, and the temporal match of import/export of energy with respect to the grid needs, grid interaction [30], [32]. Such indicators are useful to show differences and similarities between alternative design solutions. The indicators are intended as assessment tools only: there is no inherent positive or negative value associated with them, e.g. increasing the load match may or may not be appropriate depending on the circumstances on the grid side.

Load matching and grid interaction calculation have to be performed for each energy carrier separately. The calculation of such indicators needs energy data in a time resolution of months for studying the seasonal effects, and hourly or sub-hourly resolution for studying peak load effects. Target groups for this form of Net ZEB characterisation are the building owners and designers, community and urban planners as well as the local grid operators in the context of "smart buildings" and "smart grids".

4.1 Load matching

The temporal match between load and generation for an energy carrier gives a first insight on a building's ability to work in synergy with the grid. When there is a poor correlation between load and generation, e.g. load mainly in winter and generation mainly in summer, the building will more heavily rely on the grid. If load and generation are more correlated, the building will most likely have higher chances for fine tuning self-consumption, storage and export of energy in response to signals from the grid, see criterion 4.2-Grid interaction. Load matching can be addressed in design by separate calculations or simulations on load and generation, without need to know or estimate self-consumption. For this reason indicators of load matching fit well for being used in combination with a load/generation balance, see criterion 3.2-Net ZEB balance-Type of balance.

Suitable indicators for load matching are proposed under different wordings and summarized with a review in [32]. The most common wording for solar systems applied to buildings is the so-called "solar fraction". Generalizing the term to any form of generation leads to the load match index [30] in the form of **Eq. 7**:

$$f_{load,i} = \frac{1}{N} \sum_{y \in ar} \min\left[1, \frac{g_i(t)}{l_i(t)}\right]$$
 Eq. 7

^{iv} This means adopting an asymmetric weighting system, see 2.2.

where g and I stands for generation and load, respectively; i stands for energy carrier and t is the time interval used, e.g. hour, day or month. N stands for the number of data samples, i.e. 12 for monthly time interval and 8760 for hourly time interval, respectively. See also Table 1 on nomenclature.

Load match calculation is sensitive to the time resolution considered, as investigated in [30] for three existing buildings in Portugal, USA and Germany respectively, and in [33] by simulations for dwellings in high latitude climates. In that study, based on 10 min data resolution not more than 28% of the annual load can be matched although the annual yield fully balances the annual demand. Analyzing the load match at the monthly level, instead, gives a matching of 67%. Also the load considered, naturally, affects load match calculations. Simulations of a Belgian dwelling [34] report that considering 1 min data resolution 42% of the household electrical demand was instantaneously matched, while the fraction decreases to 29% when including the demand for space heating and DHW via heat pump. The reason is that the (electrically driven) heat pump increases the electric load in times with low solar power availability.

When calculated on monthly values the load match index provides basically the same kind of information as the monthly net balance, see criterion 3.2-Net ZEB balance-Type of balance. In this case though, the higher the load match index, the lower the seasonal unbalance of energy exchanged with the grid. The load match index is, however, a finer indicator than the monthly net balance because it looks at one energy carrier at a time and is not distorted by the weighting.

4.2 Grid interaction

To assess the exchange of energy between a Net ZEB and a grid versus the grid's needs one must know at least the import/export profile from the building. The other half information must come from the grid's side, e.g. in terms of base/peak load, hourly price or carbon emission factor; but this is beyond the scope of this paper.

The grid interaction can be addressed based on metering or simulation data of delivered and exported quantities. Therefore, indicators of grid interaction fit well for being used in combination with an import/export balance, see criterion 3.2-Net ZEB balance-Type of balance. Such data have to consider the entire load, including user related loads such as plug loads even if excluded from the balance boundary, as the grid stress can only be addressed by a full balance approach, see criterion 1.2-Building system boundary-Balance boundary.

Several indicators have been proposed to analyze the interaction between buildings and grids, with a viewpoint from either the building or the grid perspective [32]. As an example, an index from the viewpoint of the building is considered here: the grid interaction index [30]. The grid interaction index represents the variability (standard deviation) of the energy flow (net export) within a year, normalized on the highest absolute value. The net export from the building is defined as the difference between exported and delivered energy within a given time interval. The grid interaction index is calculated as in **Eq. 8**:

$$f_{grid,i} = STD\left[\frac{e_i(t) - d_i(t)}{|\max[e_i(t) - d_i(t)]|}\right]$$
Eq. 8

where e and d stands for exported and delivered, respectively; i stands for energy carrier and t is the time interval used, e.g. hour, day or month. See also Table 1 on nomenclature. As for load matching, also the grid interaction index is sensitive to the time resolution considered. Table 2 shows the load match and the grid interaction index calculated for three different time resolutions based on a small all-electric solar home designed for the Solar Decathlon Europe competition in 2010, data presented in [30].

Indicator	Time resolution			
Load match index	Monthly 79%	Daily 76%	Hourly 36%	
Grid interaction index	43%	35%	25%	

Table 2.Effect of time resolution on the indicator values,
data from [30].

An important characteristic from the viewpoint of the grids is the grid interaction flexibility [32] of a Net ZEB, understood as the ability to respond to signals from the grid (smart grids), e.g. price signals, and consequently adjust load (DSM), generation (e.g. CHP) and storage control strategies in order to serve the grid needs together with the building needs, and/or adjust to favourable market prices for energy exports or imports. Therefore, to be meaningful the grid interaction flexibility has to be evaluated with a time resolution of an hour or preferably even lower.

What is actually in the hands of designers is to design the building and its energy systems to enhance grid interaction flexibility. The flexibility could be quantified using suitable indicator(s) evaluated in two opposite extreme situations. An extreme situation is an export priority strategy (maximum energy export): the generation system export energy to the grids regardless of the building's load or storage possibilities. The opposite extreme situation is a load matching priority strategy (maximum load match): control strategies for storage system, load shifting and generation modulation, where possible, provide maximised self-consumption of the generated energy. The difference between the two values tells how flexible a building is in terms of grid interaction. One important design strategy may be to enhance the grid interaction flexibility: the higher the flexibility, the better the building will be able to adapt to signals from the grid.

It is worth noting that for building designer to design Net ZEBs with high grid interaction flexibility, it is necessary to have data on end users temporal consumption patterns, e.g. for lighting, electrical appliances, cooking, hot water use. Such data should be statistically representative for the type of building in analysis (i.e. residential, office, school, etc.) or better such data should be even normative. In the same way as weather data are standardized to provide designers with a reference climate, user profile data may be standardized to offer designers a reference temporal consumption pattern (with hourly and seasonal variations) for each type of building. Furthermore, evaluation of different strategies for the control of load, generation and storage need the support of advanced dynamic simulations tools.

5. Measurement and Verification

The establishment of building performance targets at policy level necessarily leads to the development of energy rating systems, i.e. methodologies for the evaluation of the building

energy performance. Ratings can be calculated ratings when based on calculations, or measured (or operational) ratings when based on actual metering [35]. Within this perspective, it is questioned whether the Net ZEB target should be a calculated or a measured rating. A measured rating would enable the verification of claimed Net ZEBs, the effectiveness and robustness of the design solutions applied, and at last the actual achievement of the energy policy targets.

To check that a building is in compliance with the Net ZEB definition applied, a proper measurement and verification (M&V) process is required [36]. Such process is strictly dependent on the options selected for each criteria of the definition and on the features of the building to be assessed. As a minimum, an M&V protocol for Net ZEBs should enable the assessment of the import/export balance, as this is the core of the Net ZEB concept. Eventually, an M&V process could aim at evaluating also the temporal match characteristics, such as the load match or grid interaction indices. This requires setting the time resolution and selecting the duration of measurements, sampling and recording time.

As comfort is a mandatory requirement in buildings, an M&V protocol should also check the indoor environmental quality (IEQ). The complexity can then increase significantly due to the large number of sensors likely required in several locations within a building. Nevertheless, to warrantee indoor comfort is always the first priority in building design and the risk of designing Net ZEBs with poor IEQ shall be avoided; IEQ measurements would help to this respect. Furthermore it would help explaining possible deviations from the expected energy performance – in relation to the expected operating conditions criterion 1.3-Building system boundary-Boundary conditions – and point out relevant optimization measures.

Clearly, the completeness and complexity of a Net ZEB definition is reflected in the M&V process in terms of feasibility and affordability. It is worth noting that only the energy uses included in the balance boundary, see criterion 1.2-Building system boundary-Balance boundary, contribute to define the Net ZEB balance. As a consequence, the exclusion of an energy use from the balance boundary, e.g. the electricity use for plug-loads, would require the installations of a separate meter – or possibly several – in addition those located at the interface with the grids (on the physical boundaries). This means moving from a whole building monitoring approach to sub-metering [37], [38] and [39], increasing the complexity of the monitoring system and jeopardizing the verifiability of the definition. For an easily verifiable definition, hence, it would be preferable to have all the energy carriers crossing the physical boundary as well.

Furthermore, in order to implement a measured rating for Net ZEBs it is necessary to specify the required validity over time and over variable boundary conditions. How long a claimed Net ZEB shall comply with the definition? What happens if in the selected time span, changes in boundary conditions occur, such as variation in the climate, occupancy, building uses? It is therefore necessary to define:

- The time span over which the measured rating shall satisfy the Net ZEB balance;
- Tolerances on the balance and required comfort conditions;
- Parametric analysis approaches to show the relationship between the balance and influencing variables, such as comfort, climate, building use, occupancy, user behaviour.

Conclusions

While the concept of zero energy buildings is generally understood, an internationally agreed definition is still lacking. It is recognised that different definitions are possible, in order to be consistent with the purposes and political targets that lay behind the promotion of Net ZEBs.

A framework for describing the relevant characteristics of Net ZEBs in a series of five criteria and relative sub-criteria has been presented. For each criterion different options are available on how to deal with that specific characteristic. Evaluation of the criteria and selection of the related options becomes a methodology for elaborating Net ZEB definitions in a systematic, comprehensive and consistent way. This can create the basis for legislations and action plans to effectively achieve the political targets.

The common denominator for the different possible Net ZEB definitions in the presented framework is the balance between weighted demand and supply. The balance may be calculated in different ways, depending on the quantities that are of interest and available. An import/export balance focuses on the energy flows exchanged between the building and the grids; it applies in monitoring or in design when estimates of self-consumption are available. A simpler load/generation balance focuses on the gross load and generation quantities disregarding their interplay; it applies in design when estimates of self-consumption are not available. A third type of balance is the monthly net balance that can be seen as a combination of the other two; monthly generation and load (for each energy carrier) are assumed to balance each other off and only the monthly residuals are summed up to form the annual totals.

The choice of a proper balance metrics and weighting system should depend on targets in the political agenda and not being driven solely by feasibility of Net ZEB projects or minimisation of investment cost; even though this may be a major target itself. However, it is important that authorities and competent national bodies and legislators are fully aware of the effect of the weighting factors when deciding upon the metrics to adopt for the Net ZEB definition they want to set in place.

Important aspects in the framework are the criteria on energy efficiency and energy supply. While the pathway to a Net ZEB is given by the balance of the two actions – energy efficiency and energy supply – experience from a large number of already existing Net ZEBs underlines the priority of energy efficiency as the path to success [15]. Minimum energy efficiency requirements may be enforced in a Net ZEB definition. Likewise, a hierarchy of energy supply options may also be enforced.

Net ZEBs are characterized by more than the mere weighted balance over a period of time. In this paper the authors propose a characterization based on two aspects of temporal energy match: load matching, the ability to match the building's own load, and grid interaction, the ability to work beneficially with respect to the needs of the local grid infrastructure. These aspects are evaluated separately per each energy carrier exchanged with the grids, no weighting is applied. For the load matching an indicator is proposed, the load match index, able to express the seasonal unbalance of energy exchanged with a grid. For the grid interaction the concept of grid interaction flexibility is introduced, which may be estimated in design phase by simulating different strategies for the control of load, generation and storage systems. The indicators presented address the topics but need to be further developed. However, there is a need to work with a time resolution of hours or even lower in order to address issues such as energy price fluctuation and grids' peak load. To this respect building designers need information on end users temporal consumption patterns, better if from normative data, and the support of advanced dynamic simulations tools.

Finally, it is argued that only a measured rating would enable the verification of claimed Net ZEBs, the effectiveness and robustness of the design solutions applied, and at last the actual achievement of the energy policy targets. Therefore, a measurement and verification

(M&V) process is required and its completeness and complexity will dependent on the options selected for the definition criteria. It is stressed that for an easily verifiable Net ZEB definition it is preferable to include all operational energy uses in the balance boundary. Specification of other boundary conditions, such as reference climate, comfort, functionality and space effectiveness, are also necessary in order assess possible deviations from the calculated to the measured balance.

References

- [1] EPBD recast (2010) Directive 2010/31/EU of the European Parliament and of the Council of 19 May 2010 on theenergy performance of buildings (recast), Official Journal of the European Union, 18/06/2010.
- US DOE (2008) Building Technologies Program, Planned Program Activities for 2008-2012, Department Of Energy, US, <u>http://www1.eere.energy.gov/buildings/mypp.html</u> (downloaded .01/07/2010)
- [3] UK Green Building Council (2011a) <u>http://www.ukgbc.org/site/info-centre/display-category?id=22</u>, accessed 27/10/2011.
- [4] UK Green Building Council (2011b) <u>http://www.ukgbc.org/site/news/show-news-details?id=398</u>, accessed 27/10/2011.
- [5] Torcellini, P., Pless, S., Deru, M. and Crawley, D. (2006), Zero Energy Buildings: A Critical Look at the Definition, National Renewable Energy Laboratory and Department of Energy, US.
- [6] Kilkis, S. (2007), A new metric for net-zero carbon buildings. In the Proceedings of Energy Sustainability 2007, Long Beach, California, pp. 219-224.
- [7] Laustsen, J. (2008) Energy Efficiency Requirements in Building Codes, Energy Efficiency Policies for New Buildings, International Energy Agency (IEA).
- [8] ECEEE (2009), Net zero energy buildings: definitions, issues and experience, European Council for an Energy Efficient Economy (EU).
- [9] Marszal, A. and Heiselberg, P. (2009), A literature review on ZEB definitions, Aalborg University (DK).
- [10] Marszal, A. J., Heiselberg, P., Bourrelle, J. S., Musall, E., Voss, K., Sartori, I. and Napolitano, A. (2011) Zero Energy Building – A Review of definitions and calculation methodologies, Energy and Buildings, 43(4): 971-979.
- [11] Kurnitzki, J., Allard, F., Braham, D., Goeders, G., Heiselberg, P., Jagemar, L., Kosonen, R., Lebrun, J., Mazzarella, L., Railio, J., Seppänen, O., Schmidt, M. and Virta, M.(2011) How to define nearly zero energy buildings, REHVA Journal, May, p.6-12.
- [12] Voss, K., Musall, E., Lichtmeß, M.(2011) From low energy to net zero energy buildings – status and perspectives, Journal of Green Building, vol. 6/1, 2011, p. 46-57.
- [13] Sartori, I., Dokka, T. H. and Andresen, I. (2011) Proposal of a Norwegian ZEB definition: Assessing the Implications for Design, Journal of Green buildings, vol. 6/3, in press.
- [14] Heinze, M., Voss, K. (2009) Goal: Zero Energy Building Exemplary Experience Based on the Solar Estate Solarsiedlung Freiburg am Schlierberg, Germany, Journal of Green Building, vol. 4/4.
- [15] Voss, K. and Musall, E. (2011) Net Zero Energy Buildings- International Projects on Carbon Neutrality in Buildings, DETAIL, ISBN-978-3-0346-0780-3, Munich.
- [16] IEA Task 40/Annex 52 (2008), Towards Net Zero Energy Solar Buildings, IEA SHC Task 40 and ECBCS Annex 52, <u>http://www.iea-shc.org/task40/index.html</u>, accessed 10/12/2009.
- [17] EN 15603 (2008) Energy performance of buildings Overall energy use and definition of energy ratings, European Standard, European Committee for Standardization, Brussels, BE.
- [18] Zero Carbon Hub (2011a) Carbon compliance Setting an appropriate limit for zero carbon new homes, Zero Carbon Hub, February 2011, London, UK.
- [19] Zero Carbon Hub (2011b) Allowable solutions for tomorrow's new homes, Zero Carbon Hub, July 2011, London, UK.
- [20] Sartori, I. and Hestnes, A.G. (2007) Energy use in the life cycle of conventional and low-energy buildings: a review article, Energy and Buildings, 39(3), 249–257.
- [21] Erneuerbare Energien Gesetz, Deutsches Bundesumweltministerium, <u>www.bmu.de/gesetze_verordnungen/doc/2676.php</u>, download date 6.7.2011
- [22] Graabak, I. And Feilberg, N. (2011) CO₂ emissions in different scenarios of electricity generation in Europe, SINTEF Energy Research, report TR A7058, Trondheim, NO.
- [23] OpenEI (2011) Hourly Energy Emission Factors for Electricity Generation in the United States, <u>http://en.openei.org/datasets/node/488</u>, accessed 22/09/2011.
- [24] Red eléctrica de España (2011) Power demand tracking in real time, <u>http://www.ree.es/ingles/operacion/curvas demanda.asp</u>, accessed 22/09/2011.
- [25] TDV (2005) Time-Dependent Valuation, http://www.energy.ca.gov/title24/2005standards/archive/rulemaking/documents/tdv/ind ex.html, accessed 22/09/2011.
- [26] Sartori, I., Candanedo, J., Geier, S., Lollini, R., Athienitis, A., Garde, F. and Pagliano, L. (2010), Comfort and Energy Performance Recommendations for Net Zero Energy Buildings, In the Proceedings of EuroSun 2010, Graz, AT.
- [27] BPIE (2010) Cost Optimality Discussing methodology and challenges within the recast EPBD, Building Performance Institute Europe, Brussels, BE.
- [28] ECEEE (2011) Cost optimal building performance requirements Calculation methodology for reporting on national energy performance requirements on the basis of cost optimality within the framework of the EPBD, European Council for an Energy Efficient Economy, 2 May 2011.
- [29] EPBD-CA (2011) Cost optimal level s for energy performance requirements Executive summary, Energy Performance of Buildings Concerted Action, July 2011.
- [30] BPIE (2011) Principles for nearly zero-energy buildings, Report from the Building Performance Institute of Europe, http://www.bpie.eu/pub_principles_for_n_zeb.html, 2012 (accessed 09/02/2012)
- [31] Voss, K., Sartori, I., Musall, E., Napolitano, A., Geier, S., Hall, M., Karlsson, B., Heiselberg, P., Widen, J., Candanedo, J. A. and Torcellini, P. (2010), Load Matching and Grid Interaction of Net Zero Energy Buildings, In the Proceedings of EuroSun 2010, Graz, AT.
- [32] Salom, J., Widén, J., Candanedo, J., Sartori, I., Voss, K. and Marszal, A. (2011) Understanding Net Zero Energy Buildings: Evaluation of load matching and grid interaction indicators, Proceedings of Building Simulation, 14-16 Nov., Sydney, AU.
- [33] Widén, J., Wäckelgård, E. and Lund, P. (2009) Options for improving the load matching capability of distributed photovoltaics: Methodology and application to high-latitude data, Solar Energy, (83)pp. 1953-1966.
- [34] Baetens, R., De Coninck, R., Helsen, L. and Saelens, D. (2010) The impact of domestic load profiles on the grid-interaction of building integrated photovoltaic (BIPV) systems in extremely low-energy dwellings, In Proceedings of the Renewable Energy Research Conference, 7-8 June, Trondheim, Norway.

- [35] U.S.Department of Energy, Office of Energy Efficiency and Renewable Energy. (2000). Measurement and Verification Guidelines for Federal Energy Management Projects. Abgerufen am January 2011 von http://www1.eere.energy.gov/femp/pdfs/mv_guidelines.pdf
- [36] Napolitano, A. et al. (2011) Measurement and Verification protocol for Net Zero Energy Buildings, Technical report in subtask A of the IEA - SHC/ECBCS - Task40/Annex52 – Towards Net Zero Energy Solar Buildings.
- [37] Haberl, J. C. (1990). The design of Field Experiments and Demonstrations. Field Monitoring Workshop. Gothernburg : IEA Proceedings.
- [38] EVO Efficiency Valuation Organization. (2010). International Performance Measurement and Verification Protocol Concepts and Options for Determining Energy and Water Savings Volume 1. Abgerufen am 24. January 2011 von <u>www.evo-world.org</u>.
- [39] Australian Government, Energy Efficiency Opportunities Section, Energy and Environment Division. (2008). Energy savings measurement guide: how to estimate, measure, evaluate and track energy efficiency opportunities. Department of Resource, Energy, and Tourism / WorleyParsons Service Pty Ltd.

S
i

		Europe		Austria	Denmark	Finland		Germany		Italy	Norway		Spain		Sweden		Switzerlar	ıd
Energy carrier	Metrics	EN 15603	PHPP	Gemis	BR 2010	BC 2012	Gemis	DIN V 18599/1	GEMIS	UNI-TS-11300/4	NS 3700	ZEB centre*	I.D.A.E.	CALENER	average*	pol. factors	SIA 2031	EnDK
		2008	2007	Vers. 4.5	2010	2011	2011	2007	Vers. 4 5	draft 9/2009	2009	2010-2060	2010	2009	2008	2008	2009	2009
Electricity	PEI, n.r.	3,14*	2.70	1,3*		1.70		2.60	2.61	2.18*							2.53	2.00
	PEI, total	3,31*		1.91	2,50*	1.70		3.00	2.96				2.28	2.60	1 50	2.50	2.97	
	CO _{2 equiv.}	617,00*	680.00	389.00		329.62	331.00		633.00	531**	395	132	350*	649			154.00	
Natural gas	PEI, n.r.	1.36	1.10	1.12		1.00		1.10	1.12	1 00							1.10	1.00
	PEI, total	1.36		1.12	1 00	1.00		1.10	1.12				1.07	1.10			1.15	
	CO _{2 equiv.}	277.00	250.00	268.00		202*	315.00		244.00		211		251*	204.00			241.00	-
Oil	PEI, n.r.	1.35	1.10	1.11		1.00		1.10	1.11	1 00							1.15	1.00
	PEI, total	1.35		1.13	1 00	1.00		1.10	1.11				1.12	1.08	1 20	1.20	1.24	
	CO _{2 equiv.}	330.00	310.00	302.00		279*	381.00		302.00		284		342*	287.00			295.00	
Wood, pieces	PEI, n.r.	0,09**	0.20	0.01		0.50		0.20	0.01	0 00							0.05	0.70
	PEI, total	1,09**		1.01	1 00	0.50		1.20	1.01				1.25		1 20	1.20	1.06	
	CO _{2 equiv.}	14**	50.00	6.00		32.40	17.00		6.00		14		0.00	0.00			11.00	
Wood, pellets	PEI, n.r.			0.14		0.50		0.20	0.14	0 00							0.30	0.70
	PEI, total			1.16	1 00	0.50		1.20	1.16					0.00	1 20	1.20	1.22	
	CO _{2 equiv.}			41.00			19.00		41.00		14						36.00	
Disctrict heat	PEI, n.r.		0.80	0.76				0.70	0.76	system specific							0,81*	0.60
70% CHP	PEI, total			0.77	1,00*	0.70		0.70	0.77						0 90	1.00	0,8*	
(fossil)	CO _{2 equiv.}		240.00	219.00			230.00		219.00		231						162*	

PEI = Primary Energy Indicator n.r. = non renewable part CO₂ equiv. = equivalent CO₂ emissions * see comments for each country kWh_{primary} / kWh_{delivered} kWh_{primary} / kWh_{delivered} g / kWh_{delivered}

> Feature Article: NZEB www.iea-shc.org

Country	Comments	Sources
Europe	* power according to UCTE mix ** wood in general	EN 15603 (2008)Energy Performance of Buildings – Overall energy use and definition of energy rationgs – Annex E Factors and coefficients, CEN.
		PHPP (2007) Passive House Planning Package, <i>The Passive House Institute</i> , Darmstadt, DE.
Austria	* according to the Austrian Environment Agency	Database of GEMIS, Global Emission Model for Integrated Systems, internet page of the program: <u>http://www.oeko.de/service/gemis/en/</u>
Denmark	* 2015 requirements use 0,8; 2020 requirements use 0,6 for district heating and 1,8 for electricity	The Danish Building Code 2010, BR 2010
Finland	* based on Motiva report, 2004	National Building Code of Finland. Part D3 Energy-Efficiency. Ministry of Environment 2011
		Database of GEMIS, Global Emission Model for Integrated Systems, internet page of the program: http://www.oeko.de/service/gemis/en/
		Motiva report, 2004, emission factors and calculation of emission factors. Available at: http://www.motiva.fi/files/209/Laskentaohje CO2 kohde 040622.pdf
Germany	The normative primary energy factors for the national building code are given with DIN V	DIN V 18599:2007-02, part 10, Beuth-Verlag, Berlin, 2009
	18599, emission date are not listet; if emission data are applied the most common source is GEMIS	Database of GEMIS, Global Emission Model for Integrated Systems, internet page of the program: http://www.oeko.de/service/gemis/en/
Italy	* EEN3/08 resolution by AEEG - GU n. 100, 29.4.08 - SO n.107 - www.http://www.autorita.energia.it/it/docs/08/003-08een.htm	UNI-TS 11300 Part IV, under review (last draft 2009)-LA NORMATIVA TECNICA DI RIFERIMENTO SUL RISPARMIO ENERGETICO E LA CERTIFICAZIONE ENERGETICA DEGLI
	** <u>www.minambiente.it/home_it/menu.html?mp=/menu/menu_attivita/&m=argomenti.</u> <u>html Fonti_rinnovabili.html Fotovoltaico.html Costi_Vantaggi_e_Mercato.html</u>	EDIFICI
Norway	* EU mix scenario for nearly carbon-free grid towards 2050 (in line with IPCC 450 ppm scenario); average 2010-2060	NS 3700 (2010) Criteria for passive houses and low energy buildings - residential buildings, <i>Standards Norway</i> .
		SINTEF Energy Research (2011) CO2 emissions in different scnarios of electricity generation in Europa, <i>Report for the Zero Emission Building research centre</i> , TR A7058.
Spain	* carbon emissions only	I.D.A.E., Institute for Energy Diversification and Saving, http://www.idae.es/index.php/lang.uk
		CALENER, software for certification of energy efficiency in buildings, http://www.mityc.es/energia/desarrollo/EficienciaEnergetica/CertificacionEnergetica/Pr ogramaCalener/Paginas/DocumentosReconocidos.aspx
Sweden	* calcualted according to EN15316. Electricity calculations are based on Nordic electricity	http://www.sweden.gov.se/content/1/c6/10/01/76/9e6cf104.pdf, download, 27.7.2011
Switzerland	* based on waste combustion	SIA 2031 "Energieausweis für Gebäude", SIA 2040 "Effizienzpfad Energie", Schweizer Ingenieur- und Architektenverein, 2009
		Gebäudeenergieausweise der Kantone – Nationale Gewichtungsfaktoren, EnDK, Bundesamt für Energie, 2009

Feature Article: NZEB www.iea-shc.org

Task 36 Solar Resource Knowledge Management

.....

Dave Renné

National Renewable Energy Laboratory (Retired) Operating Agent for U.S. Department of Energy

TASK DESCRIPTION

Goal and Objectives

The goal of SHC Task 36 "Solar Resource Knowledge Management" was to provide the solar energy industry, the electricity sector, governments, researchers, and renewable energy organizations and institutions with the most suitable and accurate information of the solar radiation resources at the Earth's surface in easilyaccessible formats and understandable quality metrics. The scope of solar resource assessment information includes historic and currently derived data products using satellite imagery and other means.

There were three main objectives of this Task to achieve this goal:

- To provide further standardization and benchmarking of international solar resource data sets to insure worldwide Intercomparability and acceptance
- To provide improved data reliability, availability and accessibility in formats that address specific user needs, and
- To develop methods that improve the quality and the spatial and temporal coverage of solar resource products, including reliable long term historical solar radiation databases as well as near-term and long-term irradiance forecasts.

Achieving these objectives would reduce the cost of planning and deploying solar energy systems, improve efficiency of solar energy systems by more accurate and complete solar resource information, and increase the value of the solar energy produced by solar systems.

Scope of the Task

This Task focused on the development, validation, and access to solar resource information derived from surface-based and satellite-based platforms. The Task investigated benchmarking and data quality assessment procedures for data products and validation data sets, examined means by which the data can be made easily available to users through various web-based hosting schemes, and conduct studies on improving the input data sets and algorithms from which satellitederived products are produced. These studies included the investigation of shortterm irradiance forecasting and past and future climatic variability of the solar resource.

The audience for the results of the Task includes the technical laboratories, research institutions and universities involved in developing solar resource data products. More importantly, data users, such as energy planners, solar project developers, solar system operators, architects, engineers, energy consultants, product manufacturers, and building and system owners and managers, are the ultimate beneficiaries of the research, and will be informed through targeted reports, presentations, web sites, handbooks and journal articles.

Means

Task 36 participants addressed the objectives through sharing a co-coordinated work plan encompassing three subtasks:

Subtask A: Standard Qualification for Solar Resource Products

The objective of this Subtask was to provide the user community with benchmarked, standardized, validated worldwide solar resource data sets. Key Subtask activities to meet this objective were:

- Select and Qualify Ground Data Sets (lead: NASA, USA)): this activity will include a survey and documentation of existing data sources, and the production and reporting of high-quality surface data sets with which to use in benchmarking and validating satellitederived data sets.
- Define Measures of Model Quality for Product Validation (lead: H2 Magdeburg, Germany): besides defining measures of model quality, this activity includes the establishment and documentation of model intercomparison procedures.

- Develop Methodology for Establishing Coherent Benchmarking of Products (lead: NASA, USA)
- Apply Benchmarking Procedures to Subtask C Products (lead: H2Magdeburg, Germany): this activity will provide results of benchmarking studies conducted on data sets provided by Task 36 participants

Subtask B: Common Structure for Archiving and Accessing Data Products

The objective of this Subtask was to provide a user-oriented information system, such as a distributed data system, for archiving and accessing solar resource data. Key subtask activities to meet this objective were:

- Evaluate the Legal Aspects of Accessing Solar Resource Data (lead: Armines, France): this activity focuses on establishing copyright and proprietary rights of data that will be made available through the distributed data system, and to establish appropriate protocols with each participating institution for making the data generally available to the public.
- Identification of User Requirements (lead: SUNY/Albany, USA and JRC, EU): this activity captures and examines needs expressed by users of the data and the outcomes are specifications for the information system, list of customers serving later as testers of the prototypes and guidance to subtask A for selection of algorithms and methods
- Develop Data Exchange Protocols and Metadata (lead: Armines, France): various data exchange protocols will be examined, and one will be selected and documented.
- Develop Prototype (lead: Armines, France): a prototype web-based system will be developed whereby a user can request information of a certain type and format, and the information system provides the response or responses that most closely addresses the request.
- Develop Network of Resource Providers (lead: NASA, USA): a worldwide

network of data providers will be established, and the techniques for data exchange among the providers will be investigated.

- Develop Use of Prototype by Users (lead: Armines, France): this activity defines the prototype that can be accessed by users, and raises the awareness of the data exchange system to external users.
- Define Automatic Access by Commercial Applications (lead: NASA, USA): This activity will enable automatic and fast access of resources through the information system by using commercial applications.
- Develop a Test Application (Solar Micrositing) (lead: JRC, EU): a case study in micro sitting of a solar energy system will be developed to demonstrate the benefits of the information system.

Subtask C: Improved Techniques for Solar Resource Characterization and Forecasting

The objective of this Subtask is to conduct essential R&D to improve the accuracy and the spatial and temporal coverage of current techniques, including the introduction of solar resource forecasting products. Key activities to meet this objective were:

- Improve Satellite Retrieval Methods for Solar Radiation Products (lead: SUNY/Albany, USA): This activity will focus on key model input parameters and methodologies, such as cloud indices, radiative transfer schemes, aerosol data retrievals, and treatment of snow and other surface albedo artifacts. The activity also addresses ways of improving the spatial resolution of satellite-derived broadband solar resource products.
- Conduct Climatological Analysis of Solar Resources (lead: NASA, USA): In order to ascertain future impacts on system performance due to climate variations, this activity includes the analysis of longterm surface and satellite-derived data sets and climate models; spe-

specifically addressing natural long-term fluctuations associated within the ocean-atmosphere system, such as the Southern Oscillation/El Nino.

 Evaluate Solar Radiation Forecasting Procedures (lead: EHF, Germany): This activity investigates different approaches for developing solar resource forecasts based on global numerical weather predictions and extrapolation of cloud motion vectors

Collaboration with other IEA Programmes

Knowledge on solar resources is highly important for all forms of solar energy applications. Therefore Task 36 was conducted as a collaborative Task together with the IEA Implementing Agreements SolarPACES (Solar Power and Chemical Energy Systems), and was designated as Task 5. Task 36 also collaborated with the IEA PVPS (Photovoltaic Power Systems). Both of these Implementing Agreements agreed that SHC coordinates the Task. Cooperation is based on "minimum level" according to the SHC "Guidelines for Coordination with other Programmes."

Task Deliverables

Deliverables included conference papers, journal articles, workshops, and subtask summaries. The major deliverable will be a Handbook on Solar Radiation, summarizing the key results of all subtasks, planned for publication in mid-2012.

Task Duration

The Task was initiated July 1, 2005 and completed June 30, 2011.

Participating Countries

Austria, Canada, European Commission, France, Germany, Spain, Switzerland and the United States



Figure 1. Forecast validation, as measured in Root Mean Square Error (RMSE), at a composite of 7 SurfRad solar monitoring stations around the U.S. NDFD=National Digital Forecast Database, which is based on Numerical Weather Prediction models.

WORK DURING 2011

Summary Task Status

The original work plan for Task 36 called for a 5-year task, ending in July 2010. However, at the 66th ExCo meeting in Nice, France in November 2009 the IEA/SHC ExCo granted a one-year extension of the task. At the time the extension was to allow for additional benchmarking studies and to transition the web portal from the MESoR (Management and Exploitation of Solar Resources) project to Task 36. Additional time was also needed to complete the final deliverable, the Handbook of Solar Radiation. At the same time a concept paper for a new Task titled "Solar Resource Assessment and Forecasting" was submitted to the SHC. This new task was approved by the SHC ExCo as Task 46 at their 68th Meeting in Cape Town in November 2010.

By the start of 2011 the majority of work planned under Task 36 was completed, However one area of work that had a prominent role in Task 36 will continue into Task 46, and this is improving and testing short term solar resource forecast-Thus, a considerable ing schemes. amount of work continues in this specific area. In addition, the Task Participants have begun focusing their attention on other work areas defined in Task 46, including evaluation of solar resource variability that impacts large penetrations of solar technologies, standardization and integrating procedures for data bankability, and advanced solar resource modeling procedures based on physical principles.

Nevertheless, Task Participants were unable to complete the Handbook on Solar Radiation by July 2011, and as a result Task 36 is still not completed. Current plans are for the Handbook to be submitted at the 71st SHC ExCo meeting in San Francisco in July 2012, and a final workshop for Task 36 to be presented. In addition, Task 46 has not yet been formally initiated since the proposed Operating Agent (to be supported by the U.S.) as well as the U.S. ExCo representative were both unable to attend either of the ExCo meetings in 2011.

Consequently this Annual Report will summarize key areas of technical work that was done under Task 36 and anticipated to continue into Task 46. We also expect to have the issue of the OA for Task 46 as well as country participation lined up by the July 2012 ExCo meeting, when the final Task 36 workshop will be presented.

Overall Task 36 Activities

Task Participants held two Task Expert Meetings in 2011. The 10th (and presumably final) Task 36 Expert Meeting was held in Stuttgart in March 2011. At this meeting one day was focused on presentations of results of work done under Task 36, and the second day was devoted to developing a draft work plan for the newly approved Task 46. At this Expert Meeting there was also considerable discussion as to the scope and content of the final deliverable, the Handbook of Solar Radiation. The original plan of producing a comprehensive document that encompassed all of the work produced under Task 36 was rejected by the Task Participants due to time constraints, and to the fact that so much of the work has already been published elsewhere. A scaled-back version of the Handbook was proposed, but even then there was considerable discussion as to the scope and format of the Handbook. Unfortunately this has resulted in further delays in finalizing the Handbook, although the current plans are for a final version to be completed in time for the Solar Heating and Cooling Conference in San Francisco in July 2012.

Another unique aspect of the 10th Expert Meeting was participation by senior representatives of the International Renewable Energy Agency (IRENA). IRENA has expressed considerable interest in the outcomes of Task 36 since their work plan calls for the development of a renewable energy potentials atlas and database, focusing initially on solar and wind. In fact, some Task 36 participants are involved in the development of a solar and wind atlas, which would ultimately be pulled in to IRENA's activities. This solar and wind atlas is currently supported by Germany, Spain and Denmark through the Major Economies Forum (MEF) Clean Energy Ministerial (CEM). A special meeting of CEM solar and wind atlas team, including the IRENA representatives, was held the day after the Task 36 10th Expert Meeting in Stuttgart.

The first Task 46 Expert Meeting was held in Kassel, Germany in early September 2011 immediately following the Solar World Congress 2011. Many task participants had given technical presentations at the SWC, and therefore there was a large turnout for the Expert Meeting. This oneday meeting focused entirely on developing a draft final work plan for Task 46, which was presented at the 70th ExCo meeting held in Bad Aibling later in 2011.

Task representatives gave presentations at a number of conferences throughout 2011, including the National Solar Conference in Raleigh, North Carolina, USA (18-20 May), the Solar World Congress in Kassel, Germany (29 August - 1 September), PVSec Conference in Hamburg, Germany (5-8 September 2011), the SolarPACES Conference in Granada, Spain, (20-24 September 2011) the 1st International Workshop on Integration of Solar Power into Power Systems (24 October 2011, Aarhus, Denmark), and the International Conference on Energy Meteorology, Gold Coast, Australia (8-11 November).

Denmark is a new participant to the Task and has already joined Task 46. One contribution will be the provision of a solar irradiance database that consists of 10 years of data from the 28 DMI (Danish Meteorological Institute) global solar radiation stations with hourly values from all stations and 10-minute values from selected stations, and, 5 years of 2-minute data from the DTU (Danish Technical University) weather station of both global radiation and scattered irradiances (diffuse radiation). This treatment includes quality control and in a few cases gap filling. In addition a PhD student at DMI, Sisse Camilla Lundholm, is working with comparisons of irradiances from highresolution ensemble runs including the standard Danish NWP model.

Key Activities in the Individual Subtasks

Subtask A: Standard Qualification of Solar Resource Products

Work on this subtask was completed in 2010. The final results were published in 2009 under the MESoR Project (http://www.mesor.org/docs/MESoR Benchmarking of radiation products.pdf). Additional benchmarking results were also reported through the MESoR project (http://www.mesor.org/docs/MESoR Handbook on best practices.pdf).

Reports on benchmarking of satellitederived data sets using the methods of Subtask A have been published by Dr. Pierre Ineichen at the University of Geneva (Switzerland). The links to these publications are as follows:

http://www.unige.ch/cuepe/pub/ineichen v alid-sat-2011-report.pdf (2.3)Mb) The annex http://www.unige.ch/cuepe/pub/ineichen v alid-sat-2011-annexe.pdf (60 Mb) The report + annex http://www.unige.ch/cuepe/pub/ineichen v alid-sat-2011.pdf (62 Mb)

The benchmarking methods are also being applied to the test and evaluation of solar forecasting products, which will continue under Task 46.

Subtask B: Common Structure for Archiving, Processing, and Accessing Resource Data

All work in Subtask B has essentially been completed, and several summary reports regarding web services have been developed under the MESoR Project (http://www.mesor.org/deliverables.html). Liaison with the Global Earth Observation System of Systems (GEOSS-8) Architecture Implementation Project 3 continues, with a focus on adapting best practices methodologies for web portal design. Instead of a Task 36 web portal, it is likely that some of the results of the work done in Subtask B will be incorporated by IRENA as a means of displaying solar resource products coming out of the solar and wind atlas being developed through the CEM.

Subtask C: Improved Techniques for Solar Resource Characterization and Forecasting

Activity C1: Improve Satellite Retrieval Methods for Solar Radiation Products

A draft final report has been prepared, describing the contributions from the

experts who contributed to this activity. These contributions cover the following specific areas of research:

- Combining multiple data sources to optimize the accuracy of a site's solar energy resource assessment.
- Developing simple broad band clear sky models for global and direct irradiance (GHI and DNI), based upon rigorous radiation transfer models
- Determination of atmospheric aerosol content and/or type using either simple radiation transfer models and broadband DNI and/or GHI measurements, or state-ofthe-art atmospheric transport models.

Team & abbreviation	Approach	Numerical Weather prediction model with spatial and temporal resolution		
1) University of Oldenburg, Germany, ECMWF-OL	Statistical post processing in combination with a clear sky model	ECMWF* - 0.25°x 0.25° - 3 hours	Globa	
2) Bluesky, Austria a) SYNOP b) BLUE	a) Synoptic cloud cover forecast by meteorologists 'b) BLUE: statistic forecast tool	for b) GFS* - 1° x 1° and 0,5° x 0.5° - 3 hours and 6 hours	model w/ processing	
 Meteocontrol, Germany MM-MOS 	MOS (model Output Statistics) by Meteomedia GmbH	ECMWF* - 0.25"x 0.25" - 3 hours	th post	
4) Cener, Spain CENER	Post processing based on learning machine models	Skiron*/GFS* - 0.1*x 0.1* - 1 hour	Mesosca w postpro	
5) Ciemat, Spain HIRLAM-Cl	Blas correction	AEMET-HIRLAM ^x - 0.2"x 0.2° - 1 hour	le models ith icessing	
6) Meteotest, Switzerland, WRF-MT	Direct model output of global horizontal irradiance (GHI) averaging of 10x10 model pixels	WRF*/GFS* : - 5 km x 5 km - 1 hour	Mesosca	
7) University of Jaen, Spain WRF-UJAEN	Direct model output of GHI	WRF*/GFS+ - 3 km x 3 km - 1 hour	al models	

 Table 1. Solar Resource Forecasting schemes evaluated by Task 36

 participants under Activity C3.

 (Table presented by Dr. 5//c2)

(Table prepared by Dr. Elke Lorenz, University of Oldenburg)

- Production of enhanced atmospheric aerosol long-term data sets for use by satellite and/or forecast irradiance models
- Assessing the ability of satellitederived irradiances and of other sources to properly characterize the inter-annual variability of the solar resource.
- Developing enhanced satellite-to irradiance models
- Accuracy improvements of satellite-derived solar resource based on GEMS re-analysis aerosols
- Quality procedures for provision site-specific solar resource information

The report summarizes and contextualizes each contribution and points to source reports and articles produced during the course of the task. The report, when completed, will represent one of the final Task 36 deliverables and will be posted to the IEA-SHC Task 36 web site.

Activity C2: Conduct Climatological Analysis of Solar Resources:

The University of Geneva (Switzerland) has published a comprehensive overview of interannual variability titled "Global Radiation: Average and Typical Year, and Year-to-Year Annual Variability", by Pierre Ineichen. This represents a final deliverable under this task. These and other reports by Dr. Ineichen can be found on his University of Geneva web site: http://www.cuepe.ch/html/pub ineichen.ph p?titre=&mjc=2047&ad=&pr=ineichen&sr= auteurs&page=1&line=

Activity C3: Evaluate Solar Radiation Forecasting Procedures:

Results of work under Subtask C3 show that there are three predominant time frames and methodologies for short-term solar resource forecasting: 1) Intra-hour (sub-hourly), where on-site observational tools such as Total Sky Imagers can be deployed, 2) 1 to 6-hour ahead, where methodologies such as satellite cloud motion vectors, perhaps in conjunction with mesoscale numerical weather prediction models, can be used, and 3) 1 to 7-day ahead, where Numerical Weather Prediction models, preferably in ensemble mode, are required. The work in Subtask 3 focused almost entirely on the 1 to 6-hoiur and the 1 to 3-day ahead forecasting methodologies. In a test of forecasting schemes at 7 high-guality SurfRad (Surface Radiation) solar measurement sites operated by the U.S. National Oceanic and Atmospheric Administration, Dr. Richard Perez of the State University of New York at Albany has shown that the use of cloud motion vector analysis is preferable up to about 6-hour ahead forecasts, but then Numerical Weather Prediction models should be used for more extended forecast periods, as shown in Figure 1. The figure also clearly demonstrates that applying either one or the other methods gives superior results to just relying on "persistence-type" forecasts.

A final Subtask C3 deliverable has been prepared under the leadership of the University of Oldenburg (Germany), involving the contributions of many task participants. The report contains information on the following:

- Investigation and development of different approaches for forecasting solar irradiance based on numerical weather prediction models
- Investigation of solar radiation forecasts based on cloud motion vectors
- Comparison of the different forecasting algorithms in two benchmarking exercises (USA, Europe)
- Applications of irradiance forecasting: PV power prediction, use of direct irradiance forecasts for management of CSP, grid integration of solar power, energy management of a solar assisted district heating grid.

A summary of the forecasting methods tested under Activity C3 is given in Table 1. This work was done under the leadership of Dr. Elke Lorenz of the University of Oldenburg.

A contribution with respect to solar and photovoltaic irradiance forecasting based on NWP models was prepared by (CanmetENERGY, Natural Resources Canada) as part of the project "Photovoltaic forecasting in Canada and applications to large-scale grid integration". Hourly solar and photovoltaic (PV) forecasts for horizons between 0 and 48 hours ahead were developed using Environment Canada's Global Environmental Multiscale (GEM) model. The solar and PV forecasts were compared to irradiance data from 10 North American ground stations and to AC power data from 3 Canadian PV systems. A one-year period was used to train the forecasts and the following year was used for testing. Two post-processing methods were applied to the solar forecasts: spatial averaging and bias removal using a Kalman filter. On average, these two methods lead to a 15% reduction in RMSE over the GEM forecasts without post-processing. Bias removal was primarily useful when considering a « regional » forecast for the average irradiance of the 10 ground stations, since bias was a more significant fraction of RMSE in this case. PV forecast accuracy was influenced mainly by the underlying (horizontal) solar forecast accuracy, with RMSE ranging from 6.4% to 9.2% of rated power for the individual PV systems. About 76% of the PV forecast errors were within +-5% of the rated power for the individual systems, but the largest errors reached up to 44 to 57% of rated power. The results of this project have been described in a scientific paper [Pelland et al, 2011] that has been submitted by Sophie Pelland, George Galanis and George Kallos the journal Progress in Photovoltaics: Research and Applications in April 2011.

Although Task 36 participants did not consider the sub-hourly time frame in their work, a recent contribution that will be given further consideration in Task 46 is presented here, demonstrating how a Total Sky Imager can be used to provide short-term irradiance forecasts to utility operators is being developed by the University of California San Diego (Dr. Jan Kleissl). Sky images taken every 30-s were processed to determine sky cover using a clear sky library and sunshine parameter. From a two-dimensional cloud map generated from coordinatetransformed sky cover, cloud shadows at the surface were estimated. Limited validation on four partly cloudy days showed that (binary) cloud conditions were correctly nowcast 70% of the time for a network of six pyranometer ground stations spread out over an area of 2 km2. Cloud motion vectors were generated by crosscorrelating two consecutive sky images. Cloud locations up to 5 min ahead were forecasted by advection of the twodimensional cloud map. Results are shown in Figure 2 (Chow et al., 2011).

WORK PLANNED FOR 2012

The final deliverable, *Handbook on Solar Radiation*, was stalled and will now be completed in 2012. In the meantime, Task participants will begin preliminary work on Task 46, which started on 1 July 2011.

LINKS WITH INDUSTRY

Several small companies directly participated in the Task: Suntrace GmbH, Meteotest, Blue Sky Wetteranalyzen, irSO-Lav, and GeoModel Solar s.r.o. Another task participant formed a cooperative arrangement with Clean Power Research in the U.S. to market satellite-derive data.

The audience for the results of Task 36 includes the technical laboratories, research institutions, and universities involved in developing solar resource data products. More importantly, data users, such as energy planners, solar project developers, architects, engineers, energy consultants, product manufacturers, building and system owners and managers, and utility organizations, are the ultimate beneficiaries of the research, and will be

informed through targeted reports, presentations, web sites, handbooks and journal articles.

REPORTS/PAPERS PUBLISHED IN 2011

Journal Articles

Chow, Chi Wai, Bryan Urquhart, Matthew Lave, Anthony Dominguez, Jan Kleissl, Janet Shields, and Byron Washom, 2011: Intra-hour forecasting with a total sky imager at the UC San Diego solar energy testbed. Solar Energy Journal (in press).

Dominguez A, Kleissl J, Luvall JC, 2011: Effects of Solar Photovoltaic Panels on Roof Heat Transfer, Solar Energy, 10, 85(9): 2244-2255.

Lave, M., J. Kleissl, Arias-Castro, E., 2011: High-frequency fluctuations in clear-sky index, Solar Energy.

Lave M, Kleissl J, 2011: Optimum fixed orientations and benefits of tracking for capturing solar radiation in the continental United States, Renewable Energy, 36:1145-1152.

Lara-Fanego, V., J.A. Ruiz-Arias, D. Pozo-Vázquez, F.J. Santos-Alamillos, J. Tovar-Pescador. Evaluation of the WRF model solar irradiance forecasts in Andalusia (southern Spain), Solar Energy, *In press*.

Mathiesen P, Kleissl J, 2011: Evaluation of numerical weather prediction for intraday hourly solar irradiance forecasting in the CONUS, Solar Energy, 85(5): 967-977.

Polo, J, Zarzalejo L.F., Cony M, Navarro A.A., Marchante R., Martín L., Romero M. (2011). Solar Radiation estimations over India using meteosat satellite images, Solar Energy 85, 2395-2406.

Ruiz-Arias, J. A., Pozo-Vázquez, D., Lara-Fanego, V. and Tovar-Pescador, J. (2011), A high-resolution topographic correction method for clear-sky solar irradiance derived with a numerical weather prediction model. Journal of Applied Meteorology and Climatology, Vol. 50, pp 2460-2472.

Ruiz-Arias, J.A., Pozo-Vázquez, D., Santos-Alamillos, F.J., Lara-Fanego, V., Tovar-Pescador, J. (2011). A topographic geostatistical approach for mapping monthly mean values of daily global solar radiation: A case study in southern Spain. Agricultural and Forest Meteorology, Vol. 151, pp 1812-1822.

IEA SHC Task 36 Reports

Ineichen, Pierre, 2011: Global Irradiation: average and typical year, and year-to-year variation. University of Geneva, March 2011.

http://www.cuepe.ch/html/pub_ineichen.ph p?titre=&mjc=2047&ad=&pr=ineichen&sr= auteurs&page=1&line=

SolarPACES 2011, Granada, Spain

Kraas, Birk, Reinhard Madlener, Benedikt Pulvermuller, and Marion Schroedter-Homscheidt. Variability of a Concentrating Solar Power Forecasting System for Participation in the Spanish Electricity Market.

Pozo Vazquez, D., S. Wilbert, C.A. Gueymard, L. Alados-Arboledas, F. J. Santos-Alamillos, M. J. Granados-Munoz. Interanjnual Variability of Long Time Series of DNI and GHI at PSA, Spain. University of Jaén.

V. Lara-Fanego, J. A. Ruiz-Arias, D. Pozo Vázquez, F. J. Santos-Alamillos, J. Tovar Pescado, S. Quesada-Ruiz, J. Martínez-Valenzuela, A. Linares-Rodríguez and A. Molina. The Role oft he Spatial Resolution in the Reliability of WRF-Based DNI Forecast: A Case Study at the Andasol STPP. University of Jaén.

Schroedter-Homscheidt, Marion and Benedikt Pulvermuller. Verification of Direct Normal Irradiance Forecasts fort he Concentrating Solar Thermal Power Plan Andasol-3 Location. Schroedter-Homscheidt, Marion, Armel Oumbe, and Carsten Hoyer-Klick, Aerosol Load and Dust Event Mapping Based on Chemical Transport Modeling.

1st International Workshop on Integration of Solar Power into Power Systems, Aarhus, Denmark

Lara-Fanego, V., J.A. Ruiz-Arias, D. Pozo-Vázquez, F.J. Santos-Alamillos, J. Tovar-Pescador and S. Quesada-Ruiz. The role of the spatial resolution in the reliability of WRF-based DNI forecasts: a case study at the Andasol STPP

MEETINGS PLANNED FOR 2012

2nd Task 46 Experts Meeting May 18, 2012 Denver, Colorado, USA

Final Task 36 Workshop July 2012 San Francisco, California, USA

(in conjunction with the SHC Programme's first Solar Heating and Cooling Conference)

REPORTS PLANNED IN 2012

Handbook on Solar Radiation

MEETINGS IN 2011

9th Experts Meeting March 1-2, 2010 Stuttgart, Germany

This meeting focused on a review of Task activities and results in prepara-

tion for developing the final task deliverables; a draft workplan for Task 46 "Solar Resource Assessment and Forecasting" was prepared; a liaison meeting with the CEM solar and wind atlas team and IRENA representatives was held.

10th Experts Meeting

September 2, 2011 Kassel, Germany

A final draft work plan for Task 46 was prepared. The work plan was subsquently presented at the 70th Executive Committee Meeting in Bad Aibling, Germany on 8 November 2011. However, because the designated OA and U.S. ExCo representative were unable to attend the meeting no final determination of country participation and support of the OA could be made. Figure 2. Processing chain of a sky image on October 4, 2009 15:45:30 PST (a) to obtain the cloud decision image. The sunshine parameter is 0.85 and is evaluated around the sun position indicated by the blue cross. The dotted black lines show the borders of the circumsolar region defined as solar azimuth $\pm 35^{\circ}$ and the solid black line shows zenith angle (ZA) at 65°. (b) Clear sky red-blue-ratio (RBR, colorbar) background image plus the threshold. (c) RBR (colorbar) image. (d) Pixels in (c) with RBR > sunshine parameter or (e) RBR > clear sky library are assumed to be cloudy. (f) Shows the final cloud decision image. Green areas are clouds and blue areas are clear skies.



TASK 36 NATIONAL CONTACTS

Operating Agent

Dave Renné National Renewable Energy Laboratory (Retired) 1617 Cole Boulevard Golden, Colorado 80401-3393 USA drenne@mac.com

Austria

Klaus Reingruber and Wolfgang Traunmuller Bluesky Wetteranalyzen Steinhüblstr. 1, 4800 Attang-Puchheim <u>klaus.reingruber@blueskywetter.at</u> wolfgang.traunmueller@blueskywetter.at

Gerald Steinmaurer Austria Solar Innovation Center Roseggerstrasse 12, 4600 Wels steinmaurer.gerald@asic.at

Canada

Sophie Pelland and Yves Poissant Natural Resources Canada CanmetENERGY 1615 Lionel-Boulet Boulevard Varennes/J3X 1S6 <u>spelland@nrcan.gc.ca</u> <u>ypoissant@nrcan.gc.ca</u>

European Commission

Thomas Huld and Attilio Gambardella European Commission - DG Joint Research Centre Institute for Energy - Renewable Energy Unit I-21020 Ispra (VA), Italy thomas.huld@jrc.ec.europa.eu attilio.gambardella@irc.ec.europa.eu

France

Lucien Wald (*Subtask B Leader*) and Lionel Ménard Centre Energetique et Procedes MINES ParisTech / Armines BP 207 F-06904 Sophia Antipolis cedex <u>lucien.wald@mines-paristech.fr</u> <u>lionel.menard@mines-paristech.fr</u> Dominique Dumortier LASH-ENTPE Rue Maurice Audin F-69518 Vaulx-en-Velin dominique.dumortier@entpe.fr

Germany

Prof. Dr. Hans Georg BEYER University of Agder Department of Engineering Sciences Grimstad, Norway hans-georg.beyer@uia.no

Richard Meyer (*Task Representative, SolarPACES*) Suntrace GmbH Brandstwiete 46 20457 Hamburg <u>Richard.Meyer@suntrace.de</u>

Detlev Heinemann (Subtask C Leader) and Elke Lorenz Carl von Ossietzky Universität Oldenburg D-26111 Oldenburg detlev.heinemann@uni-oldenburg.de elke.lorenz@uni-oldenburg.de

Gerd Heilscher University of Applied Sciences Hochschule Ulm Eberhard Frinckh Str. 11 D-89075 Ulm heilscher@hs-ulm.de

Carsten Hoyer-Klick and Christoph Schillings DLR Institut für Technische Thermodanamik Pfaffenwaldring 38-40 D-70503 Stuttgart <u>carsten.hoyer@dlr.de</u> christoph.schillings@dlr.de

Marion Schroedter-Homscheidt DLR-DFD Oberpfaffenhofen D-82234 Wessling marion.schroedter-homscheidt@dlr.de)

Spain

Martín Gastón, Lourdes Ramirez (Deputy Task Representative, Solar-PACES) CENER C/Ciudad de la Innovación 7, 31.621 Sarriguren mgaston@cener.com Iramirez@cener.com

Jesús Polo and Luis F. Zarzalejo CIEMAT División de Energías Renovables Departamento de Energía Avda. Complutense, 22 E-28040 Madrid jesus.polo@ciemat.es If.zarzalejo@ciemat.es

Luis Martín IrSOLaV C/ Santiago Grisolía, 2 E-28760 Tres Cantos (PTM) Iuis.martin@irsolav.com

José Louis Torres, Marian de Blas and Ana Maria Gracia Public University of Navarro Dpto. Proyectos e Ingeniería Rural Edificio Los Olivos UPNA 31006 Pampiona jlte@unavarra.es mblas@unavarra.es ana.gracia@unavarra.es

David Pozo Vazquez, Jose Antonio Ruiz Arias and Vicente Lara Fanego University of Jaen Campus Lagunillas, A3, 23071 Jaen <u>dpozo@ujaen.es</u> jararias@ujaen.es vlara@ujaen.es

Slovakia

Marcel Suri and Tomas Cebecauer GeoModel Solar, s.r.o. M. Marecka 3 SK-841 07 Bratislava <u>marcel.suri@geomodel.eu</u> tomas.cebecauer@geomodel.eu

Switzerland

Pierre Ineichen University of Geneva, CUEPE 7 rte de Drize CH-1227 Carouge Geneva pierre.ineichen@unige.ch

Jan Remund Meteotest Fabrikstr. 14 CH-3012 Bern <u>remund@meteotest.ch</u>

United States

Paul Stackhouse and Taiping Zhang NASA Langley Research Center MS 420 Hampton, VA 23681 Paul.w.stackhouse@nasa.gov t-zhang@larc.nasa.gov

Richard Perez State University of New York/Albany Atmospheric Sciences Research Center 251 Fuller Road Albany, NY 12203 perez@asrc.cestm.albany.edu

Manajit Sengupta National Renewable Energy Laboratory 1617 Cole Boulevard Golden, CO 80401-3393 <u>Manajit.Sengupta@nrel.gov</u> <u>Daryl.myers@nrel.gov</u>

Task 39

Polymeric Materials for Solar Thermal Applications

.....

Michael Köhl Fraunhofer ISE Operating Agent for the Projektträger Jülich

TASK DESCRIPTION

The objective of Task 39 is the assessment of the applicability and the costreduction potential by using polymeric materials and polymer based novel designs of suitable solar thermal systems and to promote increased confidence in the use of these products by developing and applying appropriate methods for assessment of durability and reliability. These goals will be achieved by either less expensive materials or less expensive manufacturing processes.

The Task's objectives will be achieved in the following Subtasks:

- Subtask A: Information (Norway)
- Subtask B: Collectors
- Subtask C: Materials (Austria)

Subtask A: Information

The objective of Subtask A is to collect, create and disseminate information about the application of polymeric materials in solar thermal systems and their figures or merits, especially in terms of cost/performance ratios for an acceptable lifetime, in order to increase the penetration of good applications into the market.

The production of a periodical newsletter, targeted at the solar- and polymer industry, and the preparation and revision of an electronic or printed handbook on polymeric materials in solar thermal applications are to be main results of this Subtask.

Activities

- Updating of the state-of-the-art overview of existing applications of polymeric materials in solar thermal systems and other relevant industry sectors.
- Performance of two case studies, where a total cost accounting approach is adopted, for assessment of

suitability of using polymeric materials in solar thermal applications.

- Investigation of standards, regulations and guidelines with regard to the applications of polymeric materials in solar thermal systems and building integration.
- Extension of the database consisting of showcases where solar collectors using mostly polymeric materials have been successfully integrated into the architecture.
- Dissemination of information of the work and results in all Subtasks to a wide audience.

These activities will be carried out in five projects:

- A1: State of the art: polymeric materials in solar thermal applications
- A2: Task force on total cost accounting approach
- A3: Task force on standards, regulations and guidelines
- A4: Database of successful architectural integration
- A5: Dissemination of information

Subtask B: Collectors

Objectives

Based on the results of the first phase of this subtask, the objectives for the extension phase are focused on the development of:

- new collectors, made completely or partly with polymeric materials, with a profitable cost of ownerships,
- innovative concepts based on polymeric materials (integrated collector storage, thermo-syphon systems) or adapted to specific requirements of polymeric collectors (overheating protection, pressure, etc.), and
- other components of a solar thermal system (piping, fitting, storage, drain back vessel, etc) that could benefit from polymeric materials or processes.

Activities

Based on the updated state-of-the-art from Subtask A, studies and development of new collectors, systems and components will be produced in order to show the feasibility, performance, durability and cost savings.

Subtask C: Materials

As shown in Phase I of Task 39, polymer engineering and science offer great potential for new products in solar thermal systems, which simultaneously fulfill technological and environmental objectives as well as social needs. The major achievements within Phase I of task 39 concerned the significant improvement in the long-term stability of an extruded polymer collector as well as the realization of a polypropylene based modular storage tank. Furthermore, a variety of novel polymeric material grades and components for solar-thermal systems (e.g., spectrally selective coatings with improved performance and commercial availability, injection-molded installation board, extruded spacers for the fixing of an absorber in the collector frame, thermoformed casings for collectors based polycarbonate blends, polymeric on foams with enhanced service temperature) were realized.

The final product performance, functionality, durability and costs not only depend on the type of the polymeric material used, but also on many other factors related to product design, processing and production. As evidenced in Phase I of Task 39, the different components in solar thermal systems have to fulfill a complex material property profile which can be provided only by multi-functional polymer compounds. The classical differentiation between structural (loadcarrying) and functional polymeric materials is therefore not suitable in context with the application of plastics in solar thermal systems.

Objectives

- Further development and investigation of multi-functional polymeric materials for various components in solar thermal systems considering different plant types and climate zones.
- Evaluation of polymer processing methods for the production of specimen and components with special focus up to the sub-component level (e.g., multi-layer films and sheets). Full components will be developed in Subtask B.
- Development of testing and characterization methods and modeling tools for the application-oriented assessment of the performance and durability.



SHC database of successful architectural integration http://www.iea-shc.org/task39/projects/default.aspx

Activities

- Formulation of multi-functional polymeric materials for various components of solar thermal systems (e.g., absorber, insulation and frame of a collector, storage tank components). The considered polymeric material classes will include thermoplastics (i.e., melt processable materials), elastomers (i.e., chemically cross-linked soft materials) and thermosets (i.e., chemically cross-linked stiff materials).
- Compounding of polymeric materials considering a variety of functional fillers and additives allowing for improved processability and enhanced performance.
- Production of specimen and subcomponents by applying various mass production processing technologies (e.g., injection molding, compression molding, extrusion, coating technologies, lamination and joining technologies).
- Establishment of a toolbox for the quality testing of polymeric materials for specific applications in solar thermal systems considering the various material states along the value creation chain.
- Implementation and application of analytical and technical methods for the characterization of properties, long-term behaviour and relevant aging and degradation phenomena.
- Establishment of micro-structure/ property/processing/performance relationships.

Duration

The SHC Executive Committee agreed on a 4-year Task extension. The Task was initiated on October 1, 2006 and will be completed on September 30, 2014.

Participating Countries

Austria, France, Germany, Norway, Portugal, Sweden, Switzerland, United States

ACTIVITIES DURING 2011

Subtask A

Project A4: Database of Successful Architectural Integration

A first version of the database showcasing the successful integration of solar thermal energy systems into building architecture is now available on online, http://www.iea-shc.org/. To ensure that the database will be extended with more showcases over time. responsible national contacts were assigned from Austria, Canada, France, Germany, Israel, Norway, Portugal, Slovenia, Sweden. The work is coordinated by I. Skjelland of Aventa AS, Norway.

Project A5: Dissemination of Information

The dissemination of information and results from Task 39 is an important part of Subtask A. It includes also a better dialog with new partners from industry and research, for example through open workshops and excursions during the Task meetings.

The following were the dissemination activities in 2011:

- General article on Task 39: M.Köhl, M. Meir, 2011. Polymere Materialien für Solarthermische Systeme, EE-Erneuerbare Energie 01/2011, pp. 4-5, AEE Dachverband, Gleisdorf, Austria.
- Task 39 Newsletter, Nr. 8. June 2011: <u>http://www.iea-</u> <u>shc.org/task39/newsletters/index.ht</u> <u>ml</u>.
- Task 39 Newsletter, Nr. 9, November 2011: <u>http://www.iea-shc.org/task39/newsletters/index.html</u>.
- Guided tour of the National Institute of Chemistry laboratories, 11th Experts Meeting, Ljubljana, Slovenia, May 2011.
- Guided factory visit of Bosch Termotecnologia's solar thermal collector production facility in Cacia – Task

Experts Meeting, Aveiro, Portugal, September 2011.

 Abstract on Task 39 activities submitted to 22nd Symposium Thermische Solarenergie, Bad Staffelstein, Germany, May 2012.

Although the deliverable is delayed, significant effort was made related to negotiations for the Task 39 Handbook from Phase I (2006-2010). The final table of content was defined:

PART I: "Solar Thermal Market" for Polymer Experts

- 1 Principles
- 2 Solar Thermal Market
- 3 Solar Thermal Systems and Technical Requirements
- 4 Conventional Collectors, Heat Stores, and Coating
- 5 Thermal Loads on Collectors
- 6 Standards, Performance Tests of Solar Thermal Systems

Top: Architecture Meets Sustainability (Norway): Aventa's polymeric collector was presented at The National Museum – Architecture, May 6 – August 21, 2011, as part of the exhibition "SPOR Norwegian architecture 2005-2010."

The aim of the exhibition was to communicate developing architectural qualities in Norway today, and to point out new trends of architecture making social impact.

Bottom: The AventaSolar collector is part of the "Bjørnveien 119 Dahle/Dahle/Breitenstein" presentation.

PART II: "Polymers" for Solar Thermal Experts

- 7 Market
- 8 Polymeric Materials
- 9 Processing
- 9.1. Structural Polymeric Materials
- 9.2 Paint Coatings for Polymeric Sola Absorbers and their Applications
- 10 Durablity for Solar Thermal Application
- 11 Properties (campus database) and material selection

PART III: Polymeric Materials for Solar Thermal Applications

- 12 State of the Art: Polymeric Materials in Solar Thermal Applications
- 13 Specific Materials for Solar Thermal Application
- 13.1Multifunctional Structural Materials
- 13.2Thermotropic Layers
- 13.3Application of POSS Compounds
- 14 Conceptual Design of Collectors
- 15 Novel Collectors and Heat Stores
- 16 Durability Tests of Polymeric



NASJONALMUSEET – ARKITEKTUR BANKPLASSEN 3 6.MAI – 21.AUGUST 2011



Components

- 17 Architecturally Appealing Solar Thermal Systems
- 18 Obstacles for the Application of Current Standards

Subtask B

Project B1: Collector

Information on funded research projects during Phase II of Task 39 (2010-2014) is displayed in the Table in the Section *Funded Projects*. These activities will strengthen the activities of Subtask B.

In addition to the polymeric collector concept by Aventa AS three new polymeric collector concepts and experiences were presented by new partners at the Task 39 Meetings in Ljubljana and in Aveiro:

- Aventa AS (Norway): All-plastics collectors with liquid-cooled absorber of high-temperature performance polymers
- Magen Eco Energy (Israel): Allplastics collectors with liquidcooled absorber of commoditive polymers and overheat protection (might not continue participation in Task 39)
- Enerconcept (Canada): Aircollector; perforated façadecovers for building integration
- Polysolair (Germany): Aircollector; modular unit, still in development phase;
- Design concepts and suitable

production processes for a new generation of polymeric collectors have been studied in Subtask B.

Project B2: System

Comparative energy monitoring of pressure-less drain-back systems with polymeric collectors and conventional collectors were tested at the outdoor facilities of AEE INTEC in Gleisdorf, Austria.



Source: Milennium Energy Industries/AEE-INTEC

Subtask C

Project C1: Multi-Functional Polymeric Materials

In Project C1 multi-functional polymeric materials for different components in polymeric solar thermal systems are assessed and evaluated. Special attention is given to absorber materials for various stagnation temperature ranges, switchable glazing materials or absorber coatings, polymeric foams or polymeric liner materials for storage tanks.



Different collector concepts presented at the May 2011 Task 39 Meeting in Ljubljana, Slovenia and in the Task 39 Newsletter No. 9, June 2011 (Magen Eco Energy, Aventa, Enerconcept, Polysolair).

The following were the activities in 2011:

- Development of novel black polyolefin grades for solar absorber applications as part of the project SolPol coordinated by JKU Linz (Austria). In
- Smart Materials: Thermotropic glazings for overheating protection of polymeric collectors were investigated by PCCL and the University of Leoben. The novel produced mterial



Figure 1a. Micrograph of blackpigmented polyolefin compounds developed within the project Sol-Pol-2 at JKU Linz, Austria.



Figure 1b. Thermogravimetric analysis of polyurethane foam thermal insulation at AIT, Vienna, Austria.



Figure 1c. Thermotropic layer in transparent and opaque state (PCCL, Leoben, Austria.

this work the effect of various black pigments on optical and thermal properties of a PP copolymer have been investigated (Figure 1a).

New thermal insulation materials for solar thermal components are evaluated at the Austrian Institute of Technology (Vienna) and the potential for solar thermal collectors and storages is studied. A thorough screening of existing and new materials is the basis for a detailed analysis of the behaviour of insulations in real components (Figure 1b);



Figure 1d. Spectrally selective coloured TISS paint coatings, National Institute of Chemistry, Slovenia.

formulations yield promising results for efficient overheating protection of solar thermal collectors (Figure 1c).

 Multifunctional coatings: The material aspects of coloured cool TISS paint coatings are reviewed by NIC (Ljubljana, Slovenia), focusing on cool pigments, metallic and metallised flake pigments and polymeric resin binders used for the production of solar paint coatings on polymeric substrate

(Figure 1d).



- Figure 2: Non-destructive analysis methods, performed at Fraunhofer ISE:
- A) Raman spectra of PPS before and after UV/damp heat aging
- B) Raman micrographs of PPS-samples before (top) and after (bottom) 500 h UV exposure.
- C) AFM measurements: PPS-samples before (top) and after 500 h at 85 °C, 85% r.h. (bottom)

Project C3: Methods for Testing and Characterization of Polymeric Materials

The properties and performance of polymeric materials and components are determined by their material structure and formulation, the processing routes and the loading conditions in the use phase. For the assessment of the material quality and performance in solar thermal applications adapted and novel methods for quality assurance testing and long-term performance and durability testing will be developed and evaluated in Project C3.

- Non-destructive methods for testing polymeric samples after exposure to accelerated aging were developed at Fraunhofer ISE (Freiburg Germany): Raman spectroscopy, Raman microscopy and AFM measurements (Figure 2);
- Accelerated aging of liner materials for storage tanks: The approach examined is based on micro-sized specimens with significantly reduced thickness and the exposure in heat carrier fluids and air at application-

relevant temperatures (SolPol project; JKU Linz, Austria; Figure 3).

PUBLICATIONS & PRESENTATIONS IN 2011

Conferences and Seminars with contributions from Task 39

ESTEC 2011, 5th European Solar Thermal Energy Conference, 20-21 October 2011, Marseille (France)

Symposium "Kunststoff als Wachstumsmotor für die Solarthermie", Johannes Kepler University, Linz, Austria, July 06, 2011.

21st Symposium Thermische Solarenergie, Bad Staffelstein, Germany, May 11 - 13, 2011.

Solar Energy & Architecture - Knowledge and Inspiration (IEA-SHC Task 41), NHO Conference Center, Oslo, Norway, April 01, 2011. SMEThermal 2011 - Solar Thermal Materials, Equipment and Technology Conference, Beletage - Conference Center Heinrich-Böll-Stiftung, Berlin, Germany, February 10, 2011.

Articles about Task 39

B. Epp, Fantastic plastics: revolution or devolution? Sun & Wind Energy Magazine, 4/2011, pp. 84-89, ISSN: 1861-2741 74714. (article with interview)

A. Lee, Solar Heating and Cooling Needs New Materials, Renewable Energy World Magazine, 25.02.2011, ISSN 1462-6381, <u>online article</u>. (article with interview)

Publications in journals or conference proceedings

Andreas Weber and Katharina Resch, 2011. Thermotropic glazings for overheating protection applications, 6th Energy Forum "Solar Building Skins", December 2011, pp. 73 - 77.

Katharina Resch, Andreas Weber, 2011. Smart Windows - Smart Collectors. Entwicklung und Charakterisierung von Überhitzungsschutzverglasungen für Gebäudeverglasungen und thermische Solarkollektoren. Berg- und hüttenmännische Monatshefte BHM 156 (2011) 11, S. 429 - 433.

Christian Vachon, 2011. Perforated glazing technology for solar air heating and heat recovery applications: A new option for architects and builders, ESTEC 2011, 5th European Solar Thermal Energy Conference, 20-21 October 2011, Marseille (France).

Stephan Fischer, 2011. Performance measurements on a parabolic trough collector mainly made out of polymeric materials, ESTEC 2011, 5th European Solar Thermal Energy Conference, 20-21 October 2011, Marseille (France). Karl-Anders Weiß, 2011. Alterungsbeständigkeit von Kollektoren und Komponenten: Prüfungen in verschiedenen Klimaregionen, 21st Symposium Thermische Solarenergie, Bad Staffelstein, Germany, May 11 - 13, 2011.

Christoph Zauner, 2011. Thermophysikalische und spektroskopische Methoden zur Analyse von Isolationsmaterialien für solarthermische Anwendungen, 21st Symposium Thermische Solarenergie, Bad Staffelstein, Germany, May 11 - 13, 2011.

Christoph Reiter, 2011. Simulationsgestützte Analyse der Bauteiltemperaturen für den Kunststoffeinsatz in Flachkollektoren, 21st Symposium Thermische Solarenergie, Bad Staffelstein, Germany, May 11 - 13, 2011.

R.W. Lang, G.M. Wallner, J. Fischer, H. Schobermayr, H. Kicker, M. Kurzböck, K. Grabmayer, 2011. Research on polymeric materials for solar energy technologies, Colloquium of Optical Spectrometry 2011, Berlin, Germany.

I. Jerman, M. Mihelčič, D. Verhovšek, J. Kovač, B. Orel, 2011. Polyhedral oligomeric silsesquioxane trisilanols as pigment surface modifiers for fluoro polymer based Thickness Sensitive Spectrally Selective (TSSS) paint coatings. Solar Energy Materials and Solar Cells (95) 2, pp. 423–431.

Reinhold Lang, Gernot Wallner, Jörg Fischer, 2011. Solarthermische Systeme aus Polymerwerkstoffen, Erneuerbare Energie 2011-1, Ed. AEE-INTEC, Gleisdorf Austria.

Michael Köhl, Michaela Meir, 2011. Polymere Materialien für Solarthermische Systeme, EE-Erneuerbare Energie 01/2011, pp. 4-5, AEE Dachverband, Gleisdorf, Austria

Presentations at conferences and seminars (from Task 39 Partners)

Reinhold W. Lang, 2011. SolPol – eine wissenschaftsgetriebene österreichische Forschungsinitiative zu Polymerwerkstoffen für die Solartechnik, Symposium "Kunststoff als Wachstumsmotor für die Solarthermie", Johannes Kepler University, Linz, Austria, July 06, 2011.

Katrin Zaß, 2011. Modulare Speicher aus Kunststoffen, Symposium "Kunststoff als Wachstumsmotor für die Solarthermie", Johannes Kepler University, Linz, Austria, July 06, 2011.

Christian Fink, 2011. Betriebserfahrungen mit drucklosen Solarthermie-Systemen, Symposium "Kunststoff als Wachstumsmotor für die Solarthermie", Johannes Kepler University, Linz, Austria, July 06, 2011.

David Nitsche, 2011. Entwicklung von Speichermaterialen, Symposium "Kunststoff als Wachstumsmotor für die Solarthermie", Johannes Kepler University, Linz, Austria, July 06, 2011.

Michael Köhl, 2011. Task 39 – Polymermaterialien für solarthermische Anwendungen, Symposium "Kunststoff als Wachstumsmotor für die Solarthermie", Johannes Kepler University, Linz, Austria, July 06, 2011.

Robert Hausner, 2011. Berechnung von Kunststoffkollektoren mit Überhitzungsschutz, Symposium "Kunststoff als Wachstumsmotor für die Solarthermie", Johannes Kepler University, Linz, Austria, July 06, 2011.

Katharina Resch, 2011. Thermotrope Materialien für den Überhitzungsschutz, Symposium "Kunststoff als Wachstumsmotor für die Solarthermie", Johannes Kepler University, Linz, Austria, July 06, 2011. Michael Monsberger, 2011. Leistungstests an Kunststoffkollektoren, Symposium "Kunststoff als Wachstumsmotor für die Solarthermie", Johannes Kepler University, Linz, Austria, July 06, 2011.

Gernot Wallner, 2011. Kunststoffe für Solarabsorber, Symposium "Kunststoff als Wachstumsmotor für die Solarthermie", Johannes Kepler University, Linz, Austria, July 06, 2011.

Susanne Kahlen, 2011. Alterungsverhalten von Kunststoffen, Symposium "Kunststoff als Wachstumsmotor für die Solarthermie", Johannes Kepler University, Linz, Austria, July 06, 2011.

Michaela Meir, Entwicklung von Kunststoffkollektoren in Norwegen, Symposium "Kunststoff als Wachstumsmotor für die Solarthermie", Johannes Kepler University, Linz, Austria, July 06, 2011.

Ingvild Skjelland, Termisk solenergi integrert i arkitekturen - Eksempler fra IEA-SHC Task 39, Solenergidagen May 06, 2011, Norsk Solenergiforening, Universitetet, Oslo, Norway

John Rekstad, "Prosjekter: Bjørnveien / OBOS / Fremtidsvisjoner", Solar Energy & Architecture - Knowledge and Inspiration (IEA-SHC Task 41), NHO Conference Center, Oslo, Norway, April 1, 2011.

John Rekstad, Els de Meersman et al., "Round table: Polymers for the solar thermal industry?", SMEThermal 2011 -Solar Thermal Materials, Equipment and Technology Conference, Beletage - Conference Center Heinrich-Böll-Stiftung, Berlin, Germany, February 10, 2011.

MEETINGS IN 2011

11th Experts Meeting May 19 - 20

Ljubljana, Slovenia

32 experts participated in the meeting, among them experts from two new industrial companies from Canada and Israel.

12th Experts Meeting

September 19 - 21 Aveiro, Portugal

23 experts participated in the meeting, among them new industry participants from Brasil. Meeting included a guided factory visit of Bosch Termotecnologia's solar thermal collector production facility in Cacia – Aveiro. Representatives from Bosch Termotecnologia S.A. participated also in the Experts meeting.

MEETINGS PLANNED FOR 2012

13th Experts Meeting

May 14 Berlin, Germany Slovenia

14th Experts Meeting

October 15-17 Gran Canaria, Spain (hosted by Fraunhofer ISE)

Funded Projects

The table below shows an overview of funded projects of Task 39 Partners (status: March 2012, <u>http://www.iea-shc.org/task39/fundedprojects/</u>). Results, which are open for dissemination will be presented in phase 2 of Task 39.

	Project	Period	Funding agency	Partner countries
1	Poly2Facade – Innovative thermal self-regulating solar facades by means of functional polymers Coordinator: University of Leoben; Partners: PCCL, ÖFPZ Arsenal GesmbH, Forschungszentrum für integrales Bauwesen AG	2012-15	Forschungsförderungsgesell- schaft (FFG), Programmlinie Haus der Zukunft	AT
2	Untersuchungen zur Fertigungstechnik und Kollektorkonstruktion für Vollkunststoff-Kollektoren Partners: HAW Ingolstadt, Roth Werke GmbH	2012-15	Bundesministerium für Um- welt, Naturschutz und Reak- torsicherheit	DE
3	SCOOP - Solar Collectors of Polymers Coordinator: Fraunhofer Institute for Solar Energy Systems - ISE Partners: http://eu-scoop.org/partners.html Website: http://eu-scoop.org/	2011-15	EU FP7-ENERGY-2011-1	DE, AT, FR, NO, CH
4	Participation in Phase II of IEA-SHC Task 39 Coordinator: JKU-Linz; Partner: AEE-INTEC Subcontractors: AIT, PCCL, UIBK-EGEE	2011-14	Bundesministerium für Ver- kehr, Innovation und Techno- logie; FFG	AT
5	ISOlar - Screening of insulation materials for solar thermal collectors and thermal storages and analysis of their long-term-properties Coordinator: Austrian Institute of Technology Partners: TiSUN GmbH, EuroFoam GmbH Website: http://www.ait.ac.at/~isolar	2011-14	Österreichische Forschungs- förderungsgesellschaft (Neue Energien 2020 - Programm)	AT
6	SILVER - Solar Energy in Living Environments Coordinator: Aventa AS; Partners: OBOS, University of Oslo, Linnæus University, CHCP, DSSK Website: http://www.forskningsradet.no/~silver	2011-14	Research Council of Norway	NO, SE, BE, FR
7	PISA - Polymers in solar thermal applications University of Oslo: Leitung, Subtask A	2011-14	Enova	NO
8	UNISOL - Sistema Solar Termico Universal Coordinator: Fabrica de Plasticos, Lda (Pt) Partners: Aveiro University, Oslo University, Aventa AS; Website: http://projectos.adi.pt/actions/project?id=C16/2011/21507&search=global &actionbean=actions/project	2011-14	Portuguese Agency for De- velopment and Innovation	PT, NO
9	POLYSOL - Development of a modular, all-POLYmer SOLarthermal collector for DHW preparation and space heating Coordinator: Energias Renovables Aplicadas S.L. Website and Partners: http://cordis.europa.eu/projects/rcn/98108_en.html	2011-12	EU FP7-SME Research area: SME-1	UK, DE, MK, ES

10	Smart Windows-Smart Collectors Partners: PCCL, University of Leoben, A-P-C	2010-13	Land Steiermark, Zu- kunftsfonds Partners	AT
11	SOLPOL-1/2 - Solar Thermal Systems based on Polymeric Materials Coordinator: Johannes Kepler University - JKU Partners: http://www.solpol.at/partners Website: http://www.solpol.at/	2009-13	Klima- und Energiefonds. Management: Österreichi- sche Forschungsförderungs- gesellschaft	AT
12	Use of polymeric materials in solar collectors studied from a total cost perspective - Participation in IEA SHC Task 39 Coordinator: Linnæus University; Partners: Aventa AS, University of Oslo	2009-12	Swedish Energy Agency	SE, NO
13	PolySol2 – Polymeric materials for solar thermal applications Coordinator: CEA-INES	2008-11	ADEME	FR
14	SolaireDuo – WP 1.2. Polymeric collectors Coordinator: Jacques Giordano Industries Partners: CEA-INES, Clipsol, Pôle Européen de Plasturgie, LPMM	2009-11	ADEME, OSEO	FR
15	MULTIFUNCOAT-Multifunctional paint coatings for all-polymeric solar collectors Coordinator: National Institute of Chemistry ; Partners: Aventa, COLOR/HELIOS	2007-11	Ministry Higher Education, Science and Technology; Research Council of Norway	SI, NO
16	Polymers in solar thermal systems Partners: HSR - SPF, EMS Chemie Website: http://www.bfe.admin.ch/forschungsolarwaerme/	2006-11	Bundesamt für Energie BFE	СН

TASK 39 NATIONAL CONTACTS

Operating Agent

Michael Köhl Fraunhofer Institute for Solar Energy Systems ISE Dept. Thermal Systems and Buildings Heidenhofstr. 2, 79110 Freiburg, GERMANY michael.koehl@ise.fraunhofer.de

Austria

Robert Hausner AEE - Institut für Nachhaltige Technologien Feldgasse 19 A-8200 Gleisdorf <u>r.hausner@aee.at</u> <u>http://www.aee-intec.at</u>

Christoph Zauner Austrian Institute for Technology Österreichisches Forschungs- und Prüfzentrum Arsenal Ges.m.b.H. Giefinggasse 2 A-1210 Wien christoph.zauner@ ait.ac.at

Katharina Resch Institute of Materials Science and Testing of Plastics at University of Leoben Franz-Josef-Straße 18 A-8700 Leoben katharina.resch@unileoben.ac.at

Gernot Wallner Johannes Kepler University Linz (JKU) Institute of Polymeric Materials and Testing Science Park, Altenberger Strasse 69 A-4040 Linz gernot.wallner@jku.at

France

Philippe Papillon CEA INES Recherche, Développement et Innovation Industrielle, BP 332 50, avenue du Lac Léman 73377 Le Bourget du Lac philippe.papillon@cea.fr http://www.cea.fr/ http://www.ines-solaire.fr/

Germany

Trinkl Christoph Fachhochschule Ingolstadt Kompetenzzentrum Solartechnik Esplanade 10 D-85049 Ingolstadt trinkl@fh-ingolstadt.de> http://www.solartechnik-ingolstadt.de

Helmut Vogel University of Applied Sciences Osnabrück P.O. Box 1940 D-49009 Osnabrück h.vogel@fh-osnabrück.de http://www.fh-osnabrueck.de/

Karl-Anders Weiss and Markus Heck Fraunhofer Institute ISE Dept. Thermal Systems and Buildings Heidenhofstr. 2, 79110 Freiburg karl-anders.weiss@ise.fraunhofer.de markus.heck@ise.fraunhofer.de http://www.ise.fraunhofer.de

Claudius Wilhelms and Klaus Vajen Universität Kassel Mönchebergstraße 19 34109 Kassel wilhelms@uni-kassel.de vajen@uni-kassel.de www.uni-kassel.de

Stephan Fischer University Stuttgart, ITW Pfaffenwaldring 6 D-70550 Stuttgart, GERMANY fischer@itw-stuttgart.de ochs@uni.itw-stuttgart.de http://www.itw.uni-stuttgart.de

Norway

Michaela Meir and John Rekstad University of Oslo Department of Physics PO Box 1048, Blindern N-0316 Oslo <u>mmeir@fys.uio.no</u> john.rekstad@fys.uio.no http://www.physics.uio.no/energy

Portugal

Clarisse Nunes and Manuel Lopes Prates Instituto de Technologias Energeticas Department de Energias Renovavaeis Estrada do Paço do Lumiar 22 1649-038 Lisboa <u>lopes.prates@ineti.pt</u> <u>http://www.ineti.pt</u>

Slovenia (observer)

Boris Orel National Institute of Chemistry Slovenia Hajdrihova 19 PO Box 660 SI-1001 Ljubljana boris.orel@ki.si http://www.ki.si/

Sweden

Kenneth Moeller SP Swedish National Testing and Research Institute Box 857 SE-501 15 Borås <u>kenneth.moller@sp.se</u> <u>http://www.sp.se</u>

Bo Carlsson Linnaeus University School of Natural Science 39182 Kalmar Bo.Carlsson@Inu.se

Switzerland

Stefan Brunold Institut für Solartechnik SPF Hochschule für Technik Rapperswil HSR Oberseestrasse 10 CH-8640 Rapperswil <u>stefan.brunold@solarenergy.ch</u> <u>http://www.solarenergy.ch</u>

United States

Jay Burch NRELNational Center for Photovoltaics National Renewable Energy Laboratory 1617 Cole Boulevard, MS-3214 Golden, CO 80401 jay.burch@nrel.gov

Mike Rubio FAFCO 435 Otterson Drive Chico, CA 95928-8207 <u>mrubio@fafco.com</u> http://www.fafco.com/

Susan Mantell Department of Mechanical Engineering University of Minnesota 111 Church St.SE, Rm 1100 Minneapolis, MN 55455 <u>smantell@me.umn.edu</u>

Task 40

Towards Net Zero Energy Solar Buildings

Josef Ayoub CanmetENERGY Operating Agent for Natural Resources Canada

TASK DESCRIPTION

Energy use in buildings worldwide accounts for over 40% of primary energy use and 24% of greenhouse gas emissions. Energy use and emissions include both direct, on site use of fossil-fuels and indirect use from electricity, district heating / cooling systems and embodied energy in construction materials. Several International Energy Agency (IEA) countries have adopted a vision of so-called 'net zero energy buildings' as long-term goal of their energy policies. However, what is missing is a clear definition and international agreement on the measures of building performance that could inform 'zero energy' building policies, programmes and industry adoption around the world.

Objective

The objective of this joint Task with the IEA ECBCS Programme (Annex 52) is to study current net-zero, near net-zero and very low energy buildings and to develop a common understanding, a harmonized international definitions framework, tools, innovative solutions and industry guidelines. A primary means of achieving this objective is to document and propose practical NZEB demonstration projects, with convincing architectural quality. These exemplars and the supporting sourcebook, guidelines and tools are viewed as keys to industry adoption. These projects aim to equalize their small annual energy needs, cost-effectively, through building integrated heating/cooling

systems, power generation and interactions with utilities.

The Task will build upon recent industry experiences with net-zero and low energy solar buildings and the most recent developments in whole building integrated design and operation. The joint international research and demonstration activity will address concerns of comparability of performance calculations between building types and communities for different climates in participating countries. The goal is solution sets that are attractive for broad industry adoption.

Scope

The scope includes major building types (residential and non-residential), new and existing, for the climatic zones represented by the participating countries. The work will be linked to national activities and will focus on individual buildings, clusters of buildings and small settlements. The work will be based on analysis of existing examples that leads to the development of innovative solutions to be incorporated into national demonstration buildings.

The objectives shall be achieved in the following Subtasks.

Subtask A: Definitions & Implications (Subtask Leaders: Karsten Voss, Germany and Assunta Napolitano, Italy)



Activity A1: NZEB definitions framework Activity A2: Monitoring, verification and compliance guide Activity A3: Grid interactions

The objective of Subtask A is to establish an internationally agreed understanding on NZEBs based on a common methodology. The Participants shall achieve this objective by the following activities:

- The review and analysis of existing NZEB definitions and data (site/source energy, emissions, exergy, costs, etc.) with respect to the demand and the supply side;
- A study of grid interaction (power/ heating/cooling) and time dependent energy mismatch analysis.
- The development of a harmonized international definition framework for the NZEB concept considering large-scale implications, exergy and credits for grid interaction (power/heating /cooling).
- The development of a monitoring, verification and compliance guide for checking the annual balance in practice (energy, emissions and costs) harmonized with the definition.

Subtask B: Design Processes & Tools (Subtask Leaders: Adam Hirsch, Paul

Torcellini USA and Andreas Athienitis, Canada)

- Activity B1: Processes and tools
- Activity B2: Pre-concept design, feasibility tools
- Activity B3: Tools guide and worked examples

Subtask B aims to identify and refine design approaches and tools to support industry adoption. The Participants shall achieve this objective by the following activities:

- Documenting processes and tools currently being used to design NZEBs and under development by participating countries.
- Assessing gaps, needs and problems, considering the work of Subtask A and Subtask C, and inform simulation engine and detailed design tools developers of priorities for NZEBs.

 The development and testing of design approaches and simplified NZEB tools or interfaces (e.g., spreadsheet or web-based method) linked to Subtask C Solution Sets to support integration of NZEB technologies and architecture at the early design stage.

Subtask C: Solution Sets (Design, Engineering, Technologies)

(Subtask Leaders: Michael Donn, New Zealand and François Garde, France)

Activity C1: NZEB STC Database Activity C2: Analysis Matrix Activity C3: Research Analysis of Themes Undertaken

Activity C4: Subtask C Source Book

The objectives of this Subtask are to develop and test innovative, whole building net-zero solution sets for cold, moderate and hot climates with exemplary architecture and technologies that would be the basis for demonstration projects and international collaboration. The Participants shall achieve these objectives by the following activities:

- Documenting and analyzing current NZEBs designs and technologies, benchmarking with near NZEBs and other very low energy buildings (new and existing), for cold, moderate and hot climates considering sustainability, economy and future prospects using a projects database, literature review and practitioner input (workshops).
- Developing and assessing case studies and demonstration projects in close cooperation with practitioners.
- Investigating advanced integrated design concepts and technologies in support of the case studies, demonstration projects and solution sets.
- Developing NZEB solution sets and guidelines with respect to building types and climate and to document design options in terms of market application and CO2 implications.

Subtask D: Dissemination & Outreach (Operating Agent and Subtask Leaders)

Activity D1: NZEB web page Activity D2: Reports production, Source

	book(s): Vols. 1, 2 and 3
Activity D3:	Education network for PhD
	students and summer
	schools
Activity D4.	Outreach (conferences

Activity D4: Outreach (conferences, seminars, workshops etc.)

The objective of the dissemination activity is to support knowledge transfer and market adoption of NZEBs on a national and international level. Subtask leaders will be responsible for the coordination of the individual contributions of Subtask participants and for coordination with the other Subtasks where a combined output is planned. The Participants shall achieve the objectives by the following activities:

- Establishing an NZEB web page, within the IEA SHC/ECBCS Programmes' framework, and a database that can be expanded and updated with the latest projects and experiences.
- Producing a NZEB source book including example buildings for investigated building types and climates.
- Transferring the Task outputs to national policy groups, industry associations, utilities, academia and funding programs.
- Establishing an education network, summer school and contributions to the Solar Decathlon and similar student activities.
- Workshops, articles and features in magazines to stimulate market adoption.

Duration

This Task was initiated on October 1, 2008 and remains in force until September 30, 2013.

Participating Countries

Austria, Belgium, Canada, Finland, France, Germany, Italy, South Korea, New Zealand, Norway, Portugal, Singapore, Spain, Sweden, Switzerland, United States

WORK DURING 2011

Completed 13 technical Task papers several of which were presented (oral and/or poster) at ASHARE conference in Las Vegas and others submitted to refereed journals. Volume 1 of the source book, a deliverable of Subtask A on definitions work was published in German and an English translation of it was undertaken in 2011. An English version was subsequently published in 2011. Subtasks work proceeding as per work plans.

The PhD summer workshop on net-zero energy solar buildings (theory, modeling and design) was conducted in June 2011 in Montreal, Canada,

Initiated planning fort a 2nd PhD workshop to be hosted by France in the fall of 2012.

Finalized Table of Contents for Volume 2 and 3 of the source book.

Held two-industry/public workshops in conjunction with SHC and ECBCS Executive Committee meetings.

Continuing to strengthen links to industry by participating in the Buildings and initiated discussions with Johnson Controls, potential new member.

19 countries confirmed participation and National Experts seeded by both the ECBCS and SHC. Singapore is the newest member to join in 2011.

Continually upgrading the Task File Sharing System and the Task public website.

WORK PLANNED FOR 2012

2nd PhD summer workshop to be hosted by France at the l'Institut des Rechereches Scientifique des Carsege, in conjunction with the 8th Task Experts Meeting in the 3rd quarter of 2012.

Finalize final drafts of the two technical reports from Subtask A.

Complete the drafts of some chapters of Volumes 2 and 3 of the Source Book.
Continue to participate in public dissemination activities as opportunities arise. Conduct at least one Industry/public meetings in conjunction with the 7th Experts Group Meeting in Naples in May.

Continue the work on NetZEB definitions evaluation tool.

Finalize the Task /Annex database display.

Complete the technical report on Design Tools Benchmarking.

Continue to update Task website.

REPORTS PUBLISHED IN 2011

There were 13 (#1-13) technical papers published delineating the work accomplished to date within the Task/Annex submitted to various sources (technical journals, referred conference papers, other)

Subtask A

1. "Load matching and grid interaction" (J. Salome et.al.)

Subtask B

- "Strategies for reducing peak demand in net-zero energy solar homes" (J. Candanedo et. Al.)
- "Optimization of net-zero energy solar communities: effect of uncertainty due to occupant factors" (S. Bucking et. al.)
- "Energy performance, comfort and lessons learned from a near-net zero energy solar house" (M. Dorion et.al.)
- "The redesign of an Italian building to reach net-zero energy performance: a cse study of the SHc Task 40 – ECBCS Annex 52" (M. cellura et. al.)

Subtask C

- 6. "Towards net-zero energy buildings in hot climates: Part 1, new tools an methods" (F. Garde et. al.)
- 7. "Towards net-zero energy build-

ings in hot climates: Part 2, Experimental feedback" (A. Lenoir et. al.)

- 8. "Formulating a building climate classification method" (S. Corey et. al.)
- 9. "User behaviour and energy performances of net-zero energy buildings" (A. Lenoir et. al.)
- 10. "Passive cooling approaches in net-0zero energy solar buildings: Lessons learned from demonstration buildings" (L. Aelenei et. al.)
- 11. "Zero-energy buildings in France Overview and Feedback" (A. Lenoir et. al)
- 12. "Environmental design and performance of the ENERPOS building, Reunion Island, France (M. Franco et. al.)
- "Calibrating the impact of a photovoltaic thermal mechanical ventilation heat recovery system on the delivery of net-zero energy housing in Scotland" (M. Noguchi et. al.)

All of these papers are posted for free downloading from the Task website. <u>http://www.iea-shc.org/task40/</u>

Technical Reports in progress:

- "Survey of Current Practices for checking balances in Net ZEB Projects" by Assunta Napolitano and Roberto Lollini. A Report of Subtask A (A2). <u>Draft form.</u>
- "Zero Energy Building definition A Literature Review" by Anna Joanna Marszal and Per Heiselberg. A Report of Subtask A (A1).). <u>Final Draft form</u>.

MEETINGS IN 2011

5th Experts Meeting April 4-6 Golden, Colorado, USA

6th Experts Meeting October 5-7

Basel, Switzerland

MEETINGS PLANNED FOR 2012

7th Experts Meeting May 8-11 Naples, Italy

8th Experts Meeting October 1-3

Barcelona, Spain

In conjunction with 2nd PhD Workshop September 25-29 Carsège, Corsica, France

SHC TASK 40/ECBCS ANNEX 52 NATIONAL CONTACTS

Operating Agent

Josef Ayoub Senior Planning Advisor, Energy S&T CanmetENERGY/Natural Resources Canada/ Government of Canada 1615 Lionel-Boulet Blvd, P.O. Box 4800 Varennes, Québec Canada J3X 1S6 Phone: + (1) 450-652-1981 Fax: + (1) 450- 652-5177 josef.ayoub@rncan-nrcan.gc.ca Web: http://www.canmetenergy.nrcan.gc.ca

Subtask A Leaders

Assunta Napolitano EURAC Research Insitute for Renewable Energy Viale Druso n°1, 39100 Bozen/Bolzano Italy Phone: +39 0471 055 651 Fax +39 0471 055 699 assunta.napolitano@eurac.edu

Karsten Voss Bergische Universität Wuppertal Haspeler Straße 27 42285 Wuppertal Germany Phone: 0049 (0)202 439 4094 Fax: 0049 (0)202 439 4296 kvoss@uni-wuppertal.de

Subtask B Leaders

Andreas Athienitis Concordia University (Solar Buildings Research Network) 1455 Maisonneuve W., Montreal Quebec, H3G1M8 Canada Phone: +1 514-848-2424 Ext. 8791 Fax: +1 514-848-7965 aathieni@encs.concordia.ca Paul Torcellini National Renewable Energy Laboratory 1617 Cole Blvd. Golden, Colorado 80401 -3305 United States Phone: +1 303-384-7528 Fax: +1 303-384-7540 paul torcellini@nrel.gov

Adam Hirsch National Renewable Energy Laboratory 1617 Cole Blvd. Golden, Colorado 80401-3305 United States Phone: + 303-384-7874fax Fax +: 303-384-7540 adam.hirsch@nrel.gov

Subtask C Leaders

Michael Donn Centre for Building Performance Research Victoria University PO Box 600 Wellington New Zealand Phone: +6444636221 Mobile: +6421611280 <u>michael.donn@vuw.ac.nz</u>

François Garde Université de la Réunion Faculty of Humanities and the Environment Sciences Building and Environment 15, avenue René Cassin Saint Denis, Ile de la Réunion, 97715 France Phone: +262 (0)262 96 28 90 Fax: +262 (0)262 96 28 99 garde@univ-reunion.fr

Austria

Karl Höfler and Sonja Geier Department for Sustainable Buildings AEE INTEC AEE Institute for Sustainable Technologies Feldgasse 19 A-8200 Gleisdorf <u>k.hoefler@aee.at</u> <u>s.geier@aee.at</u> <u>http://www.aee-</u> <u>intec.at/index.php?lang=en</u>

Werner Nussmüller Nussmüller Architekten ZT GmbH Zinzendorfg. 1 8010 Graz <u>buero@nussmueller.at</u> http://www.nussmueller.at/aktuelles.php

Belgium

Roel De Coninck 3E Quai à la Chaux 6 Kalkkaai, 1000 Brussels roel.deconinck@3e.eu http://www.3e.be/index.php

André De Herde Université Catholique de Louvain Place du Levant, 1 1348 Louvain-la-Neuve <u>deherde@arch.ucl.ac.be</u> <u>http://www-climat.arch.ucl.ac.be</u>

Ralf Klein KaHo Sint-Lieven Gebroeders Desmetstraat 1 9000 GENT ralf.klein@bwk.kuleuven.be http://www.kahosl.be/site/index.php?p=/en /page/11/welcome-to-kaho-sintlieven/

Erwin Mlecnik Passiefhuis-Platform vzw Gitschotellei 138 2600 Berchem erwin.mlecnik@passiefhuisplatform.be http://www.passiefhuisplatform.be/

Canada

Andreas Athienitis Scientific Director NSERC Solar Buildings Research Network Professor and Concordia Research Chair Tier I Dept. of Building, Civil and Environmental Engineering Concordia University 1455 Maisonneuve W. Montreal, Québec H3G 1M8 <u>aathieni@encs.concordia.ca</u> <u>http://www.solarbuildings.ca</u>

Véronique Delisle CanmetENERGY/Natural Resources Canada/Government of Canada 1615 Lionel-Boulet Blvd, P.O. Box 4800 Varennes, Québec J3X 1S6 <u>veronique.delisle@rncan-nrcan.gc.ca</u> www.canmetenergy.nrcan.gc.ca

Michel Tardif CanmetENERGY/Natural Resources Canada/Government of Canada 580 Booth Street Ottawa, Ontario K1A 0E4 <u>michel.tardif@rncan-nrcan.gc.ca</u> <u>http://www.canmetenergy.nrcan.gc.ca</u>

Denmark

Per Heiselberg and Anna Marszal Aalborg University Department 6 - Department of Civil Engineering Sohngårdsholms Vej 57 9000 Aalborg ph@civil.aau.dk ajm@civil.aau.dk http://en.aau.dk/ http://www.zeb.aau.dk

Søren Østergaard Jensen Danish Technological Institute Gregersen Vej 2630 Taastrup soren.o.jensen@teknologisk.dk http://www.teknologik.dk/ Kim B. Wittchen Danish Building Research Institute Aalborg University Dr. Neergaards Vej 15 2970 Hørshom KBW@SBi.dk http://www.en.sbi.dk/

Finland

Riikka Holopainen, Jyri Nieminen and Sirje Vares VTT Technical Research Centre of Finland P.O. Box 1000 02044 Espoo jyri.nieminen@vtt.fi http://www.vtt.fi/index.jsp

Ala Hasan and Mohamed H. Hamdy Department of Energy Technology School of Science and Technology Aalto University PO Box 14400 FI-00076 Aalto <u>ala.hasan@tkk.fi</u> <u>Mohamed.Hassan@tkk.fi</u> <u>http://hvac.tkk.fi/index_uk.html</u>

France

François Garde Campus universitaire Sud Université de la Réunion 15 avenue René Cassin, BP 7151 97715 Saint Denis Messag, Cedex 9 garde@univ-reunion.fr http://www.univ-reunion.fr/index.html

Germany

Karsten Voss Bergische Universität Wuppertal Haspeler Straße 27 42285 Wuppertal kvoss@uni-wuppertal.de http://www.btga.uni-wuppertal.de

Italy

Stefano Avesani, Roberto Lollini, and Assunta Napolitano EURAC Research Insitute for Renewable Energy Viale Druso n°1, 39100 Bozen/Bolzano <u>stefano.avesani@eurac.edu</u> <u>roberto.lollini@eurac.edu</u> <u>assunta.napolitano@eurac.edu</u>

http://www.eurac.edu

Alessandra Scognamiglio ENEA CR Portici P.le E. Fermi - 80055 Portici (Napoli) alessandra.scognamiglio@enea.it http://www.portici.enea.it/index2.html

Valerio Calderaro Università degli Studi di Roma "La Sapienza" Piazzale Aldo Moro 5, 00185 Roma valerio.calderaro@uniroma1.it http://www.uniroma1.it/default_e.php

Salvatore Carlucci, Lorenzo Pagliano and Paolo Zangheri Politecnico di Milano Energy Department - eERG end-use Efficiency Research Group Via Lambruschini 4, 20156 Milano salvatore.carlucci@polimi.it lorenzo.pagliano@polimi.it http://www.energia.polimi.it/english/resear ch/scheda_gruppo.php?id=14

Maurizio Cellura Universitá degli di studi Palermo Dipartimento di Ricerche Energetiche ed Ambientali (DREAM) V.le delle Scienze - Ed. 9 - 90128 Palermo <u>mcellura@dream.unipa.it</u> <u>http://portale.unipa.it/home/dipartimenti/di</u> <u>p_energetic</u>

South Korea

Gi Young Yang and Seungho Shin Research Institute of Construction Technology Samsung C&T Corporation 1321-20, Seocho2-dong, Seocho-Gu, Seoul pius.yang@samsung.com seungho.shin@samsung.com http://www.secc.co.kr/

Jun Tae Kim Dept. Architectural Engineering Kongju National University 275 Budae-dong, Cheonan, Chungnam Province jtkim@kongju.ac.kr http://www.kongju.ac.kr/index.jsp

New Zealand

Michael Donn Victoria University of Wellington School of Architecture PO Box 600, 139 Vivian St., Wellington <u>michael.donn@vuw.ac.nz</u> <u>http://www.victoria.ac.nz/home/</u>

Norway

Anna Grete Hestnes The Research Centre on Zero Emission Buildings Faculty of Architecture and Fine Art Norwegian University of Science and Technology - NTNU NO-7491 Trondheim annegrete.hestnes@ntnu.no http://www.sintef.no/projectweb/zeb

Tor Helge Dokka and Igor Sartori NTNU/ SINTEF Building and Infrastructure Forskningsveien 3 b P.O.Box 124 Blindern N-0314 Oslo torhelge.h.dokka@sintef.no igor.sartori@sintef.no http://www.sintef.no/Home/Building-and-Infrastructure/

Harald N Røstvik Sivilarkitekt Harald N. Røstvik AS PB 806, 4004 Stavanger hnr@telnett.no http://www.sunlab.no/default.aspx

Portugal

Daniel Aelenei Campus da Caparica Department of Civil Engineering Faculty of Science and Technology Universidade Nova de Lisboa 2829-516 Caparica <u>aelenei@fct.unl.pt</u> <u>http://www.fct.unl.pt/</u>

Laura Aelenei Unidade de Energia no Ambiente Construído - UEAC Laboratório Nacional de Energia e Geologia - LNEG Estrada do Paço do Lumiar, Edifício Solar XXI 1649-038 Lisboa Jaura.aelenei@ineti.pt

http://www.ineti.pt

Helder Gonçalves Laboratório Nacional de Energia e Geologia - LNEG Estrada do Paço do Lumiar, Edifício Solar XXI 1649-038 Lisboa <u>helder.goncalves@LNEG.pt</u> <u>http://www.lneg.pt</u>

Singapore Stephen Wittkopf Solar and Energy Efficient Buildings Cluster Solar Energy Research Institute of Singapore (SERIS) National un iversity of Singapore 7 Engineering Drive 1 Block E3A, #06-01 Singapore 117574 Stephen.wittkopf@nus.edu.sg http://www.seris.sg

Spain

Jaume Salom and Eduard Cubi Thermal Energy and Building Performance Group IREC – Institut de Recerca en Energia de Catalunya Josep Pla 2, B2, Ground floor 08019 Barcelona jsalom@irec.cat ecubi@irec.cat http://www.irec.cat

Sweden

Joakim Widén Energy Systems Programme Department of Engineering Sciences, Solid State Physics Uppsala University P.O. Box 534 SE-751 21, Uppsala joakim.widen@angstrom.uu.se Personal website: http://www.anst.uu.se/jowid957/

Björn Karlsson Energy & Building Design Lund University Box 118 221 00, Lund Bjorn.karlsson@ebd.lth.se http://www.lu.se/lund-university

Switzerland

Armin Binz and Monika Hall Fachhochschule Nordwestschweiz Hochschule für Architektur, Bau und Geomatik Institut Energie am Bau St. Jakobs-Strasse 84 CH-4132 Muttenz monika.hall@fhnw.ch Armin.Binz@fhnw.ch http://www.fhnw.ch/habg/iebau/

United States Adam Hirsch, Shanti Pless, Paul Torcellini, National Renewable Energy Laboratory 1617 Cole Blvd. Golden, Colorado 80401-3305 adam.hirsch@nrel.gov shanti.pless@nrel.gov paul.torcellini@nrel.gov http://www.nrel.gov/about/

Regular Participants

Attia, Shady Université Catholique de Louvain, BELGIUM <u>shady.attia@uclouvain.be</u>

Biesbroek, Katrien Katholieke Hogeschool (KaHo) Sint-Lieven, BELGIUM <u>katrien.biesbroeck@kahosl.be</u>

Bourrelle, Julien S. Norwegian University of Science and Technology - NTNU, NORWAY julien.bourrelle@ntnu.no

Bourdoukan, Paul FRANCE paul.bourdoukan@gmail.com

Calderaro, Isabella Università degli Studi di Roma "La Sapienza", ITALY <u>isabella.calderaro@alice.it</u>

Candanedo, José A. and O'Brien, William Concordia University, CANADA <u>j candan@encs.concordia.ca</u> <u>w obrie@encs.concordia.ca</u> Corey, Shaan Victoria University of Wellington School of Architecture

Davidsson, Henrik Lund University, SWEDEN henrik.davidsson@ebd.lth.se

Lenoir, Aurélie Université de la Réunion, FRANCE <u>aurelie.lenoir@univ-reunion.fr</u>

Musall, Eike Bergische Universität Wuppertal, GERMANY emusall@uni-wuppertal.de

Nardi Cesarini, David and Spallacci, Maddalena The Loccioni Group, ITALY <u>d.nardicesarini@loccioni.com</u> <u>m.spallacci@loccioni.com</u>

Noguchi, Masa MEARU, Mackintosh School of Architecture, Glasgow, UK <u>m.noguchi@gsa.ac.uk</u>

Prasad, Deo Built Environment, University of New South Wales, AUSTRALIA <u>d.prasad@unsw.edu.au</u>

Thyholt, Marit NTNU/SINTEF Building and Infrastructure, NORWAY marit.thyholt@sintef.no

Weiss, Tobias Nussmüller Architekten ZT GmbH, AUSTRIA tobias.weiss@nussmueller.at

Task 41

Solar Energy & Architecture

.....

Maria Wall

Energy and Building Design, Lund University Operating Agent for the Swedish Energy Agency, the Danish Energy Agency and Enova of Norway

TASK DESCRIPTION

The main goals of the Task are to help achieving high quality architecture for buildings integrating solar energy systems, as well as improving the qualifications of the architects, their communications and interactions with engineers, manufactures and clients. Increased user acceptance of solar designs and technologies will accelerate the market penetration. The overall benefit will be an increased use of solar energy in buildings, thus reducing the non-renewable energy demand and greenhouse gas emissions.

To achieve these goals, work is needed in three main topics:

- A. Architectural quality criteria; guidelines for architects by technology and application for new products development.
- B. Methods and tools for early stage evaluations and balancing of various solar technologies integration.
- C. Integration concepts and examples, and derived guidelines for architects.

The first objective is to define general architectural quality criteria and extract recommendations for solar components and systems, to support manufacturers in developing existing products as well as new products. Specific criteria for the architectural integration of different solar energy components/systems will be developed in cooperation between architects, manufacturers, and other actors. New adapted products should result from this activity as well as appropriate ways to use them.

The second objective concerns methods and tools to be used by architects at an early design stage, which need to be developed or improved. An example of such a tool can be how to visualize the solar energy concepts to show e.g. clients. Other examples can be tools needed to quantify and clearly illustrate the solar energy contribution and help balance the use of different active and passive solar technologies on the building envelope. The last objective is to provide good examples of architectural integration, in

both existing projects that can be analysed and proposals for new projects. Buildings, installations and products will be included. Case studies will be an important basis to gain experience regarding the level of successful building integration, achieved solar energy contribution and to identify barriers related to e.g. technical and economical aspects and attitudes.

Communication guidelines with facts and arguments for architects to help convince their clients to include solar energy systems will be produced. Arguments and facts related to architectural value, energy performance and life cycle costs are essential. Here, the arguments and facts need to be tailored for different building types and owner/user structures. The results from the Task will also serve as a basis for teaching material that could be used in e.g. architecture schools. To communicate the value of solar energy designs and technologies, the Task will carry out seminars, workshops and produce articles in architectural magazines, etc.

Scope

The scope of the Task includes residential and non-residential buildings. Both new and existing buildings will be included, for the climatic zones represented by the participating countries. Individual buildings as well as urban areas will be studied. In this way the potential impact of the Task can be large. Already cost-effective systems can, with a successful architectural integration, accelerate the market penetration. But also technologies not yet fully costeffective can benefit from the work to pave the way to successful integration and user/client acceptance, and make the coming market penetration smoother. The work will build upon past IEA Tasks and other research projects related to building integration of solar systems and development of sustainable buildings.

The Task is organized in three Subtasks, derived from the above described objectives and goals. The integration problems related to the different technologies (product development, method of integration) are treated in subtask A. The balance issues between the different types of solar gains, related to energy and cost impacts, are treated in subtask B. Finally the architectural integration issue is treated as a whole in subtask C, based on case studies.

The objectives will be achieved by the Participants in the following Subtasks and activities:

Subtask A: Criteria for Architectural Integration

This Subtask focuses on architectural integration of active solar energy collectors systems (solar thermal, PV and hybrids technologies) that offer an important potential for improvement regarding architectural integration. The objectives are to:

- Establish and communicate architectural criteria for the integration of active solar energy systems in the building envelope.
- Give recommendations to the industry to improve the architectural integration quality and flexibility of



Well integrated vacuum collectors used as balcony rails on the residential building "Sunny Woods". Architect: Beat Kämpfen Architects, Switzerland.

Photo: EPFL-LESO, Switzerland

active solar products and systems (integrability).

- Bring together architects and product/system developers to understand each other's needs.
- Educate/inform architects on integration characteristics for various technologies and on state of the art of innovative products.

Results will consist of:

- Survey on architects needs for an increased/better use of active solar in buildings and to help identify related barriers.
- Document for architects that describes important architectural integration criteria for different categories of solar systems, with good examples.
- Document for product and system developers that describes important architectural integration design criteria for different categories of solar systems, with good examples.
- Initiate collaborations for the development of new products/systems (e.g., through local seminars in connection with Task meetings).
- Dissemination of new knowledge to practicing architects and manufacturers through seminars.
- Task web-site page listing and describing available innovative products.

Subtask B: Methods and Tools

This Subtask is focused on methods and tools for architects to use in the early design stage (EDS). The methods and tools should support EDS decisions and allow further development of the project at preliminary design and construction phases. The use of the building envelope to achieve a good balance of both active and passive solar utilisation is a central concern in this subtask and in the development of methods and tools. The work includes producing material for the Communication Guidelines (Subtask C). The objectives are to:

- Achieve a comprehensive review of existing methods and tools (state-of-the-art) that architects currently use at EDS when designing buildings that integrate active/passive solar components.
- Identify current barriers that prevent architects from using the existing methods and tools for solar building design.
- Identify important needs and criteria for new or adapted methods and tools to support architectural design and integration of solar components at EDS.
- Provide guidelines for developers of methods and tools for architects designing solar buildings.
- Initiate communication with tool developers (industry) in order to stimulate the development of tools based on the guidelines written as a result of this Subtask.
- In collaboration with Subtask C, collect output data, figures, illustrations and facts produced by various tools in demonstration projects, to be included in the Communication Guidelines.

Results will consist of:

- State-of-the-art presenting existing methods and tools for architectural design and solar building design.
- Survey on architects' barriers, needs and criteria for new methods and tools to support architectural design and integration of active/passive solar components at EDS.
- Recommendations for developers of tools to be used by architects at an early design stage.
- Report; Solar design: Examples on the use of tools for architects.
- Element libraries (method and examples) that could be used in design tools showing the visual impact of various solar options.
- Output material collected from existing tools used in demonstration

projects to support the Communication Guidelines (with Subtask C).

 Local seminars for invited architects in connection to Task meetings. Regional/national seminars (with Subtask A, C).



The case study Marché International Support Office, Kemptthal, Switzerland applied a PV integrated in the roof and used PCM technology in the façade.

Architect: Beat Kämpfen Architects, Switzerland.

Photo: Maria Wall, Sweden.

Subtask C: Concepts, Case Studies and Guidelines

This Subtask is looking at concepts for architectural integration as well as case studies, with a whole building perspective. The Subtask also condenses the results into communication guidelines, with support from Subtasks A and B.

The objectives of this Subtask are:

- Develop concepts and principles for high quality architectural integration of solar systems, based on analyses of good examples through national and international architectural colloquiums and workshops.
- Show good examples of buildings and concepts that utilize active and passive solar energy, achieving high quality architecture, sustainable solutions, attractive indoor climate, and high energy performance. The strategies should aim at

reducing the energy demand in buildings and increasing the fraction of renewable energy use such as solar energy.

 Develop knowledge and strategies to promote and implement high quality architecture using solar energy.

Results will consist of:

- Comprehensive collection and selection of case studies of high quality architecture and energy efficient building designs including solar solutions for new build and renovation for various building types (housing, offices, schools, etc.).
- Working method illustrated through selected examples of energy efficient or sustainable urban planning (minor part).
- Presentation of working methods, designs, solar energy potentials through exemplary buildings in communication guidelines, in an IEA SHC web page, articles, architecture magazines, and at seminars for architects, engineers, component and system developers, clients, planners etc. The communication guidelines will include convincing arguments and facts with support from Subtask A and B.

Task Duration

This Task started on May 1, 2009 and will end April 30, 2012.

Participating Countries

Australia, Austria, Belgium, Canada, Denmark, Germany, Italy, Norway, Portugal, Singapore, Spain, Sweden and Switzerland.

South Korea also is participating, while waiting to become a formal member of the IEA SHC Programme. See the list of the participants at the end. Updates on participation and results from the Task will be available on the website: <u>http://iea-shc.org/task41</u>.

WORK DURING 2011

Two Task Expert meetings were held in 2011; the 1st in Oslo, Norway in March and the 2nd in Melbourne, Australia in September. Both meetings were linked to public seminars (one in Norway and two in Australia) presenting the work and results of the Task.

Two reports based on the results from the surveys on barriers, needs and criteria were written (Subtask A and B). The report from Subtask B, <u>International Survey about Digital Tools Used By Architects for Solar Design</u> can be downloaded from the IEA SHC website. The Subtask A report will be ready in early 2012.

Also, elements illustrating solar components have been developed to use in AutoCad and ArchiCad for illustrating various options of active solar integration into buildings. They are meant as examples, and hopefully in the future manufacturers will develop such elements for real products (including key data) that architects can then choose from in a library, to illustrate how their building will look with active components as building envelope cladding. Examples can be downloaded from a website.

Guidelines for architects and for solar product and system developers respectively, were developed as drafts (Subtask A). These guidelines are focused on the architectural integration criteria of solar products and include good integration.

Proposed case studies have been collected within Subtask C. More than 200 proposals were collected. The process of selecting Task 41 case studies from the proposed ones was finalized. Selection criteria include architectural quality and energy performance. The detailed data collection for the selected case studies is ongoing and the case studies will be available via the Task website. One additional country became a participant in 2011: Singapore.

WORK PLANNED FOR 2012

Since the Task ends in 2012, many deliverables will be finalized.

Key activities planned for 2012 include:

- Finalize a report based on the survey on architects' barriers, needs and criteria related to architectural integration of solar systems (Subtask A).
- Finalize guidelines for architects that describe important architectural integration criteria for different categories of solar systems, with good examples (Subtask A).
- Finalize guidelines for product and system developers that describe important architectural integration design criteria for different categories of solar systems, with good examples (Subtask A).
- Finalize a list of available innovative products for integrated solar systems and put on a website (Subtask A).
- Finalize recommendations for tool developers related to architectural needs (Subtask B).
- Finalize document on solar design: Examples on the use of tools for architects.
- Collect data on selected case studies and finalize the presentations on the website (Subtask C).
- Finalize the Communication Guidelines (Subtask C).

TASK REPORTS/RESULTS PUBLISHED IN 2011

 Horvat M, Dubois MC, Snow M, Wall M (eds.). International survey about digital tools used by architects for solar design. IEA SHC Task 41, Subtask B; 2011. Download at: http://www.iea-shc.org/

publications/task.aspx?Task=41.

 Zanetti I, Nagel K. CAAD 3D parametric objects; examples of solar components. On website: <u>www.bipv.ch/index.php?option=co</u> <u>c_content&view=article&id=338&It</u> emil=306&lang=en

OTHER PUBLICATIONS AND PRESENTATIONS IN 2011 (examples)

- Amtmann M., Lechner A., Mach T., Selke T., Article in the professional magazine "Wettbewerbe", September 2011 "Analysis and assessment of energetic, economic and architectural quality of urban solar energy buildings".
- Amtmann M., Oral presentation of the national project "Urban solar energy" and intermediate results of the IEA Task 41 project at the 9th Photovoltaic Conference in Vienna, 20th-21st October 2011.
- Bornatico R., Pfeiffer M., Witzig, A. & Guzzella L. (2011). Optimal sizing of a solar thermal building installation using particle swarm optimization. In Energy, doi:10.1016/ j.energy.2011.05.026.
- Dubois, M.-C., Horvat, M. & Kanters, J. (2011). Tools and methods used by architects for solar design: results of an international survey in 14 countries, In Proceedings of CISBAT 2011 Conference, Lausanne, Switzerland, Sept. 14-16. Book of abstracts p. 178 and paper published on CDrom.
- Edelman, M., Roecker C-, Munari Probst MC., Witzig A. & Foradini F, (2011). Lesosai wizard: a new building energy tool for architects, Plea 2011, Louvain La Neuve, Belgium, July 2011.
- ENEA (2011). Forms of Energy. In proceedings of the 26th European Photovoltaic Solar Energy Conference, in Hamburg, Germany.
- Frontini, F. (2011). Innovation School – ENERBUILD 2011: Verso edifici produttivi e a basso consumo energetico. Oral presentation: Integrazione di tecnologie so-

lari nell'involucro edilizio: BIPV e BIST (Building Integrated Photovoltaics and Solar Thermal), At Klima Energy, Fiera di Bolzano. 23 September 2011.

- Geissler S., Amtmann M., Barth T., Article in the BAU Z Conference transcript: "Potentials of solar energy use in the urban context", IBO, February 2011
- Geissler S., Amtmann M., Barth T., Oral presentation of the national project "Urban solar energy" with a short description of the IEA Task 41 project at the BAU Z congress in Vienna, 17th – 18th February 2011
- Giovanardi A., Lollini R. & Baggio P. (2011). "Analysis of solar thermal collector integration in facade system". Published in proceedings of the 6th Energy Forum Seminar for the building actors, in connection with the Task 41 meeting. 2011, Bressanone, Italy, 6-7 December 2011.
- Korolkow, M., Horvat, M., Dubois, M-C, Kanters J. & Bouffard, E. (2011). Tools and Methods for Solar Building Design: Results of IEA Task 41 International Survey, ISES Solar World Congress 2011, Kassel, August 28th – September 2nd, Paper Nr. 191.
- Maturi L., Lollini R., Baldracchi P., Sparber W. (2011). "Building skin as electricity source: the prototype of a wooden BIPV façade component". Published in the proceedings of the 26th European Photovoltaic Solar Energy Conference and Exhibition, organized by European Commission JRC and WIP Renewable Energies, Hamburg, 5-9 September 2011.
- Munari Probst, MC., & Roecker, C. (2011) "Architectural integration and design of solar thermal systems", 173 pages, EPFL Press, Routledge/Architecture, Lausanne.
- Munari Probst MC. & Roecker, C. (2011). Urban acceptability of building integrated solar systems: LESO-QSV approach. In proceedings of ISES 2011, Kassel, Ger-

many, 28th August - 2nd September 2011.

- Munari Probst MC. & Roecker, C. (2011). Architectural integrability of solar thermal systems: present and future. At Energy Forum, Bressanone, Italy, 4th -5th December 2011.
- Amado M.P. & Poggi, F. (2011). Oeiras Masterplan: A Methodology to Approach Urban Design to Sustainable Development. In Proceedings CISBAT, Lausanne, 2011.
- Kanters, J. (2011). Arkitektoniska hinder för solarkitektur (Architectural barriers for solar architecture). In Energi & Miljö; March 2011, Sweden.
- Kanters, J. (2011). Adequacy of current design tools and methods for solar architecture – results of IEA-SHC Task 41's international survey, In Proceedings of PLEA 2011 - 27th Conference on Passive and Low Energy Buildings, Louvain-la-Neuve, Belgium, 13-15 July, 2011, Vol.2, 65-70.
- Korolkow, M., Horvat, M., Dubois, M.-C., Kanters, J. & Bouffard. É., (2011), Tools and methods for solar building design: results of IEA Task 41 international survey, in ISES Solar World Congress 2011 Proceedings, (DVD, ISBN 978-3-9814659-0-7), Kassel, Germany, 28th Aug.- 2nd Sept, 2011.
- Mach T., Heimrath R., Selke T., Stift F., Grünewald S., Lechner A., Article in the conference transcript of the OTTI symposium: "Active solar thermal systems in the refurbishment of historical buildings", May 2011.

SEMINARS AND WORKSHOPS IN 2011 (examples)

 "Solar Energy & Architecture -Knowledge and Inspiration". 1st of April 2011. Oslo, Norway. Seminar hosted by Dark Arkitekter, Schuco, Context, NTNU. In connection to Task 41 meeting.

- "International Best Practice and the International Energy Agency". Melbourne Forum Seminar: Solar Energy and Architecture. 28th of September, 2011. Hosted by Melbourne Forum. In connection to Task 41 meeting.
- "Latest International Solar Technologies for Buildings Seminar". IEA SHC & Australian PV Association (APVA). 29th of September 2011. Hosted by Australian Government and Sustainability Victoria. In connection to Task 41 meeting.
- "Da un concetto ad un risultato concreto: edifici a risparmio energetico e produttivi, che integrano fonti energetiche rinnovabili", EURAC, in the context of Klimaenergy fair 2011, 23/9/2011, Bolzano, Italy.
- CRSEEL 2011; Conference on sustainable construction including solar technologies. At the University Campus, Caparica, Portugal. Organized by FCT/UNL et al. (http://www.conferencia2011crseel .com/).
- "Architectural integration of PV and solar thermal panels – best practice examples". Project workshop "Futurebase", Vienna, 2nd of May 2011. Organized by AIT (Austrian Institute of Technology), architect's office POS architects, WWFF.
- "Modern Construction Workshop". Presentation and discussion of the IEA Task 41 project, Vienna, 5th of July 2011. Organized by AEA (Austrian Energy Agency), ÖVI (Austrian Association of Real Estate Agents) and GBV (Austrian non-profit building association).
- Arkitektur & Solenergi IEA SHC Task 41. Public seminar presenting the Task 41 work. Organized by White Arkitekter et al. Stockholm, 17th of November, 2011.

MEETINGS IN 2011

5th Experts Meeting

March 29-31 April 1: Seminar in English/Norwegian Oslo, Norway

6th Experts Meeting

September 26-28 Sept. 28 and Sept 29: two seminars Melbourne, Australia

Extra meeting (a subgroup) February 16

Copenhagen, Denmark Objective: to identify development needs related to solar energy integration in urban planning; what could be included in Task 41 and what could be issues for a new Task.

MEETINGS PLANNED FOR 2012

7th (final) Experts Meeting March 27-29 March 30: Conference in English Lisbon, Portugal

TASK 41 NATIONAL CONTACTS

Operating Agent

Maria Wall Energy and Building Design Lund University P.O. Box 118 SE-221 00 Lund, Sweden maria.wall@ebd.lth.se

Subtask A Leader

Maria Cristina Munari Probst Christian Roecker (co-leader) EPFL-LESO Bâtiment LE Station 18 CH-1015 Lausanne, Switzerland mariacristina.munariprobst@epfl.ch christian.roecker@epfl.ch

Subtask B Leader

Miljana Horvat Department of Architectural Science Ryerson University 350 Victoria St., Toronto, Ontario, M5B 2K3, Canada <u>mhorvat@ryerson.ca</u>

Marie-Claude Dubois (co-leader) School of Architecture Laval University 1, Côte de la Fabrique, Québec, Québec, G1R 3V6, Canada Marie-Claude.Dubois@arc.ulaval.ca

Subtask C Leader

Olaf Bruun Jørgensen Esbensen Consulting Engineers Gammel Køge Landevej 22 DK-2500 Valby, Denmark obj@esbensen.dk

Australia

Mark Snow Faculty of the Built Environment University of New South Wales Sydney 2052 <u>m.snow@unsw.edu.au</u> <u>d.prasad@unsw.edu.au</u>

Austria

Maria Amtmann Division Buildings & Heating Austrian Energy Agency Mariahilfer Straße 136 A-1150 Vienna maria.amtmann@energyagency.at

Susanne Gosztonyi Energy Department AIT Austrian Institute of Technology Giefinggasse 2 A-1210 Vienna <u>susanne.gosztonyi@ait.ac.at</u>

Thomas Mach Institute of Thermal Engineering TU Graz / Graz University of Technology Inffeldgasse 25/B A-8010 Graz thomas.mach@tugraz.at

Andreas Lechner and Sophie Grünewald Institute of Design and Typology TU Graz / Graz University of Technology Lessingstrasse 25/IV A-8010 Graz andreas.lechner@tugraz.at s.gruenewald@tugraz.at

Belgium

André de Herde and Catherine Massart Architecture et Climat - UCL Place du Levant, 1 B-1348 Louvain-La-Neuve andre.deherde@uclouvain.be catherine.massart@uclouvain.be

Canada

Marie-Claude Dubois, Pierre Côté, Shirley Gagnon and Émilie Bouffard School of Architecture, Laval University 1, Côte de la Fabrique, Québec Québec, G1R 3V6 <u>marie-claude.dubois@arc.ulaval.ca</u> <u>pierre.cote@arc.ulaval.ca</u> <u>shirley.gagnon.1@ulaval.ca</u> <u>emilie.bouffard.1@ulaval.ca</u>

Miljana Horvat, Michael Clesle, Viktor Kuslikis and Alissa Laporte Department of Architectural Science Ryerson University 350 Victoria St., Toronto, Ontario, M5B 2K3 <u>mhorvat@ryerson.ca</u> <u>wkusliki@ryerson.ca</u> <u>alissa.laporte@ryerson.ca</u>

Andreas Athienitis and Caroline Hachem Dept. of Building, Civil and Environmental Engineering Concordia University (Solar Buildings Research Network) 1455 Maisonneuve W., Montreal Quebec, H3G1M8 <u>aathieni@encs.concordia.ca</u> <u>caroline_hachem@yahoo.com</u>

Denmark

Olaf Bruun Jørgensen Esbensen Consulting Engineers Gammel Køge Landevej 22 DK-2500 Valby obj@esbensen.dk

Torben Esbensen Esbensen Consulting Engineers Møllegade 54-56 DK-6400 Sønderborg torben@esbensen.dk

Karin Kappel Solar City Copenhagen Arkitekternes Hus Strandgade 27A DK-1401 København K kk@solarcity.dk

Germany

Tilmann E. Kuhn and Francesco Frontini Dept. Thermal Systems and Buildings Fraunhofer Institut für Solare Energiesysteme ISE Heidenhofstr. 2 D-79110 Freiburg tilmann.kuhn@ise.fraunhofer.de francesco.frontini@ise.fraunhofer.de

Gustav Hillmann and Margarethe Korolkow IBUS Architekten und Ingenieure GbR Alt-Tempelhof 18 D-12099 Berlin <u>hillmann@ibus-berlin.de</u> margarethe.korolkow@ibus-berlin.de

Susanne Rexroth HTW Berlin University of Applied Sciences Renewable Energies Wilhelminenhofstr. 75A D-12459 Berlin susanne.rexroth@htw-berlin.de

Gisela Wicht HTW Berlin University of Applied Sciences Renewable Energies Ostendstrasse 1 D-12459 Berlin gisela.wicht@htw-berlin.de

Italy

Roberto Lollini, Alessia Giovanardi and Laura Maturi EURAC research Viale Druso/Drususallee 1 I-39100 Bolzano/Bozen roberto.lollini@eurac.edu alessia.giovanardi@eurac.edu laura.maturi@eurac.edu

Alessandra Scognamiglio Renewable Sources and Innovative Solar Technologies Area ENEA Portici Research Center piazzale E. Fermi 1 I-80055 Portici (Na) alessandra.scognamiglio@portici.enea.it

Norway

Klaudia Farkas and Anne Grete Hestnes Department of Architectural Design, History, and Technology Norwegian University of Science and Technology - NTNU NO-7491 Trondheim klaudia.farkas@ntnu.no annegrete.hestnes@ntnu.no

Merete Hoff, Marius Bjørge and Vivianne Steinsåker DARK Arkitekter AS Drammensveien 130 N-0277 Oslo <u>mho@dark.no</u> <u>marius.bjorge@dark.no</u> vis@dark.no

Rolf Hagen and Kate Hagen Context AS Rjukan Naeringspark, Bygg 270 N-3660 Rjukan rolf@context.as katie@context.as

Axel Andreas Bjørnulf Schüco International PB 56, Bogerud N-0621 Oslo ABjoernulf@schueco.com

Portugal

Miguel Pires Amado and Maria Rosário Ribeiro FCT/UNL Campus da Caparica PT-2829-516 Caparica <u>ma@fct.unl.pt</u> rsa.ribeiro@fct.unl.pt

João Capucho de Freitas GEOTPU/DEC/FCT Campus da Caparica PT-2829-516 Caparica rdabreu@fct.unl.pt

Vasco Moreira Rato ISCTE-IUL Instituto Universitário de Lisboa Av^a Forças Armadas, Lisboa <u>vasco.rato@iscte.pt</u>

Carlos Barbosa, Ana Mestre, Eduardo Gonçalves, Marco Silva, Paulo Bago d'Uva, João Rebolo and João Santa Rita IADE-Instituto de Artes Visuais, Design e Marketing Av. D. Carlos 1, 4 PT-1200-649 Lisboa carlos.barbosa@iade.pt ana.mestre@susdesign.org muaddib.mail@gmail.com (E. Gonçalves) marco.silva@iade.pt paulo.b.uva@gmail.com jtrebolo@msn.com joaosr65@gmail.com

Singapore

Stephen K Wittkopf Solar Energy Research Institute of Singapore (SERIS) National University of Singapore (NUS) 7 Engineering Drive 1 Building E3A #06-01 Singapore 117574 <u>stephen.wittkopf@nus.edu.sg</u>

South Korea

Jun Tae Kim Department of Architectural Engineering Kongju National University 275 Budae-Dong, Cheonan Chungnam 330-717 jtkim@kongju.ac.kr

Spain

María José Jiménez and Ricardo Enriquez Miranda Energy Efficiency in Building Unit CIEMAT Av. Complutense, 22. E-28040 Madrid mjose.jimenez@psa.es ricardo.enriquez@ciemat.es

Sweden

Marja Lundgren, Erik Eriksson, Ulrika Stenkula and Karina Antin White Arkitekter P.O. Box 4700 Östgötagatan 100 SE-116 92 Stockholm <u>marja.lundgren@white.se</u> <u>erik.eriksson@white.se</u> <u>ulrika.stenkula@white.se</u> <u>karina.antin@white.se</u> Maria Wall and Jouri Kanters Energy and Building Design Lund University P.O. Box 118 SE-221 00 Lund maria.wall@ebd.lth.se jouri.kanters@ebd.lth.se

Switzerland

Doris Ehrbar and Marcel Hohl Lucerne University of Applied Sciences and Arts Dept. of Engineering and Architecture Competence Center for Typology and Planning Technikumstrasse 21 CH-6048 Horw doris.ehrbar@hslu.ch marcel.hohl@hslu.ch

Morena Ferrazzo and Francesco Frontini SUPSI-DACD-ISAAC Swiss BiPV centre of competence Via Trevano CP 105 CH - 6952 Canobbio morena.ferrazzo@supsi.ch francesco.frontini@supsi.ch

Maria Cristina Munari Probst Christian Roecker EPFL-LESO Bâtiment LE Station 18 CH-1015 Lausanne mariacristina.munariprobst@epfl.ch christian.roecker@epfl.ch

Kim Nagel 3S Swiss Solar Systems AG Schachenweg 24 CH-3250 Lyss kim.nagel@3s-pv.ch

Andreas Witzig Vela Solaris AG Stadthausstrase 125 CH-8400 Winterthur andreas.witzig@velasolaris.com

Task 42

Compact Thermal Energy Storage: Material Development for System Integration

Wim van Helden & Andreas Hauer

Operating Agent for the AgentschapNL, Ministry of Economic Affairs, The Netherlands, and the Centre for Applied Energy Research ZAE, Germany, respectively

TASK DESCRIPTION

The objective of this Task is to develop advanced materials for compact storage systems, suitable not only for solar thermal systems, but also for other renewable heating and cooling applications such as solar cooling, micro-cogeneration, biomass, or heat pumps. The Task covers phase change materials, thermochemical and sorption materials, and composite materials and nanostructures, and includes activities such as material development, analysis, and engineering, numerical modeling of materials and systems, development of storage components and systems, and development of standards and test methods. The main added value of this Task is to combine the knowledge of ex-



perts from materials science as well as solar/renewable heating and energy conservation.

This Task deals with advanced materials for latent and chemical thermal energy storage, on three different scales:

- material scale, focused on the behavior of materials from the molecular to the 'few particles' scale, including for example, material synthesis, micro-scale mass transport, and sorption reactions;
- bulk scale, focused on bulk behavior of materials and the performance of the storage in itself, including for example, heat, mass, and vapor transport, wall-wall and wallmaterial interactions, and reactor design; and
- system scale, focused on the performance of a storage with in a heating or cooling system, including for exaomle, economical feasibility studies, case studies, and system tests.

The work in the Task is structured in materials oriented, application oriented and cross-cutting working groups.

Subtask A – Materials

Working Group A1: Material Engineering and Processing

The activities in this Working Group focus on engineering new materials or composites, i.e. changing the properties of existing materials and developing new materials with better performance, lower cost, and improved stability. Eventually, this should lead to the ability to design new materials tailor-made to specification. The materials under consideration are those relevant to thermal energy storage using sensible mode, phase change, as well as chemical reactions and sorption technologies.

With respect to materials processing, the work focuses on the processing of raw materials that is required to make these materials function in a realistic environment. In nearly all cases, storage material cannot be used to store heat in its raw form, but needs to be processed into a slurry, encapsulated, or otherwise processed.

This Working Group includes the following activities:

- synthesis of new materials;
- determining material characteristics such as phase diagrams;
- determining the relation between material performance and material structure and composition, in order to direct the search for improved materials;
- creating material safety data sheets;
- determining the role and importance of material containers.
- finding optimal methods for microand macro encapsulation of storage materials (particularly phase change, sorption, and thermochemical materials);
- processing phase-change slurries; and
- finding new combinations of materials.

Working Group A2: Tests and Characterisation

The performance characteristics of novel thermal energy storage materials, like phase-change materials or thermochemical materials, often cannot be determined as straightforward as with sensible heat storage materials. In order to have proper comparison possibilities appropriate testing and characterisation procedures should be developed and assessed.

The activities of this Working Group are aimed at developing these new procedures and include:

- comparative testing of materials and their required methods;
- long-term stability determination; and
- (pre-)standardisation of testing methods.

Working Group A3: Numerical Modelling

The activities in this working group are aimed at developing and testing numerical models that help to understand and optimise the material behaviour and the dynamic behaviour of compact thermal energy storage systems and components. Ultimately, these numerical models could help to find ways to optimise the materials in combination with the system components. The activities in this working group help to lay the foundation for such models.

The Working Group includes the following activities:

- Micro-scale modelling
- Meso-scale modelling
- Macro-scale modelling
- Multi-scale approach
- Thermo-mechanical modelling
- Reactor models

Working Group A4: Apparatus/ Components

The storage apparatus is composed of the storage material and the equipment necessary to charge and discharge the storage material in a controlled and optimal way. This includes heat and mass transfer equipment like heat exchangers and pumps or fans and (chemical) reactors. Methods for the design and optimisation of components and apparatus should be developed, together with appropriate testing methods and procedures to assess the long-term behaviour of an apparatus:

- storage container and reactor design;
- storage apparatus design, based on the selected storage materials;
- improve heat transfer from material to reactor wall or heat exchanger wall;
- apparatus performance assessment;
- assessment of durability of components; and
- develop and apply test and validation methods for storages.

Subtask B – Applications

There are several applications for compact thermal energy storage technologies, each with a different set of boundary conditions for the technology. Although the applications themselves place very different requirements on storage technology, the steps that must be taken are very similar for all applications. Hence, the activities within the Working Groups in this Subtask are very similar as well.

The activities in these Working Groups serve the underlying guidance principle of the materials development within the limitations of the application. The materials development will be directed by the desired system performance. A constant assessment of performance criteria for a given application will be used to determine the chances for a given material/system combination. These criteria can come from economic, environmental, production technology or market considerations.

Activities in the Application Working Groups include:

- inventory and analysis of existing store types, their theoretical and practical energy and power density, their possible application and their costs (if available) following the results of IEA SHC Task 32 and IEA-ECES Tasks;
- definition of application boundary conditions, such as load, demand, environment, dimensions, etc.;
- definition of required thermophysical properties for each application;
- selection of relevant candidate materials and system technologies;
- storage system design, based on the selected storage materials (link to A2) and applications;
- assessment of durability of components
- system performance assessment and validation;
- numerical modelling on the application level;
- case studies;
- economical modelling;
- feasibility studies;
- market potential evaluations.

This subtask is subdivided in three Working Groups, each representing a particular application or group of similar applications:

- Working Group B1: Cooling
- Working Group B2: Heating / DHW
- Working Group B3: High Temperature Applications

Subtask C – Cross-Cutting

Working Group C: Theoretical Limits

The objective of this Working Group is to determine the theoretical limits of compact thermal storage materials and systems from a physical, technical and economical viewpoint. In short, this Working Group defines the maximum possible performance that can be expected from a thermal storage system in a given application. As such, it gives a reference point with which the performance of lab tests, field tests, and real-life systems can be compared. In a first step physical limits shall be determined, e.g. the energy stored per volume and per mass as a function of temperature, with respect to different mechanisms as sensible, latent, sorption or chemical storage. In a second step technical aspects shall be evaluated. In many cases the energy storage density and the efficiency of the system are deteriorated when a large specific thermal power must be drawn from the system. In a third step economical constraints of storage systems shall be evaluated.

Duration

This is a fully Joint Task with the IEA Energy Conservation through Energy Storage Programme (ECES Annex 24). The Task started on January 1, 2009 and will end on December 31, 2012.

Participating Countries

Australia, Austria, Belgium, Canada, Denmark, France, Germany, Italy, Netherlands, Slovenia, Spain, Sweden, Switzerland, Turkey, United Kingdom and United States

WORK DURING 2011

The Task activities in the subsequent working groups were as follows:

Materials engineering and processing: the decision was made to extend the materials database to economic data and environmental issues. The material data of sensible TES materials will also be included. As the performance data of the material are very much dependent on the application, much attention will be paid to the inclusion of the boundary conditions for the determination of the performance data, in order to enable a fair comparison between storage materials. New national activities were started on solid-solid PCMs, molecular alloys based on sugar alcohols, Cellulosis-PCM, Zeolite/MgSO4 and others.

Materials testing and characterisation: Further results from the round-robin test of different PCM samples were assembled and compared with the previous outcomes. In a dedicated DSC measuring workshop, organised in May 2011, a group of 12 experts used DSC machines from a number of suppliers both to train themselves in performing DSC analysis and to compare the measurements on a number of samples. Striking differences were found between the measurements. The causes for these differences were investigated and methods for improvement were set up. These encompass both a unified measurement procedure and a unified calibration procedure. These will be tested in the coming period. Meanwhile, the round-robin tests will be continued with additional sample materials.

Numerical modelling: Progress was made in the development of dedicated numerical models, using the reaction force approach, to simulate the dehydration of magnesium sulphate. The deliverable on the state of the art in numerical modelling software will be completed with descriptions of numerical simulation methods for sorption materials. The first experimental data were collected that will be used for benchmarking the numerical codes. In total, 9 institutes will provide experimental data, with possible 3 additional institutes that did not confirm the provision of data yet.

Apparatus and components: The deliverable on storage design aspects and design flow charts is planned to be ready early 2012. The individual design process descriptions will be worked out further, as

will the storage design aspects description.

The table of contents of the deliverable on Performance Measurement Test Protocol was deepened one step and the second draft will be reviewed in the coming period.

Cooling applications: A setup was made for the evaluation criteria of storage materials for cooling applications. The table of contents for the report on boundary conditions for cooling applications was drafted and two sets of boundary conditions for two cooling applications were discussed.

Heating and domestic hot water applications: As the different project that work on prototypes for this application have serious delay, the list of deliverables for this working group was reviewed. It was concluded that the case studies for several applications, the techno-economical potential for each application, and the field tests could not be achieved in the Task period and therefore were skipped.

High Temperature Applications: Two State-of-the-art-reports will be compiled: One on high temperature applications based on the final report of Annex 19 (ECES) and the other on numerical modelling in high temperature applications. The report on lab-scale activities on process heat applications at 200°C and field test on CSP (Concentrated Solar Power) applications will follow. The reports are ready in draft now and will be published early 2012.

Theoretical limits: A study into the physical limits of thermal storage was drafted and discussed. Storage design variants were discussed and improved. This categories will be included in the report on theoretical limits. The suggestion to utilize analytical models to assess critical parameters in idealized TES (PCM, sorption and chemical reactions) was accepted.

WORK PLANNED FOR 2012

Key activities planned for 2012 include:

- First version of materials data base.
- Round-robin and comparison of characterization of compact storage materials completed and drafts defined for calibration and measurement procedures.
- Report on the state-of-the-art modeling techniques of PCM/TCM materials.
- Report on storage design aspects and design flow charts.
- Description and performance analysis of selected cooling applications
- Listing of boundary conditions and requirements for the room heating and domestic hot water application area
- Report on state of the art of high temperature storage applications
- Proposal for the completion of the first 4 years of this Task and a proposal for a 3 year extension (2013-2015) of the Task.

REPORTS PUBLISHED IN 2011

No reports were published.

REPORTS PLANNED FOR 2012

Report on the state-of-the-art modeling techniques of PCM/TCM materials

Report on storage design aspects and design flow charts

Report on state of the art of high temperature storage applications

MEETINGS IN 2011

5th Experts Meeting

February 20-21 Belfast, Northern Ireland (in conjunction with IC-SES Conference)

6th Experts Meeting

September 20-22 Minneapolis, Minnesota, USA

MEETINGS PLANNED FOR 2012

7th Experts Meeting March 27-29 Tokyo, Japan

8th Experts Meeting

September t.b.d.

TASK 42/ANNEX 24 CONTACTS

TASK MANAGEMENT CONTACTS

Operating Agents Andreas Hauer ZAE Bayern Germany hauer@muc.zae-bayern.de

Wim van Helden Wim van Helden Renewable Heat Schagen, The Netherlands wim@wimvanhelden.com

Working Group A1 Leader Elena Palomo University of Bordeaux France elena.palomo@bordeaux.ensam.fr

Working Group A2 Leader Stefan Gschwander Fraunhofer Institute for Solar Energy Systems FhG-ISE, Freiburg Germany Stefan.Gschwander@ise.fraunhofer.de

Working Group A3 Leader Camilo Rindt Eindhoven University of Technology The Netherlands C.C.M.Rindt@wtb.tue.nl

Working Group A4 Leader Wim van Helden

Working Group B1 Leader Motoi Yamaha Chubu University, Tokyo, Japan yamaha@isc.chubu.ac.jp

Working Group B2 Leader Jane Davidson

University of Minnesota, Minneapolis USA jhd@me.umn.edu

Working Group B3 Leader Lluisa Cabeza University of Lleida Spain Icabeza@diei.udl.cat Working Group C Leader Eberhard Lävemann

ZAE Bayern, Garching Germany laevemann@muc.zae-bayern.de

COUNTRY CONTACTS

Australia Frank Bruno University of South Australia <u>Frank.Bruno@unisa.edu.au</u>

Austria Dagmar Jähnig AEE Intec <u>d.jaehnig@aee.at</u>

Olivier Pol Arsenal <u>Olivier.Pol@arsenal.ac.at</u>

Wolfgang Streicher TU Graz w.streicher@tugraz.at

Bernhard Zettl ASiC Austria Solar Innovation Center zettl.bernhard@asic.at

Belgium Johan Van Bael VITO johan.vanbael@vito.be

Canada Handan Tezel University of Ottawa <u>handan.tezel@uottawa.ca</u>

Denmark Simon Furbo Technical University of Denmark <u>sf@byg.dtu.dk</u> France Elena Palomo Universite Bordeaux palomo elena@yahoo.fr

Frédéric Kuznik Thermal Science Centre of Lyon frederic.kuznik@insa-lyon.fr

Lingai Luo University of the Savoie Lingai.Luo@univ-savoie.fr

Philippe Papillon INES philippe.papillon@cea.fr

Philippe Stevens EDF philippe.stevens@edf.fr

Germany Andreas Hauer ZAE Bayern hauer@muc.zae-bayern.de

Franziska Scheffler University of Magdeburg Franziska.Scheffler@ovgu.de

Henner Kerskes ITW Stuttgart kerskes@itw.uni-stuttgart.de

Jimmy Ofili Lehrstuhl für Chemische Reaktionstechnik Jimmy.Ofili@crt.cbi.uni-erlangen.de

Frank Salg Vaillant GmbH frank.salg@vaillant.de

Oliver Opel Leuphana Universität Lüneburg opel@leuphana.de

Peter Schossig Fraunhofer ISE peter.schossig@ise.fraunhofer.de

Roland Heinzen University of Kassel heinzen@uni-kassel.de Italy Valerio Lo Brano University of Palermo Iobrano@dream.unipa.it

Netherlands Camilo Rindt Technical University Eindhoven c.c.m.rindt@tue.nl

Herbert Zondag Energy research Center of the Netherlands ECN <u>zondag@ecn.nl</u>

Slovenia Venceslav Kaucic National Institute of Chemistry <u>slavko.kaucic@KI.si</u>

Spain Ana Lazaro Universidad de Zaragoza <u>ana.lazaro@unizar.es</u>

Cristina Prieto Abengoa Solar NT cristina.prieto@solar.abengoa.com

Lluisa Cabeza University of Lleida Icabeza@diei.udl.es

Miren Blanco Tekniker mblanco@tekniker.es

Patricio Aguirre Tecnalia patricio.aguirre@tecnalia.com

Rocio Bayon Cabeza CIEMAT rocio.bayon@ciemat.es

Sweden Viktoria Martin KTH vmartin@kth.se

Switzerland Elimar Frank SPF <u>elimar.frank@solarenergy.ch</u>

SHC Task 42: Compact Thermal Energy Storage www.iea-shc.org

Robert Weber EMPA robert.weber@empa.ch

Turkey Halime Paksoy Cukurova University hopaksoy@cu.edu.tr

United Kingdom Philip Griffiths University of Ulster, Belfast p.griffiths@ulster.ac.uk

Changying Zhao University of Warwick C.Y.Zhao@warwick.ac.uk

Phil C. Eames CREST; University of Loughborough p.c.eames@lboro.ac.uk

United States Jane Davidson University of Minnesota jhd@me.umn.edu

Jan Kosny Fraunhofer Centre for Sustainable Energy jkosny@fraunhofer.org

Task 43

Advanced Solar Thermal Testing and Characterization for Certification of Collectors and Systems

.....

Les Nelson

Western Renewables Group Co-Operating Agent for the U.S. Department of Energy

Jan Erik Nielsen PlanEnergi Co-Operating Agent for the Danish Energy Agency

Kevin DeGroat Antares Group, USA Program Manager

TASK DESCRIPTION

Task 43 is an international collaboration focusing on research and development, where needed, of new test and certification procedures for conventional and advanced solar thermal products, at both the collector and system levels. The scope of the task includes performance testing and characterization, gualification testing, environmental impact assessment, accelerated aging tests, numerical and analytical modelling, component substitution procedures, and entire system design assessment. Task activities draw on the knowledge of industry, testing laboratories, standard-setting authorities and certification bodies in the areas of solar collector and system performance and durability to ensure wide-ranging involvement of affected stakeholders. By researching testing issues and investigating innovative approaches, the outputs of this task will help optimize the time and resources industry, laboratories and certification bodies expend on testing and certification. Consumer protection and the development and dissemination of credible information on solar heating and cooling benefits are guiding principles of this Task.

Stakeholders in Task 43 activities will work out the methods to be used to apply the Task research results to specific products, standards and certifications, including global certification schemes now under discussion. Task results will also be communicated to those legal authorities who define how certification shall be conducted, for use as they see fit.

Task 43 is organized into two Subtasks:

• **Subtask A**: Collectors (Leader: Enric Mateu Serrats, Spain)

The objective of Subtask A is to examine existing testing and certification procedures for all types of solar thermal collectors, with the objective of identifying opportunities for improvement and harmonization.

• **Subtask B**: Systems (Leader: Harald Drück, Germany) The objective of Subtask B is to perform analyses of testing and certification procedures for entire solar thermal systems.

Main Task Deliverables

The results of the Task will be several technical reports and, potentially, changes to test standards and certification protocols based on the results of the Task work. Major outcomes will include:

- Roadmaps for Both Task A and Task B activities going forward.
- State-of-the-art white paper on collector testing, measurement and certification issues.
- Report on the results of round-robin collector test projects now underway in Europe and North America.
- If deemed appropriate, draft recommendations for revising collector performance test standards, qualification criteria, and/or safety test standards.
- Report regarding computer modeling versus empirical testing of systems and balance of system components.
- Report regarding the impact of component substitution and down/upsizing of systems on system performance.
- Reports/white papers regarding the establishment of a collector "class" system for Impact Resistance Testing, Exposure Testing, and Mechanical Load Testing.
- Joint meetings with testing and certification stakeholders to promote international harmonization.
- Determination of the advisability of pursuing a global certification scheme.
- A communication plan for distributing information on the outcomes of Task activities to stakeholders.

Task Duration

The Task started on July 1, 2009 and will end June 30, 2012.

Participating Countries

Australia, Austria, Canada, Denmark, France, Germany, Portugal, Sweden,

Switzerland, Spain, United States,

WORK CONDUCTED IN 2011

Subtask A: Collectors

Draft White Paper templates for each of the major collector products have been completed. Additional work will proceed to finalize these documents. A Gannt Chart-based Workplan for all Subtask A activities has been prepared by CENER.

Low to Medium Temperature Collector developments include:

The EU QUAIST Project (Quality Assurance in Solar Heating and Cooling Technology) is nearing completion, with results for rounds one and two of the testing laboratory round robin collector testing and data reporting expected in early 2012. The results of this activity will help inform the final work and recommendations for Task 43.

Air Heating Collector developments include:

- Canadian Standards Association has promulgated a draft standard; the public comment period ended in early 2011. The standard is expected to be final by end 2011.
- Within the EU project NEGST, a draftstandard for testing solar air collectors based on existing standards has been developed. This draft provides test methods and calculation procedures for determining the steady-state thermal performance of glazed air heating solar collectors.
- A Draft white paper template for Air Heating Collectors has been prepared; parties responsible for specific sections have been identified, and work on completion of each section is in progress:

Concentrating Collector developments include:

 SRCC Standard 600 has been promulgated and is being used as a starting point for revisions to EN by TC312/WG1. SRCC is in the process of adopting new protocols and definitions concerning topic areas:

- Aperture and absorber area
- Concentrating PV-Thermal collectors
- Incident angle modifier
- Thermal Shock/Internal Cold Fill
- Exposure testing
- In the U.S., multiple laboratories are currently testing products in accordance with Standard 600. SRCC and NREL continue to provide detailed guidance on specific operational testing issues as they are encountered. 4 concentrating collector models by 4 manufacturers are now certified.
- Work continues within SRCC to further refine Standard 600, with international cooperation from stakeholders.
- Within the WP2 of the EU project QAiST, task T2.1.1 is focused on the extension of the EN 12975 to fully include medium temperature collectors (tracking, concentrating collectors, and evacuated tube collectors). The main activities proposed, but not yet agreed are:
 - Parameter definitions and requirements
 - Deep review of existing performance models and testing procedures
 - Performance test method: Parameters and test conditions, validation included (if needed)
 - Performance collector component characterisation (receiver, reflector, tracking and over temperature protection systems)

Subtask B: Systems

At the September 3, 2011 informal Task 43 meeting in Kassel, Harald Drück presented an updated summary of progress to date on Systems work, as well as outstanding actions and responsible parties. As of end 2011, numerous parallel activities were underway to complete work.

WORK PLANNED FOR 2012

- Characterization of Performance of Solar/Heat Pump Systems - Includes collaboration with Intelligent Energy Europe (IEE) and Keymark, as well as activities under CEN/TC 312 Working Group 3.
- Inclusion of Work and Results from Combisol Project – Under the management of CEA (France) and INES (France), Combisol will encourage an accelerated market deployment of combined solar water and space heating (SCS) – hence a higher share of heat produced by solar energy - and will promote an improved quality of the systems installed.
- Definition of Boundary Conditions of System Performance Modeling – Work needed to improve computer simulation of system performance.
- Incorporation of QAiST Round Robin Results – Work to develop recommendations for standards harmonization based collector testing consistency.
- Development of Research Recommendations for Systems Testing – Work will contribute to the Task Roadmap.
- Development of Paper Characterizing Research Results on Actual Performance vs. Predictions:
 - Component/material substitution
 - Collector size extrapolation
 - Recommendations for incorporating results in system tests/standards
- Report on Durability and Reliability

 Identification of inconsistencies, gaps and problems between actual qualification and safety testing and known issue areas not currently included in certification.
- Work on Power Failure Issues Define and promulgate proposed test

procedures to address previously identified system behavior modes regarding failure of power supply to systems.

- Reports on Testing and Characterization of System Performance Related to Occupant Comfort and Public Benefits – Work to characterize the value of accurate testing and performance characterization as regards end user satisfaction and societal benefits.
- Outreach and Information Dissemination – Several Parallel Activities designed to:
 - Populate and maintain a Task web page to promulgate results
 - Establish a proactive means of alerting Task stakeholders and interested parties about ongoing developments
 - Establish a regular forum for interested parties provide input or ask questions about Taskrelated topics.

MEETINGS IN 2011

4th Task Experts Meeting

May 17 May 18: Industry Workshop Raleigh, North Carolina, United States 21 experts from 6 countries attended

The ½ day Industry Workshop was held in conjunction with the American Solar Energy Society Exhibition and Conference, also in Raleigh, where several Task experts updated attendees on rating and certification activities connected with Task 43. 49 participants attended the Industry Workshop.

5th (Informal) Task Experts Meeting September 3 Kassel, Germany 16 experts attended

Held in conjunction with the ISES Solar World Congress.

REPORTS PUBLISHED IN 2011

No publically available reports were published in 2011.

WORK PLANNED FOR 2012

Concentrators

SRCC Standard 600 continues to evolve. Coordination with ongoing development of European concentrating collector testing methodologies should be pursued to avoid parallel development of duplicative standards.

Round Robin Collector Testing

European round robin testing of collectors and systems began under the QAIST program,13 laboratories currently participating. First and second rounds complete – data analysis progressing. Intra-laboratory test results will be examined to assess variance from mean results, and verify accuracy of measuring protocols. Results tentatively scheduled for early 2012.

Parallel but independent North American round robin tests are underway under Florida Solar Energy Center management - 6 laboratories participating. First round not yet complete, second round completion expected late 2012.

US Heat Meter Standard During 2011, the US Environmental Protection Agency led an effort to de fine the scope of work required to de velop a US standard for heat meters.

This collaborative effort led to a proposal asking the International Association of Plumbing & Mechanical Officials (IAPMO) and ASTM International to develop a consensus heat meter standard, drawing on aspects of International Organization of Legal Metrology (OIML R 75) International Recommendation and European Standard EN1434.

Global Certification

Under the auspices of The Spanish Association for Standardization and Certification (AENOR), a project will be undertaken to evaluate the possibility of a global certification scheme. This effort has been termed: Towards Global Certification of Solar Collectors. Work on this began in late 2011, and will continue in 2012.

Communications

Work to populate the Task website with up to date work products will continue.

MEETINGS PLANNED FOR 2012

6th Task Experts Meeting

July 10 San Francisco, California, USA

In conjunction with SHC 2012.

REPORTS PLANNED FOR 2012

Task 43 is scheduled to end on June 30, 2012, and a report on progress to date and recommendations for continuing Task activities, if any, is anticipated for mid-2012.

TASK 43 NATIONAL CONTACTS

Co-Operating Agent

Les Nelson International Association of Plumbing & Mechanical Officials (IAPMO) 5001 East Philadelphia Street Ontario, CA 91761 USA <u>les.nelson@iapmo.org</u> Phone: (909) 218-8112

Co-Operating Agent

Jan Erik Nielsen PlanEnergi Jyllandsgade 1 9520 Skørping DENMARK jen@solarkey.dk

Phone: +45 96820400

Program Manager

Kevin DeGroat Antares Group 4351 Garden City Drive, Ste. 301 Landover, MD 20785 USA kdegroat@antares.org Phone: (301) 731-1900 Ext. 14

Subtask A Leader (Collectors)

Enric Mateu Serrats CENER (National Renewable Energy Center) Ciudad de la Innovación, nº 7 31621 Sarriguren (Navarra) SPAIN <u>emateu@cener.com</u> Phone: +34 948 25 28 00

Subtask B Leader (Systems)

Harald Drück University of Stuttgart (ITW) Pfaffenwaldring 6 70550 Stuttgart GERMANY <u>drueck@itw.uni-stuttgart.de</u> Phone: +49-(0)711-685-635 53

Task 43 Participants

Alfred Brunger Ana Neves Andreas Bohren

Andreas Haberle Barry Johnston Bengt Perers Daniel Eggert

Doug McLenahan Enric Mateu Serrats Fabienne Sallaberry Francisco Fernandes Graham Morrison Harald Drueck Franz Helminger Heinrich Huber

Jim Huggins Joakim Bystrom Joakim Byström Jordi Cadafalch Josef Buchinger Karsten Lampe Ken Guthrie

Korbinian Kramer Jurken Kosok

Lourdes Ramirez Santigosa Manual Lopes Prates Manuel Collares-Pereira Maria Joao Carvalho Mark Thornbloom Markus Kratz Markus Peter Nele Rumler

Paolo Trisoglio Peter Kovacs alfred.brunger@exova.com ana.neves@ineti.pt andreas.bohren@solarenergy.ch

andreas.haberle@pse.de barry@solartwin.com bpr@du.se eggert@isfh.de

dmcclena@nrcan.gc.ca emateu@cener.com fsallaberry@cener.com ffernandes@energie.pt g.morrison@unsw.edu.au drueck@itw.uni-stuttgart.de franz.helminger@ait.ac.at heinrich.huber@ait.ac.at

huggins@fsec.ucf.edu info@lumicum.se joakim@absolicon.com jordi.cadafalch@rdmes.com josef.buchinger@arsenal.ac.at lampe@isfh.de Ken.Guthrie@sustainability.vic.gov.au

Korbinian.Kramer@ise.fraunhofer.de juregen.kosok@de.bosch.com

Iramirez@cener.com

lopes.prates@ineti.pt collares.pereira@ineti.pt

mjoao.carvalho@ineti.pt ThoM@vitoteam.com m.kratz@FZ-Juelich.de markus.peter@dp-quadrat.de rumler@isfh.de

paolo.trisoglio@modulouno.it peter.kovacs@sp.se

Exova (formerly Bodycote) INETI University of Applied Sciences Rapperswil HSR PSE AG Solar Twin **Delarna University** Institut für Solarenergieforschung Hameln (ISFH) Natural Resources Canada CENER CENER Energie University of New South Wales ITW University of Stuttgart Austrian Institute of Technology Austrian Institute of Technology

Florida Solar Energy Center/SRCC Lumicum Absolicon RDMES Arsenal Research ISFH Sustainability Victoria, Standards Australia Committee Fraunhofer Institute, ISE Bosch

CENER

INETI INETI

INETI Kelelo Engineering Forschungszentrum Jülich - PTJ University of Oslo Institut für Solarenergieforschung Hameln (ISFH) Modulo Uno SP Technical Research Institute of Sweden

Pierluigi Premoli	uigi Premoli
-------------------	--------------

Pierluigi.Premoli@icim.it

Pilar Navarro Rivero Richard Pelan

Robert Hassett Rodolphe Morlot

Roland Sterrer Sandy Klein Sarah Miller

Stefan Albrecht Stephan Fischer privero@itccanarias.org richard.pelan@kingspan renewables.com robert.hassett@ee.doe.gov rodolphe.morlot@ademe.fr

Roland.Sterrer@arsenal.ac.at klein@engr.wisc.edu sarah.miller@csiro.au

s.abrecht@slar-experience.de fischer@itw.uni-stuttgart.de Institute of Industrial Certification for Mechanics ICIM Canary Islands Institute of Technology Kingspan Renewables

U.S. Department of Energy Agence de l'Environnement et de la Maîtrise de l'Energie Austrian Institute of Technology Wisconsin State University Commonwealth Scientific and Industrial Research Organisation (CSIRO, Australia) Solar Experience ITW University of Stuttgart
Task 44

Solar and Heat Pump Systems

.....

Jean-Christophe Hadorn

BASE Consultants SA Operating Agent for the Swiss Federal Office of Energy

TASK DESCRIPTION



The objective of this Task is to assess performances and relevance of combined systems using solar thermal and heat pumps, to provide a common

SOLAR + HEAT PUMP

definition of performances of such systems, and to contribute to successful market penetration of these new promising combinations of renewable technologies.

The scope of the Task considers solar thermal systems in combination with heat pumps, applied for the supply of domestic hot water and heating in family houses. It is thus dedicated to small systems in the range of 5 to 20 kW.

Any type of solar collector can be considered: using a liquid heat transfer fluid, air, hybrid collectors, or even hybrid thermal and photovoltaic or "PVT" collectors. All of them can be glazed or unglazed.

Any type of source of heat for the heat pump can be considered: air, water or ground source. The main focus will be on heat pumps driven by electricity, as the market is so oriented. However during the course of the Task it might be become relevant to consider thermally driven heat pumps since 100% solar could then be achieved.

To limit the scope, comfort cooling of buildings is not directly addressed in the Task common work, although it is not forbidden for a heat pump to be used for cooling purposes besides its main heating objective, for example in reverse mode.

The Task covers market available solutions as well as advanced solutions, which may be still in a laboratory stage or still will be developed during the course of the Task. The Task is a joint effort of the Solar Heating and Cooling Programme and the Heat Pump Programme (HPP). It is Task 44 for SHC and Annex 38 for HPP.

The Task is organized in the following Subtasks:

Subtask A: Solutions and Generic Systems

(Lead Country: Germany, Fraunhofer ISE, Sebastian Herkel)

The objective of Subtask A is to collect, create and disseminate information about the current and future solutions for combining solar thermal and heat pump to meet heat requirements of a one family house. Subtask A deals mainly with manufactured systems and systems installed and monitored.

Subtask B: Performance Assessment (Lead Country: Austria, AIT, Ivan Malenkovic)

The objective of this subtask is to reach a common definition of the figures of merits of solar + heat pump systems and how to assess them. This work can lead to prenormative definition on how to test and report the performance of a combined solar and heat pump system.

Subtask C: Modelling and Simulation (Lead Country: Switzerland, SPF, Michel Haller)

The objective of subtask C is to provide modelling tools of all generic solar and heat pump systems and to report sensitivity analysis on most of the systems such as being able to pinpoint important features and marginal ones in a given system configuration. Sizing of systems will also be possible using the output of this Subtask, either with the computing tools developed or with general or system specific tables.

Subtask D: Dissemination and Market Support

(Lead Country: Italy, EURAC, Wolfram Sparber).

The objective of this subtask is to provide information to the external world of Task 44 during the course of the Task so that value added created by the participants can be transferred as fast as possible to a growing market. A second objective is to deliver the final book of Task 44 aimed as a reference document in the field of solar heat and heat pumps.

Main Deliverables

- Technical reports on existing and monitored systems
- Map of generic systems with pros and cons
- New set of performance indicators
- Procedure to test combined solar and heat pump systems
- Technical reports on systems tested in laboratory with this procedure
- New reference framework for simulating solar and heat pumps systems
- New components models or compiled existing ones
- Website with all major reports and papers
- Educational material on the website
- Support to national workshops about the topic "solar and heat pump"
- Papers at international conferences
- Newsletters during Task's duration
- Final handbook with all methods developed and results found

Duration

The Task started on 1 January 2010 and will end on 31 December 2013.

ACTIVITIES DURING 2011

- The Subtasks have been working smoothly.
- The 3rd and 4th Experts meetings were held in Barcelona in April, a joint meeting with IEA SHC Task 45, and in Marseille in October just before ESTEC 2011, and as a joint meeting with IEA

SHC 48.

 Task participants presented their work at the Solar World Congress 2011 in Kassel, Germany.

RESULTS IN 2011

Subtask A: Solutions and Generic Systems

A1 Review of existing and new systems More than 100 systems were identified during 2011. In an available powerpoint presentation, 80 different S+HP (Solar + Heat pump) system are depicted. A two pages leaflet describing in detail each solution is available for more than 20 systems. A draft Report of deliverable A1 has been issued.

The classification into generic systems is somewhat difficult and the seven basic configurations sketched in 2010 end up to be many more.

Subtask A therefore decided to classify all systems in four new categories: the parallel concept, the serial, regenerative and the complex concept. The so-called "square view" scheme developed in 2010 became the reference tool of the work in Subtask A.

In Subtask A, it is proposed for comparing all the demonstration projects to use the Seasonal Performance Factor (SPF) definitions developed in Subtask B primarily for testing systems on test rigs in laboratory. This will help to rapidly benchmark both the concept and the monitored results. The nomenclature of the relationships between sources and sinks in a S+HP system could also be derived from the "square view" which will prove to be a versatile tool.

Overall, Subtask A succeeded in 2011 to describe in a similar way different S+HP concepts from different manufacturers and designed for different local conditions.

A2 Reporting field test results

During 2011 thirty projects were reported on by participants. Some have already been monitored and the results presented during Task meetings. These projects will also produce interesting material for simulation and models validation in Subtask C. By the end of 2011, seventeen projects were running and had monitored data are available, six more projects are scheduled to deliver data in 2012. "Solar and heat pump systems" is appearing slowly to be a generic term just as we anticipated when we began the Task.

The templates prepared for activity A1 and A2 in Subtask A will be an important vehicle for dissemination next year since all systems.

Subtask A also issued in 2011 a Power-Point presentation of all systems presented in the Task called "Overview of



Figure 1. New "square layout" to describe a solar and heat pump combination.

A template for reporting field results was produced that will be used to present all the results from monitored installations in the field.

A3 Dissemination and information

Many projects involved in our work were presented at the Solar World Congress 2011 in Kassel, Germany. At Estec 2011 in Marseille there were also several projects and topics coming from our work. The Operating Agent encouraged participants to refer to the Task common work when presenting their projects at conferences. commercial S+HP systems". This document is used as for teaching material in Subtask D. It contains 245 slides with 2 or 3 slides per system.

A4 Subtask

Work on the report for this activity has not yet started.

Subtask B: Performance Assessment

B1 Definition of performance indicators The Subtask leader worked out a proposal for performance indicators during 2011. Version 2 of the document contains a proposal for the system boundaries and performance figures. Deliverable B1 is now available as a draft. It proved to be much more time consuming than anticipated to come to a consensus among participants on performance indicators. Several topics were discussed such as system and component efficiency, primary energy, CO2 emissions or savings, among others.

One important question when dealing with hybrid systems such as S+HP systems is how to calculate the benefit of the combination "solar and heat pump". Is a benefit to be calculated against other alternative solutions like solar and wood or solar and gas, or against "solar only" or "HP only" solutions? Working on examples from Subtask A will bring more light on this matter.

B2 Testing on stands - procedure and results

A number of participating institutes are testing S+HP total systems or at least system components on stands. A common procedure of testing is still being discussed. Currently, we are lacking results from first tests on systems in laboratories and 2012 will bring awaited results.

B3 Standard test definition - pre normative

A short overview of relevant Solar Thermal and Heat Pump standards were reported on in the new B1 deliverable. Applicability to S+HP systems and recommendations for revision however is still to be worked out. But prior to deriving a generic vision, the various methods developed by all the participants will be described in technical reports. The question "can this Task propose one test method to cover all system configurations and applications?" still holds. The EU project "Qaist" also lead by our Subtask B leader advances in parallel with our work and has a similar the goal to reach standardized definitions and procedures for testing S+HP systems. We therefore join forces in international collaboration.

B4 Dissemination and information

This activity is quiet for the moment, but papers from the Subtask leader were presented at the Solar World Congress 2011 in Kassel and Estec 2011 in Marseille.

B5 Subtask

Work on the report for this activity has not yet started.

Subtask C: Modelling and Simulation

C1 reference framework

The framework has been issued thanks to the strong commitment of the Subtask leader. Deliverable C1.2 (Reference Framework: Draft 2) is completed and only minor changes are to be expected until the final report in March 2012. This document can be used for system simulations.

Changes in boundary conditions for simulations have been reported in version 1.2 of the document. Our common boundary conditions will be implemented on different simulation platforms since not all participants want to use TRNSYS, and the implementations will be shared with other participants. This is a common effort not possible without our international collaboration.

C2 Models of sub component and validation

Four working groups on solar collector, ground heat exchanger, heat pump, and heat storage, each led by an expert in the field were set up during 2011. It is not always easy to find participants as no special funding is available for this activity.

A New Heat Pump Model (Type 877) for TRNSYS was presented by Austria in 2011. Its validation is being carried out by Switzerland.

For the deliverable C2 "Models of sub components and validation" a description of models and model features is quite advanced for collector models and for heat pump models, and only started for ground heat exchanger models and PCM storage models due to lack of committed experts. The report is due October 2012.

C3 System simulations and validation

Several systems are under investigations by different teams, but no completed results in 2011. Some preliminary results though show good correlations with monitored data for some important S+HP configurations.

Deliverable C3 "System simulation and validation" was started with the reporting on validation of uncovered collector model (Germany, Switzerland) and a ground heat exchanger (Germany).

C4 System intercomparison data

This activity has not yet started.

C5 Dissemination and information

This activity has not yet started although some participants have presented their work during conferences.

C6 Subtask

Work on the report for this activity has not yet started.

Subtask D: Dissemination and market support

D1 Webpage and educational material

The Task website is continuously adapted and enriched. Some educational material from Subtask A is available in the web restricted area for participants.

A list of publications dealing with our topic from participants in conferences and journals is available on the public section of the website.

D2 Newsletter and guideline for planners

The first newsletter was issued in October 2011 and is available on our web site.

D3 Workshops and Conferences

Several papers were presented at international conferences.

The Operating Agent OA presented the Task at a press conference during ESTEC 2011.

D4 System intercomparison report

The technical report will start when material is available from the other subtasks. Work on a Policy Position paper on "S+HP" systems began in 2011 and will be available in 2012.

D5 T44A38 handbook

The table of contents for the final handbook has been revised to reflect the work by topic and authors are being assigned to each chapter. This way of acting in advance on the final document is to avoid to passing the deadline of the activity, December 2013.

D6 Subtask report

Work on the report for this activity has not yet started.

WORK PLANNED FOR 2012

Key activities planned for 2011 include:

- Activities as planned in each subtask
- Meetings in Povoa do Varzim, Portugal and Lyngby, Denmark
- Articles for conferences and publications
- Annual Task newsletter
- Distribution of a Policy Position Paper

LINKS WITH INDUSTRY

Several solar manufactures collaborate with university labs in our Task. We also work in contact with the European Heat Pump Association (EHPA).

REPORTS PUBLISHED IN 2011

Subtask A

A1: Review of existing and new systems – draft Nov 2011 A2: Field test results template for reporting – draft Nov. 2011

Subtask B

B1: Definition of performance indicators – draft Nov. 2011

Subtask C

C1: T44A38 reference framework for simulation – May 2011

C2: Models of Sub components and validation - Draft

Subtask D

D1.1: Teaching material 1: Collection of S+HP examples in slides – Nov. 2011 D2: Task newsletter 1 – Oct. 2011 D7: S+HP Policy paper – final draft 2011

REPORTS PLANNED FOR 2012

Subtask A A2: Reporting field test results - draft

Subtask B

B1: Definition of performance indicatorsB2: Testing on stands – procedures and results, draft

B3. Standard test definition - draft

Subtask C

C1: T44A38 reference framework for simulation, publication in 2012

C2: Models of Sub components and validation

C3: System simulations and validation - Draft

C4: System intercomparison - Draft

Subtask D

D1.2:Teaching material on monitored systems - draft D2: T44A38 newsletter 2 – 2012 D7: Policy paper

MEETINGS IN 2011

3rd Experts Meeting April 7-8 Barcelona, spain

4th Experts Meeting

October 18-19 Marseille, France (In conjunction with ESTEC 2011)

MEETINGS PLANNED FOR 2012

5th Experts Meeting May 3-4 Povoa do Varzim, Portugal

6th Experts Meeting October Lyngby,Denmark

TASK 44 NATIONAL CONTACTS

Operating Agent

Jean-Christophe Hadorn BASE Consultants SA 8 rue du Nant CH-1207 Geneva, Switzerland Tel: + 41 22 840 20 80 jchadorn@baseconsultants.com

Subtask A Leader

Sebastian Herkel Dept. Thermal Systems and Buildings Fraunhofer Institute for Solar Energy Systems Heidenhofstrasse 2, 79110 Freiburg, Germany Tel: +49 761 4588 5117 <u>sebastian.herkel@ise.fraunhofer.de</u> www.ise.fraunhofer.de

Subtask B Leader

Ivan Malenkovic Energy Department Sustainable Thermal Energy Systems AIT Austrian Institute of Technology Österreichisches Forschungs und Prüfzentrum Arsenal Ges.m.b.H. Giefinggasse 2 1210 Vienna, Austria Tel: +43(0) 50550-6350 ivan.malenkovic@ait.ac.at www.ait.ac.at

Subtask C Leader

Michel Haller Institut für Solartechnik SPF Hochschule für Technik Rapperswil HSR Oberseestr. 10 CH-8640 Rapperswil, Switzerland Tel: +41 55 222 48 36 <u>michel.haller@solarenergy.ch</u> <u>www.solarenergy.ch</u>

Subtask D Leader

Wolfram Sparber Institute for Renewable Energy EURAC research Viale Druso 1 I-39100 Bolzano, Italy Tel: +39 0471 055 601 wolfram.sparber@eurac.edu www.eurac.edu

Austria

Alexander Thür AEE - Institut für Nachhaltige Technologien <u>a.thuer@aee.at</u>

Martin Vukits AEE intec <u>m.vukits@aee.at</u>

Ivan Malenkovic AIT Vienna ivan.malenkovic@ait.ac.at

Hilbert Focke ASIC - Austria Solar Innovation Center focke.hilbert@asic.at

Martin Hallegger General Solar Systems GmbH martin.halleger@generalsolar.com

Christian Struger General Solar Systems GmbH christian.struger@generalsolar.com

Andreas Heinz Institut für Wärmetechnik TU Graz andreas.heinz@tugraz.at

Werner Lerch Institut für Wärmetechnik TU Graz werner.lerch@tugraz.at

Fabian Ochs UNI Innsbruck fabian.ochs@uibk.ac.at

Belgium Filip Van der Schoor Lessius Mechelen campus De Nayer Filip.VandenSchoor@mech.kuleuven.be

David Wintershoven Lessius Mechelen campus De Nayer <u>david.wintershoven@lessius.eu</u>

Canada Jeremy Sager Natural Resources Canada jsager@nrcan.gc.ca Roberto Sunyé Natural Resources Canada rsunye@nrcan.gc.ca

Denmark Ole Balslev-Olesen Cenergia Energy Consultants <u>obo@cenergia.dk</u>

Ivan Katic Danish Technological Institute ik@teknologisk.dk

Elsa Andersen DTU ean@byg.dtu.dk

Klaus Ellehauge Ellehauge & Kildemoes klaus.ellehauge@elle-kilde.dk

Flemming Hedegaard Grundfos Holding A/A Poul Due Jensens Vej 7 DK-8850 Bjerringbro fhedegaard@grundfos.com

European Association Thomas Nowak EHPA thomas.nowak@ehpa.org

Finland Mr. Sunliang Cao Aalto University sunliang.cao@tkk.fi

Kai Sirén Aalto University School of Science and Technology Department of Energy Tech. kai.siren@tkk.fi

France Cedric Paulus CEA INES cedric.paulus@cea.fr

Radulescu Mihai EDF R&D mihai.radulescu@edf.fr **Germany** Ulrich Leibfried Consolar <u>ulrich.leibfried@consolar.de</u> Sebastian Herkel Fraunhofer Institut <u>sebastian.herkel@ise.fraunhofer.de</u>

Korbinian Kramer Fraunhofer Institut korbinian.kramer@ise.fraunhofer.de

Jörn Ruschenburg Fraunhofer Institut joern.ruschenburg@ise.fraunhofer.de

Christian Stadler General Solar Systems Deutschland GmbH christian.stadler@generalsolar.com

Antoine Dalibard HFT Hochschule für Technik Stuttgart Antoine.Dalibard@hft-stuttgart.de

Ruben Pesch HfT-Stuttgart ruben.pesch@hft-stuttgart.de

Christoph Trinkl Hochschule Ingolstadt Institut für Angewandte Forschung christoph.trinkl@fh-ingolstadt.de

Peter Pärisch Institut für Solarenergieforschung GmbH paerisch@isfh.de

Erik Bertram Institut für Solarenergieforschung Hameln/Emmerthal GmbH bertram@isfh.de

Christian Schmidt ISE christian.schmidt@ise.fraunhofer.de

Harald Drueck ITW University of Stuttgart <u>drueck@itw.uni-stuttgart.de</u>

Frank Thole Schueco

fthole@schueco.com

Sebastian Bonk Universität Stuttgart Institut für Thermodynamik und Wärmetechnik (ITW) bonk@itw.uni-stuttgart.de

Anja Loose Universität Stuttgart Institut für Thermodynamik und Wärmetechnik (ITW) loose@itw.uni-stuttgart.de

Wolfgang Kramer Wagner & Co. Solartechnik GmbH wolfgang.kramer@wagner-solar.com

Italy

Pietro Finocchiaro Dipartimento dell'Energia - UNIPA <u>finocchiaro@dream.unipa.it</u>

Bettina Nocke Dipartimento dell'Energia - UNIPA bettinao@dream.unipa.it

Roberto Fedrizzi EURAC roberto.fedrizzi@eurac.edu

Gerhard Frei EURAC gerhard.frei@eurac.edu

Wolfram Sparber EURAC wolfram.sparber@eurac.edu

Matteo D'Antoni EURAC Research matteo.dantoni@eurac.edu

Osama Ayadi Politechnico di Milano osama.ayadi@polimi.it

Alberto Mauro Politechnico di Milano alberto.mauro@polimi.it

Lorenzo Pistocchini Politechnico di Milano lorenzo.pistocchini@polimi.it Portugal Jorge Facao LNEG Lisbon jorge.facao@ineti.pt

Spain Òscar Càmara Moreno Aiguasol <u>oscar.camara@aiguasol.coop</u> Daniel González i Castellví Aiguasol dani.gonzalez@aiguasol.coop

Jorge Payá Herrero Institute for Energy Engineering Universidad Politécnica de Valencia jorpaher@iie.upv.es

Dani Carbonell Sanchez RDMES dani@rdmes.com

Sweden Elisabeth Kjellsson Building Physics Lund University elisabeth.kjellsson@byggtek.lth.se

Bengt Perers DTU DK & SERC Sweden beper@byg.dtu.dk

Hatef Madani KTH hatef.madani@energy.kth.se

Ulrik Pettersson SP Sveriges Tekniska Forskningsinstitut SP Technical Research <u>ulrik.pettersson@sp.se</u>

Chris Bales SREC, Borlange <u>cba@du.se</u>

Switzerland Bernard Thissen Energie Solaire SA bernard@energie-solaire.com

Marc Baetschmann ETH Zürich marc.baetschmann@3s-pv.ch Christian Hutter H+S Solar ch.hutter@hssolar.ch

Sara Eicher HEIG-VD sara.eicher@heig-vd.ch

Catherine Hildbrand heig-vd catherine.hildbrand@heig-vd.ch

Jacques Bony HEIG-VD jacques.bony@heig-vd.ch

Mircea Bunea HEIG-VD <u>Mircea.Bunea@heig-vd.ch</u>

Peter Kurmann Hochschule für Technik und Architektur Peter.Kurmann@hefr.ch

Thomas Afjei Institut Energie am Bau - FHNW thomas.afjei@fhnw.ch

Ralf Dott Institut Energie am Bau - FHNW ralf.dott@fhnw.ch

Daniel Philippen SPF daniel.philippen@solarenergy.ch

Elimar Frank SPF Institut für Solartechnik elimar.frank@spf.ch

Michel Haller SPF Institut für Solartechnik michel.haller@spf.ch

Pierre Hollmuller Université de Genève - ISE pierre.hollmuller@unige.ch

Floriane Mermoud Université de Genève - ISE floriane.mermoud@unige.ch Jörg Marti Vela Solaris joerg.marti@velasolaris.com

Andreas Witzig Vela Solaris andreas.witzig@velasolaris.com

United States Tim Merrigan NREL Tim.Merrigan@nrel.gov

Tim Moss SANDIA tamoss@sandia.gov

Les Nelson Western Renewables Inelson@westernrenewables.com

Task 45

Large Solar Heating/Cooling Systems, Seasonal Storage, Heat Pumps

.....

Jan Erik Nielsen PlanEnergi Operating Agent for the Danish Energy Agency

TASK DESCRIPTION

The main objective of this Task is to assist in a strong and sustainable market development of large solar district heating and cooling systems. The systems can include seasonal storages and/or heat pumps/ chillers.

The main focus is on the system level: How to match the actual system configuration to the actual needs and local conditions including the surrounding regional energy system (free electricity market). Or in other words: For the given conditions of load and energy prices, which system type and size to choose to have a competitive heat price and a large solar fraction.

It is important that the systems are installed and controlled/operated properly in order to perform well. To secure that, guidelines and standards have to be updated and developed and recognised performance guarantee procedures established.

To push the market development, a strong effort will be done in promoting the benefits of the technologies and results from the Task to the decisions makers in the sectors of district heating and cooling and process heating and cooling. The issue of financing the "upfront investment in 25 years of heat production" will be dealt with - and models for services of Energy Service Companies (ESCo's) will be proposed and sought tried out.

Scope

The scope of the Task covers large-scale solar thermal systems – pre-heat systems as well as any combination with storages, heat pumps, CHP-units, boilers, etc. for the supply of block and district heating & cooling.

Task 45 is organized into three Subtasks:

Subtask A: Collectors and Collector Loop

(Lead country: Denmark)

The general objectives of Subtask A are to:

- Assure use of suitable components
- Assure proper and safe installation including compatibility with district heating and cooling network
- Assure the performance of the collector field

Subtask B: Storage

(Lead Country: Germany)

The general objectives of Subtask B are to:

- Improve the economy of (seasonal) storage technologies
- Increase knowledge on durability, reliability and performance of (seasonal) storage technologies
- Demonstrate cost effective, reliable and efficient seasonal storage of thermal energy

Subtask C: Systems

(Lead Country: Austria)

The general objectives of subtask C are to:

- Provide decision makers and planners with a good basis for choosing the right system configuration and size
- Give decision makers and planners confidence in system performance

Task Duration

This Task started on January 1, 2011 and will end December 31, 2013.

Participating Countries

Austria, Canada, Denmark, France, Germany, Italy, Spain

WORK DURING 2011

Subtask A: Collectors and collector fields

Activities included:

Preliminary test results produced

related "Models for correction of collector efficiency parameters depending on collector type, flow rate, tilt and fluid type".

- Work started on "Guidelines for requirements for collector loop installation". Proposal for content made and work on hydraulic aspects, stagnation behaviour, and safety initiated.
- Drafted collector field performance guarantee procedure.

Subtask B: Storages

First round of survey done concerning ongoing/required R&D for seasonal storages.

Subtask C: Systems

Activities included:

- System categories defined. Template for detailed technical information.
- Updated database for large solar system in the air - systems outside Europe missing.
- Questionnaire on tools for feasibility study.
- Draft ESCo compendium.
- Draft procedure for performance checking of collector field and heat exchanger.
- Draft guidelines for planning, installation, commissioning and operation.
- Significant input to design hand-book.

Dissemination/presentations included:

- Two presentations at EU Renewable Heating and Cooling Technology Platform workshops (RHC) in February and April.
- Presentation at the Polish national workshop in Warsaw in May.
- Presentation at ISES 2011, Kassel, Germany in May.
- Presentation at IEA SHC/ESTIF meeting in October.
- Presentation at Joint Workshop IEA ECES/SHC, Munich, Germany in November.

Presentation at the "Solar Summit 2011" in Freiburg, Germany in November.

Workshops included:

- Common industry workshop with Task 44 on solar & heat pumps (the first Task 45 meeting held in conjunction to a Task 44 meeting and in between the two Task meetings a common workshop was organized).
- Industry workshop held after the second Task 45 meeting.

WORK PLANNED FOR 2012

Subtask A: Collectors and Collector Loop

Activities planned include:

- Finish testing related to "Models for correction of collector efficiency parameters depending on collector type, flow rate, tilt and fluid type".
- Conduct preparatory work on requirements and test methods for collector loop pipes: list of standards, collect experience on operating conditions.
- Prepare final draft on "Guidelines for requirements for collector loop installation".
- Draft document on control and operation strategies.
- Finalize collector field performance guarantee procedure.
- Finalize heat exchanger performance guarantee procedure.
- Work on Handbook based on subjects above.

Subtask B: Storages

Activities planned include:

 Draft document on research requirements for seasonal storages.

Subtask C: Systems

Activities planned include:

 Report on sensitivity analysis- elaboration of optimized and standardized system concepts (solar fraction, storage size, economics etc.).

- Finalize ESCo compendium.
- Finalize procedure for performance checking of collector field and heat exchanger.
- Prepare first draft on "Procedures for performance check/ monitoring/ surveillance".
- Prepare final draft of guidelines for planning, installation, commissioning and operation.
- Work on Handbook from subjects above.

REPORTS PUBLISHED IN 2011

No publically available reports were published in 2011.

REPORTS PLANNED FOR 2012

The following reports/documents will be available on the SHC website:

- Report on collector tests
- ESCo compendium
- Performance checking of collector field and heat exchanger

MEETINGS IN 2011

1st Experts Meeting April Barcelona, Spain

2nd Experts Meeting October Alberta, Canada

MEETINGS PLANNED FOR 2012

3rd Experts Meeting May 21-23 Denmark *Joint meeting planned with IEA DHC Programme*

4th Experts Meeting

September Austria *Joint meeting planned with SHC Tasks 48 and 49.*

TASK 45 NATIONAL CONTACTS

Operating Agent

Jan Erik Nielsen PlanEnergi Aggerupvej 1 4330 Hvalsö DENMARK jen@planenergi.dk Phone: +45 4646 1229

Subtask A Leader

Simon Furbo DTU.BYG Denmark

Subtask B Leader

Dirk Mangold SOLITES Germany

Denmark

Per Alex Sørensen PlanEnergi

Leo Holm Marstal Fjv.

Per Kristensen Braedstrup Fjv.

Italy Maurizio De Lucia Università di Firenze

Germany

Harald Drück ITW, Stuttgart University

Rolf Meissner Ritter XL Solar GmbH *Observer*

Thorsten Urbanek TU Chemnitz *Observer*

Task 47

Renovation of Non-Residential Buildings towards Sustainable Standards

.....

Fritjof Salvesen

Asplan Viak AS Operating Agent for the Norwegian Ministry of Petroleum and Energy

TASK DESCRIPTION

Buildings are responsible for up to 35 % of the total energy consumption in many of the IEA participating countries. The EU Parliament approved in April 2009 a recommendation that member states have to set intermediate goals for existing buildings as a fixed minimum percentage of buildings to be net zero energy by 2015 and 2020.

For the existing non-residential buildings a dramatic reduction in primary energy consumption is crucial to achieve this goal.

A few exemplary renovation projects have demonstrated that total primary energy consumption can be drastically reduced together with improvements of the indoor climate. The experience gained from these projects has not been systematically analyzed to make it a reliable resource for planners. Because most property owners are not even aware that such savings are possible, they set energy targets too conservative. Buildings renovated to mediocre performance can be a lost opportunity for decades. It is therefore important that building owners be aware of such successes and set ambitious targets.

This Task will start by analyzing highly successful renovations and develop innovative concepts for the most important market segments.

Equally important, local authorities, companies, and planners also need the knowledge how to achieve market penetration of such solutions. Success stories and planning knowledge will be communicated to target audiences to accelerate a market break-through of highly effective renovations in non- residential buildings.

The objectives of this Task are to:

- Develop a solid knowledge base on how to renovate non-residential buildings towards the NZEB standards in a sustainable and cost efficient way.
- Identify the most important market

and policy issues as well as marketing strategies for such renovations.

The Task deals with several types of nonresidential buildings, including protected and historic buildings:

- Office buildings
- Educational buildings
- Nursing homes
- Hotels
- Supermarkets and shopping centers

Depending on available projects among the participating countries, the following types may also be recognized; hospitals, industrial halls, and indoor swimming pools.

A broad range of technologies will be included and solar energy will play a significant role in bringing the use of primary energy down to NZEB standard.

The Task is organized in the following Subtasks:

Subtask A: Advanced Exemplary Projects - Information Collection & Brief Analysis

(Lead Country: Norway, Asplan Viak AS, Fritjof Salvesen)

The objectives are to:

- Systematically analyze and document renovation projects meeting Task selection criteria in order to quantify which measures achieve the greatest energy savings or improvement in comfort and at what costs.
- Identify the driving forces and barriers in the decision-making processes for detailed analysis in Subtask B.
- Identify innovative, promising concepts and technologies for detailed analysis in Subtask C.
- Identify environmental impacts and architectural quality for detailed analysis in Subtask D.

Subtask B: Market and Policy issues and Marketing Strategies

(Lead Country: Norway, Segel AS, Trond Haavik)

The objectives are to:

- Identify segments in the non- residential building stock with high potential for energy efficiency savings and which type of owners are most likely to go for major renovation projects.
- Identify the most important barriers and driving forces in decisionmaking processes for high ambition renovation in the nonresidential sector and how to overcome them.
- Develop knowledge about which boundary conditions are important to make renovations attractive/ affordable/cost effective and more available.
- Increase the understanding of how improved non-energy benefits (including outcome subtask D) as a result of substantial renovation, increase the value of the building and thereby make the investments profitable.

Subtask C: Assessment of Technical Solutions and Operational Management (Lead Country: Germany, Fraunhofer ISE, Doreen Kaltz)

The objectives are to:

- Describe the HVAC and control systems of the recommended retrofit concept. This includes information about the building shell, the HVAC system, the daylighting and artificial lighting concepts as well as available measurement or energy consumption data. The documentation of the data is an important contribution to Subtask A.
- Identify required measuring points for a basic monitoring of building and HVAC system.
- Develop a methodology for evaluating the different building and plant

concepts.

- Identify and develop successful NZEB concepts considering the building envelope as well as the heating, cooling, ventilation and lighting concept.
- Evaluate the building and plant performance on basis of energy monitoring or monthly energy bills (if measurements are made available by participants).
- Analyze the fault detection and identify optimization potential due to smart building and plant control.

Subtask D: Environmental and Health Impact Assessment (Lead Country: Belgium, University of Louvain La Neuve, Sophie Trachte).

The objectives are to:

- Develop a global (including local and global environment) approach for building renovation based on environmental, urban infrastructure, comfort and health impacts.
- Identify quantifiable and qualitative criteria and requirements for environmental impacts of renovation projects based on BREEAM assessment methodology.
- Identify indoor climate and indoor space issues with particular relevance to the topic of the user's health and user's comfort (visual, acoustical etc).
- Identify "quality of life" issues with particular relevance to the topic of the urban infrastructure, of the urban transportation network and of the collective or public spaces.
- Identify the adaptability of building and flexibility issues with particular relevance to the acceptance of renovations without causing heavy impact on the environment.

Main Deliverables

In general, the dissemination of the task results will take place at a national level. The publications listed below will be available from the Task's public website in PDF format. The publications may be used as a basis for making national publications. The following documents and information meetings are planned during the Task:

- 1. The Task website went public in mid-2011, including secure sites for the Task participants.
- 2. Brochures of exemplary renovation projects will be available on the public website by spring 2012. They are designed for designers, planners and building owners
- 3. Two seminars will be held in conjunction with expert meetings presenting exemplary projects from the participating countries
- 4. A "Lessons learned summary" will be prepared from the exemplary projects of Subtask A.
- A report will be published describing decision making processes, nonenergy benefits as well as barriers and driving forces from the case studies of Subtask B.
- 6. A report will be published summarizing renovation policies and strategies.
- 7. Presentations will be given at national and international conferences the building industry and/or the real estate sector as target group.
- 8. A report will be published with recommendations and conclusions from Subtask C.
- 9. "Guidelines for designers and planners" with recommendations will be published.

Duration

The Task started on 1 January 2011 and will end on 30 June 2014.

Participating Countries

Australia, Austria, Belgium, Denmark, Germany, Italy, Norway

WORK DURING 2011

The Task got underway with two Experts Meetings – Oslo in April and Copenhagen in September. The Task website was developed within the SHC framework. There is a public section and a password protected work area for task participants.

Subtask A: Exemplary Renovation Projects

The participants agreed on the following selection criteria for task 47 exemplary projects:

- Building types: Office, Educational, Culture, Hotels, Historic/ protected buildings are included.
- Energy: Goal: Towards a NZEB building. Optimized building envelope and technical installation using the best available technologies/products on the market. Within the given constraints of the individual building (e.g. for protected / historic buildings). At least 60% reduction in the primary energy demand (heating, cooling, ventilation, lighting, DHW and pumps) (according to the calculation rules given by the EPBD standard or other similar standards). The renovated standard should be better than the national standard building code for new buildings. Embodied energy strategies to be considered.
- *Economics:* Marketable solutions.
- Market potential: Replicable building concepts.

For the public presentation of task 47 exemplary projects, an eight pages template has been developed. It is expected that approximately 10 projects will be uploaded on the public web before summer.

Subtask B: Market and Policy issues

The subtask is still in its early phase which focusing on the simplified building stock analysis using existing data sets from participating countries.

Subtask C: Technical Solutions And

Operational Management

The subtask is still in its early phase, however it was decided to develop a common database for the subtask b, C and D for the demonstration projects and their energy and non-energy aspects.

Subtask D: Environmental And Health

The subtask is still in the early phase. It was decided that this work would focus on educational buildings.

WORK PLANNED FOR 2012

Presentations of a number of exemplary renovation projects will be uploaded on the public web.

A seminar in connection with the autumn expert meeting will be considered.

The task will be represented at the SHC 2012 Conference in San Francisco in July.

LINKS WITH INDUSTRY

Some of the task participants are representing consultancies.

In some countries like Norway, a national Task 47 project is organized with several industry partners.

Front page of Subtask Template

1. INTRODUCTION

PROJECT SUMMARY Year of construction - 1980 None past energy renovations

- SPECIAL FEATURES

- SPECIAL FEATURES Main topics in the renovation are: High insulated pre fabricated façades Airtightness 0,6 h-1 Reduced surface to volumen ratio Energy recovery from data facility I basement of building High efficiency technical systems, COP cooling systems, efficient heat recovery, and low SFP
- ARCHITECT LPO Achitects AS, Oslo
- Consultant Sweco, Multiconsult; Hambra
- Partners
- ENOVA, Norway, Future built, Norway OWNER
- Entra Real Estate Company

SHC

REPORTS PUBLISHED IN 2011

No reports have been published in 2011.

REPORTS PLANNED FOR 2012

Subtask A: Presentations of Exemplary **Renovation Projects**

MEETINGS IN 2011

1st Experts Meeting April 29-30

Oslo, Norway

2nd Experts Meeting

September 29-30 Copenhagen, Denmark

MEETINGS PLANNED FOR 2012

3d Experts Meeting April 12-13 Rome, Italy

4th Experts Meeting September/October Brussels, Belgium

Norwegian Tax Authority - Oslo Norway



IEA - SHC Task 47 Renovation of Non-Residential Buildings towards Sustainable Standards

SHC Task 47: Renovation of Non-Residential Buildings www.iea-shc.org

TASK 47 PARTICIPANTS

Operating Agent and

Subtask A Leader Fritjof Salvesen Asplan Viak AS

P.O.Box 24 NO-1300 Sandvika Norway fritiof.salvesen@asplanviak.no

Subtask B Leader

Trond Haavik Segel AS Box 284 NO-6770 Nordfjordeid Norway trond.haavik@segel.no

Subtask C Leader

Doreen Kalz Fraunhofer - Inst. Solar Energy Systems Heidenhofstrasse 2 DE-79110 Freiburg Germany Doreen.kalz@ise.fraunhofer.de

Subtask D Leader

Sophie Trachte Architecture et Climat - University of Louvain La Neuve Place Du Levant 1 BE-1348 LOUVAIN LA NEUVE Belgium sophie.trachte@uclouvain.be

NATIONAL EXPERTS & CONTACTS

The following is a list of National Experts & Contacts as identified as Participants of Task meetings or interested during 2011. Please go to the Task page on the SHC web site for updates: <u>http://www.iea-shc.org/task47</u>

Australia

Richard Hyde Fac. Architecture, Design and Planning University of Sydney

Francis Barram Fac. Architecture, Design and Planning University of Sydney

Austria

Thomas Mach Graz University of Technology

Claudia Dankl Østerreichische Gesellschaft fur Umwelt und Technik

Christian Hettfleisch AIT Austrian Institute of Technology

Belgium

Wouter Hilderson Passiefhuis-Platform vzw

Denmark

Kirsten Engelund Thomsen Danish Building Research Institute

Jørgen Rose Danish Building Research Institute

Germany

Johann Reiss Fraunhofer - Inst. Bauphysik

Roman Jakobiak Daylighting

Italy Ezilda Costanzo ENEA

Norway

Michael Klinski SINTEF Building and Infrastructure

Ann Kristin Kvellheim Enova

Arne Førland-Larsen Asplan Viak AS

Task 48

Quality Assurance and Support Measures for Solar Cooling

.....

Daniel Mugnier TECSOL SA Operating Agent for the French Energy Agency (ADEME)

TASK DESCRIPTION

A tremendous increase in the market for air-conditioning can be observed worldwide, especially in developing countries. The results of the past IEA SHC Tasks and work on solar cooling (the most recent Task 38: Solar Air-Conditioning and Refrigeration) on the one hand showed the great potential of this technology for building air-conditioning, particularly in sunny regions. On the other hand, it showed that further work is necessary to achieve economically competitive systems and provides solid long-term energy performance and reliability.

Objectives

This Task will work to find solutions to make solar thermally driven heating and cooling systems at the same time efficient, reliable and cost competitive. These three major targets should be reached by focusing the work on four levels of activity:

- 1) Development of tools and procedure to make the characterization of the main components of SAC systems.
- Creation of a practical and unified procedure, adapted to specific best technical configurations.
- 3) Development of three quality requirements targets.
- Production of tools to promote Solar Thermally Driven Cooling and Heating systems.

Scope

The scope of the Task is the technologies for production of cold water or conditioned air by means of solar heat, that is, the subject which is covered by the Task starts with the solar radiation reaching the collector and ends with the chilled water and/or conditioned air transferred to the application. However, the distribution system, the building and the interaction of both with the technical equipment are not the main topic of the Task, but this interaction will be considered where necessary.

Structure

The Task is divided into 4 subtasks (including the detailed activities corresponding for each as noted below).

Subtask A: Quality procedure on component level

- A1: Chiller characterization
- A2: Life cycle analysis at component level
- A3: Heat rejection
- A4: Pumps efficiency and adaptability
- A5: Conventional solar collection
- A6: State of the art on new collector & characterization

Subtask B: Quality procedure on system level

- B1: System/Subsystem characterization & field performance assessment
- B2: Good practice for DEC design and installation
- B3: Life cycle analysis at system level
- B4: Simplified design tool used as a reference calculation tool: design facilitator
- B5: Self detection on monitoring procedure
- B6: Quantitative quality and cost competitiveness criteria for systems

Subtask C: Market support measures

- C1: Review of relevant international standards rating and incentive schemes
- C2: Methodology for performance assessment, rating and bench marking
- C3: Selection and standardisation of best practice solutions
- C4: Measurement and verification procedures
- C5: Labelling possibilities investigation
- C6: Collaboration with Task 45 for contracting models
- C7: Certification process definition for small systems

Subtask D: Dissemination and policy advice

- D1: Web site
- D2: Best Practices brochure
- D3: Simplified short brochure
- D4: Guidelines for roadmaps on solar cooling
- D5: Updated specific training seminars adapted to the quality procedure
- D6: Outreach report

Main Deliverables

The main deliverables include:

- Report on best practices on solar collection components for quality, reliability and cost effectiveness.
- Quality procedure document/check lists guidelines for solar cooling.
- Self detection on monitoring procedure report.
- Soft tool package for the fast predesign assessment of successful projects.
- Report and database of existing international standards, rating and incentive systems relevant to solar cooling.
- Report on the rating, measurement and verification of solar cooling performance and quality.
- Report on the selected standard engineering systems ,
- Report on alternative uses of the developed standards and rating framework.
- Technical report about the results of the Life Cycle Assessment of Solar Cooling systems and LCA tool.
- Website dedicated to the Task.
- Training material for installers and planners and training seminars feedback report.
- Semi-annual e-newsletter for the industry.
- Industry workshops in national languages in participating countries addressing target groups (related to Experts meetings).
- Best practices brochure.
- Simplified short brochure (jointly edited by the Subtask Leader (Greenchiller) and IEA SHC Programme.

 Guidelines for Roadmaps on Solar Cooling and possibly general international roadmap on solar cooling (optional).

Duration

The Task started in October 2011 and will be completed in March 2015.

Participating Countries

Australia, Austria, Belgium, Canada, France, Germany, Italy, Singapore, South Africa, Spain, United States

WORK DURING 2011

The main activities were:

- <u>Built in and regular update of the Task</u> <u>Workplan</u> (participants' involvement): The main evolution on the Work Plan and Annex (updated on a version dated at October 2011) were on the Participant list and above all their participation in related activities. The updated documents are available on the Task website (www.iea-shc.org/task48
- Confirmation of Task participants: Af-ter the Task preparation meeting which occurred in March 2011 in Paris, some interests came from countries such as Singapore and South Africa. And, we had the great honor to welcome at the kick off meeting in Marseille Professor Kim Tiow Ooi from Nanyang Technical University. The will to enlarge the participation over traditionnal European countries has permitted to welcome as well M. Lucio Mesquita representing Queen's University and therefore Canad. Dr. Mesquita, a native from Brasil, will try in the next months to motivate Brazilian authorities to examine the possible participation of Brazil in Task 48 Other contacts have been established with:
 - Mexico, Professor Roberto Best from UNAM (Mexico city)
 - Israel (Prof. Gershon Grossman from Technion Haifa)
 - Japan, R&D manager of the company, Kawasaki

- <u>Task preparation meeting 1</u>: Paris, March 28-29, 2011 (host: TECSOL, 25 attendees)
 The full content of the presentations made at this meeting are available in the Task 48 website available for the Public at « Events » section.
- <u>First Task meeting</u> (Marseille, October 2011): 28 participants from 9 countries participated in the Task 48 kick-off meeting in Marseille October 2011. The meeting permitted work on the organization of the different activities and confirmed the participation of the countries in this new Task through different institutes and track.
- Common workshop with SHC Task 44: The Task kick off meeting was held in conjunction to a Task 44 meeting (same place, same hotel and same schedule) - and at the end of the 2 Task meetings, a common workshop was organized. This meeting was a very fruitful to exchange among Task 48 and Task 44 experts on a transversal issue: Performance indicators, performance calculation and evaluation procedure for thermally driven chillers and Solar heating/DHW/cooling applications (heat pumps and solar): approaches, differences, next steps.

Nearly 40 experts attended and 2 main presentations were made by Ivan Malenkovitch of AIT (Austria) and Task 44 Subtask B leader and Stephen White of CSIRO (Australia) and Task 48 Subtask C leader.

- Press conference at ESTEC 2011: A press conference was co-organized by the OA's of Task 48 and Task 44, profiting from the proximity of the 2 Experts meetings during this conference. The objective of this event was to present the IEA SHC Programme and Tasks 44 and 48 to the media and the ESTEC attendees interested in SHC activities.
- <u>Task Announcement during OTTI con-</u> ference on Solar Air Conditioning

(Larnaca, October 2011): This conference was held 2 weeks after the start of the Task and one week before the kick off meeting. This conference is considered to be the most important one on solar cooling. The Task 48 OA, as member of the Scientific Committee, proposed to OTTI to profit from the conference to make a short announcement of the Task.

- <u>Established website</u>: The Task website was developed. It can be found at <u>www.iea-shc.org/task48</u>. This website was very useful in preparation for the kick off meeting.
- •

Results in 2011

The subtask work did not start, but almost all the activities in the Work Plan were confirmed during the kick off meeting, with significant contributions from participants. The quality procedure document/check lists (B5) was combined with C3 and the application for validation of preselected best practice examples (B8) was deleted due to a lack of contributions.

WORK PLANNED FOR 2012

According to the Work Plan, the following reports and deliverables should be available by the end of 2012:

- Subtask C: Report and database of existing inter-national standards, rating and incentive systems relevant to solar cooling
- Subtask C: Report on the rating, measurement and verification of solar cooling performance and quality
- Subtask D: Task newsletters #1 & #2
- Subtask D: Updated website

MEETINGS IN 2011

1st Expert Meeting October 18-19 Marseille, France (In conjunction with ESTEC 2011)

MEETINGS PLANNED FOR 2012

2nd Experts Meeting March 26-27 Milano, Italy

3rd Experts Meeting September 10-11 Graz, Austria (In conjunction with Gleisdorf Solar)

TASK 48 NATIONAL CONTACTS

Operating Agent

Daniel MUgnier TECSOL SA 105 avenue Alfred Kastler – BP90434 FR – 66000PERPIGNAN France Tel: + 33 4 68 68 16 40 daniel.mugnier@tecsol.fr

Subtask A : Quality procedure on component Prof. Mario Motta

Politecnico di Milano Dep. Energy - Via Lambruschini 4 Milano 20156, Italy

Subtask B : Quality procedure on system level Dr. Alexander Morgenstern Fraunhofer ISE Heidenhofstraße 2 Freiburg 79110, Germany

Subtask C : Market support measures Dr. Stephen White CSIRO PO Box 330 Newcastle, NSW 2300, Australia

Subtask D : Dissemination and policy advice Dr. Uli Jakob Green Chiller Association

Verband für Sorptionskälte e.V. Stendaler Str. 4 10559 Berlin, Germany

NATIONAL EXPERTS & CONTACTS

The following is a list of national experts & contacts as identified as participants of Task meeting or interested during 2011.

Please go to the Task page on the SHC website for updates: <u>http://www.iea-</u> <u>shc.org/task48/index.html</u>

Australia Stephen White CSIRO

Austria Alexander Thür AEE Intec

Tim Selke AIT Vienna

Reinhard Hofstaetter ASIC

Moritz Schubert SOLID

Daniel Neyer University of Innsbruck

Belgium Sébastien Thomas *University of Liege*

Canada Steve Harrisson *Queen's University*

Lucio Mesquita Thermosol Consulting

France

Amandine Le Denn TECSOL

François Boudehenn CEA INES

Franck Lucas PIMENT

Patric Joubert LEPTIAB **Germany** Alexander Morgenstern Jochen Doll *Fraunhofer ISE*

Christian Zahler Industrial Solar GmbH

Mathias Safarik *ILK Dresden*

Christian Schweigler Martin Helm Manuel Riepl ZAE Bayern

Dirk Pietruschka ZAFHNET

Clemens Pollerberg Fraunhofer Umsicht

Uli Jakob Green Chiller Association Italy Roberto Fedrizzi EURAC

Mario Motta Marcello Aprile *University Politechnico di Milano*

Marco Beccali Marco Finocchiaro Bettina Nocke University of Palermo, Dept Energia

Singapore Kim Tiow *Nanyang Technical University*

South Africa Erik M Kideren Ashway Ikapa

Spain Angel Carrera *Aiguasol*

United States Khalid Nagidi Energy Management Consulting

SHC Programme Members

As of January 2011

EXECUTIVE COMMITTEE MEMBERS

AUSTRALIA Mr. Max Maffucci Standards Australia International GPO Box 5420 Sydney NSW 2001 Tel: +61/2 8206 6710 Fax: +61/2 8206 6015 max.maffucci@standards.org.au

Alternate

Mr. Ken Guthrie Sustainability Victoria Urban Workshop Level 28 50 Lonsdale Street Melbourne 3000 Tel: +61/412 178 955 kenguthrie@bigpond.com

AUSTRIA

Mr. Werner Weiss (Chairman) AEE INTEC Feldgasse 19 A-8200 Gleisdorf Tel: +43/3112 5886 17 Fax: +43/3112 5886 18 w.weiss@aee.at

Alternate

Mrs. Sabine List BMVIT Renngasse 5 A-1010 Vienna Tel: +43/1 71162 652919 Sabine.list@bmvit.gv.at

BELGIUM Prof. André De Herde Architecture et Climat Université Catholique de Louvain Place du Levant, 1 B-1348 Louvain-la-Neuve Tel: +32/10 47 21 42

Fax: +32/10 47 21 50 andre.deherde@uclouvain.be

CANADA

Mr. Doug McClenahan CanmetENERGY 580 Booth Street Ottawa, Ontario K1A 0E4 Tel: +1/613 996 6078 or Mob: +1/613/884-2333 Fax: +1/613 996 9416 dmcclena@nrcan.gc.ca

CHINA

Prof. He Tao China Academy of Building Research 30#, Beisanhuandonglu Chaoyang District Beijing 100013 Tel: +86/10 64517746 Fax: +86/10 84288287 iac@vip.sina.com

Alternate Mr. Zhang Xinyu (same address as above) Tel: +86/10 84278906 Fax: +86/10 84288287 zxyhit@163.com

DENMARK

Mr. Jens Windeleff Danish Energy Agency Amaliegade 44 DK-1256 Copenhagen K Tel: +45/33 92 68 18 Fax: +45/33 11 47 43 jew@ens.dk

Alternate

Mr. Jan Erik Nielsen PlanEnergi Aggerupvej 1 DK-4330 Hvalsö, DENMARK Tel: +45/4646 1229 Fax: +45/9839 2498 jen@solarkey.dk

EUROPEAN COMMISSION

Mr. Jose Riesgo
European Commission -DG ENER
Directorate C - New and Renewable Sources of Energy, Energy Efficiency & Innovation
Rue De Mot 24-3/ 152
B-1049 Brussels
Tel: +32/2 29 57939
Fax: +32/2 29 66261
Jose.Riesgo@ec.europa.eu

FINLAND

Mr. Martti Korkiakoski Tekes, Finnish Funding Agency for Technology and Innovation P.O.Box 69 FI-00101 Helsinki Tel: +358 1060 55875 martti.korkiakoski@tekes.fi

FRANCE

Ms. Céline Coulaud Département Energies Renouvelables (DER) ADEME - Centre de Sophia Antipolis 500 route des Lucioles 06560 VALBONNE Tel: +33/4 93 95 72 53 Fax: +33/4 93 65 31 96 celine.coulaud@ademe.fr

GERMANY

Dr. Robert Drese Projektträger Jülich Energietechnologien (ERG1) Forschungszentrum Jülich GmbH 52425 Jülich Tel: +49/2461 61 9293 Fax: +49/2461 61 3131 r.drese@fz-juelich.de

Alternate

Dr. Peter Donat Projektträger Jülich Geschäftsbereich Erneuerbare Energien Forschungszentrum Jülich GmbH Zimmerstraße 26-27 10969 Berlin Tel: +49/30 20199 427 Fax: +49/30 20199 470 p.donat@fz-juelich.de

ITALY

Mr. Michele Zinzi ENEA UTEE-ERT s.p. 104 Via Anguillarese, 301 00123 Rome Tel: +39/06 3048 6256 Fax: +39/06 3048 3930 michele.zinzi@enea.it

MEXICO

Dr. Wilfrido Rivera Gomez-Franco National University of Mexico Apdo. Postal #34 62580 Temixco, Morelos Tel: +52/555 622 9740 Fax: +52/777 325 0018 <u>wrgf@cie.unam.mx</u>

Alternate

Dr. Camilo Arancibia Bulnes same address as above Tel: +52/555 622 9831 Fax: +52/777 325 0018 caab@cie.unam.mx

NETHERLANDS

Mr. Lex Bosselaar NL Agency Postbus 8242 3503 RE UTRECHT

Tel: +31/88 602 24 95 Fax: + 31/88 602 90 25 lex.bosselaar@agentschapnl.nl

NORWAY Dr. Tore Wigenstad ENOVA Prof. Brochs gt. 2 7030 Trondheim Mob: +47/906 44 054 Tore.Wigenstad@ENOVA.NO

Alternate

Dr. Anne Gunnarshaug Lien

SINTEF Building and Infrastructure NO-7465 Trondheim Visit address: Alfred Getz v 3 Tel: +47/97 75 79 30 Fax: +47/73 59 82 85 anne.g.lien@sintef.no

PORTUGAL

Mr. João A. Farinha Mendes (Vice Chair) LNEG – Edificio G Departmento de Energias Estrada do Paco do Lumiar, 22 1649-038 Lisboa Tel: +351/21 092 4768 Fax: +351/21 712 7195 Farinha.mendes@lneg.pt

SINGAPORE

Mr. Kian Seng ANG Building and Construction Authority Director, Research 200 Braddell Road, ZEB Level 3 579700 Tel: +65 6248 9988 Fax: +65 6258 0558 ang kian seng@bca.gov.sg

SOUTH AFRICA

Dr. Thembakazi Mali Senior Manager: Clean Energy Solutions SANERI P.O. Box 786141 Sandton, 2146 Tel: +27 10 201 4782 Fax: +27 10 201 4937 thembakazim@saneri.org.za

Alternate

Prof. Ernst Uken Head: CPUT Energy Institute P.O. Box 652 8000 Cape Town Tel: +27 21 460 3127 Fax: +27 21 460 3728 ukene@cput.ac.za

SPAIN

Dr. María José Jiménez Taboada Renewable Energy Division CIEMAT Carretera de Senés s/n E-04200 Tabernas (Almeria)

Tel: +34/950/387922 Fax: +34/950/365015 mjose.jimenez@psa.es

Alternate

Mr. Ricardo Enríquez Miranda Renewable Energy Division CIEMAT Avenida Complutense, 40 E-28040 Madrid Tel: +34/91 3466052 Fax: +34/91 3466037 ricardo.enriquez@ciemat.es

SWEDEN

Dr. Jörgen Sjödin Energy Technology Department Swedish Energy Agency Box 310 SE-631 04 Eskilstuna Tel: +46/16 544 21 38 jorgen.sjodin@swedishenergyagency.se

Alternate Ms. Marie Claesson Same address as above Tel: +46/16 544 20 73 Marie.Claesson@swedishenergyagency.se

SWITZERLAND Mr. Andreas Eckmanns Federal Office of Energy CH 3003 Bern Tel: 41/31 322 54 61 andreas.eckmanns@bfe.admin.ch

Alternate Mr. Urs Wolfer Same address as above Tel: +41/31 322 56 39 Fax: +41/31 323 25 00 urs.wolfer@bfe.admin.ch

UNITED STATES

Dr. Bahman Habibzadeh U.S. Department of Energy 1000 Independence Ave, SW Washington, DC 20585-0121 Tel: +1/202 287 1567 Bahman.Habibzadeh@ee.doe.gov

OPERATING AGENTS

TASK 36 - Solar Resource Knowledge

Management Dr. David S. Renné 2385 Panorama Ave. Boulder, CO 80304 UNITED STATES Tel: +1/303 517 8290 Fax: +1/303 444-1757 drenne@mac.com

TASK 38 - Solar Air Conditioning and Refrigeration Dr. Hans-Martin Henning

Fraunhofer-Institut for Solar Energy Systems Heidenhofstr. 2 D-79110 Freiburg, GERMANY Tel: +49/761 45885134 Fax: +49/761 45889000 hans-martin.henning@ise.fraunhofer.de

TASK 39 - Polymeric Materials for Solar Thermal Applications Mr. Michael Köhl

Fraunhofer Institute for Solar Energy Systems Heidenhofstr. 2 D-79 110 Freiburg, GERMANY Tel: +49/761 45885124 Fax: +49/761 45889124 michael.koehl@ise.fraunhofer.de

TASK 40 – Towards Net Zero Energy Solar Buildings Mr. Josef Ayoub CanmetENERGY Natural Resources Canada 1615 Lionel-Boulet Blvd. Varennes QC J3X 1S6, CANADA Tel: +1/450 652 1981 Fax: +1/450 652 517

Josef.Ayoub@rncan-nrcan.gc.ca jayoub@encs.concordia.ca

TASK 41 - Solar Energy and Architecture

Ms. Maria Wall Dept. of Architecture and Built Environment Lund University P.O. Box 118 SE-221 00 Lund, SWEDEN Tel: +46/46 222 9662 Fax: +46/46 222 4719 maria.wall@ebd.lth.se

TASK 42 - Compact Thermal Energy Storage Mr. Wim van Helden Renewable Heat Oosterstraat 15 1741 GH Schagen, NETHERLANDS Tel: +31/224 752098 Mob: +31/ 62014 3224 wim@wimvanhelden.com

TASK 43 - Rating and Certification Procedures Mr. Les Nelson IAPMO 5001 E. Philadelphia St. Ontario, CA 91761 USA Tel: +1/909/218 8112 Les.nelson@iapmo.org

Mr. Jan Erik Nielsen

PlanEnergi – Zealand Department Aggerupvej 1 DK-4330 Hvalsö, DENMARK Tel: +45/4646 1229 Fax: +45/9839 2498 jen@solarkey.dk

TASK 44 - Solar and Heat Pump Systems

Mr. Jean-Christophe Hadorn BASE CONSULTANTS SA 8 rue du Nant CH-1211 Geneva, SWITZERLAND Tel: + 41/22 840 20 80 Fax: +41/22/840 20 81 jchadorn@baseconsultants.com

TASK 45 - Large Solar Heating & Cooling Systems Mr. Jan Erik Nielsen

PlanEnergi – Zealand Department Aggerupvej 1 DK-4330 Hvalsö, DENMARK Tel: +45/4646 1229 Fax: +45/9839 2498 jen@solarkey.dk

TASK 46 - Solar Resource Assessment and Forecasting Dr. David S. Renné 2385 Panorama Ave. Boulder, CO 80304 UNITED STATES Tel: +1/303 517 8290 Fax: +1/303 444-1757 drenne@mac.com

TASK 47 - Renovation in Non-Residential Buildings Mr. Fritjof Salvesen Asplan Viak AS Kjørboveien 12 P.O.Box 24 1300 Sandvika, NORWAY Tel: +47 40 40 7853 Fax: +47/67 52 52 99 fritjof.salvesen@asplanviak.no

TASK 48 – Quality Assurance and Support Measures for Solar Cooling Mr. Daniel Mugnier TECSOL SA. 105 av Alfred Kastler - BP 90434 66 004 Perpigan Cedex, FRANCE Tel: +33 4 68 68 16 42 Fax : +33 (0) 4 68 68 16 41 E-mail : daniel.mugnier@tecsol.fr

ADMINISTRATION

SHC SECRETARIAT Ms. Pamela Murphy KMGroup 9131 S. Lake Shore Dr. Cedar, Michigan 49621, USA Tel: +1/231 620 0634 Fax: +1/231 228 6017 pmurphy@KMGrp.net secretariat@iea-shc.org

WEBMASTER

Mr. Randy Martin R. L. Martin & Associates, Inc. 6851 Spanish Bay Drive Windsor, Colorado 80550, USA Tel: +1 /970 219 2605 Fax: +1/303 379 4498 randy@rlmartin.com

SHC CONFERENCE

Dr. Andreas Häberle PSE AG Emmy-Noether-Str. 2 79110 Freiburg Germany Tel: +49 761 479 14 14 Fax: +49 761 479 14 44 andreas.haeberle@pse.de TASK 49 - Solar Process Heat for Production and Advanced Applications Mr. Christoph Brunner AEE INTEC Feldgasse 19 A-8200 Gleisdorf, AUSTRIA Tel: +43/3112 5886 17 Fax: +43/3112 5886 18 c.brunner@aee.at

SHC INFORMATION CENTER

Mr. Uwe Trenkner Trenkner Consulting Rue Anatole France 134 1030 Brussels, BELGIUM Tel: +32/2 242 15 55 Mob: +32/499 265 865 uwe@trenknerconsulting.com communications@iea-shc.org

IEA SECRETARIAT LIAISON

Mr. Yoshiki Endo International Energy Agency 9 rue de la Fédération 75739 Paris Cedex 15, FRANCE Tel: +33/1 40 57 65 62 Fax: +33/1 40 57 67 59 yoshiki.endo@iea.org



www.iea-shc.org